



## Inspection Report under the *Long-Term Care Homes Act, 2007*

## Rapport d'inspection prévue le *Loi de 2007 les foyers de soins de longue durée*

### Ministry of Health and Long-Term Care

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch

### Ministère de la Santé et des Soins de longue durée

Division de la responsabilisation et de la performance du  
système de santé  
Direction de l'amélioration de la performance et de la  
conformité

Sudbury Service Area Office  
159 Cedar Street, Suite 603  
Sudbury ON P3E 6A5

Telephone: 705-564-3130  
Facsimile: 705-564-3133

Bureau régional de services de Sudbury  
159, rue Cedar, Bureau 603  
Sudbury ON P3E 6A5

Téléphone: 705-564-3130  
Télécopieur: 705-564-3133

		<input type="checkbox"/> Licensee Copy/Copie du Titulaire	<input checked="" type="checkbox"/> Public Copy/Copie Public
Date(s) of inspection/Date de l'inspection		Inspection No/ d'inspection	Type of Inspection/Genre d'inspection
May 3, 4, 5, & 6, 2011			
Revera Long Term Care Inc. 55 Standish Court, 8 <sup>th</sup> Floor Mississauga, ON, L5R 4B2			
Long-Term Care Home/Foyer de soins de longue durée Birchwood Terrace 237 Lakeview Drive, R.R.#1, Kenora, ON, P9N 4J7			
Name of Inspector(s)/Nom de l'inspecteur(s) Margot Burns-Prouty (106)			
Inspection Summary/Sommaire d'inspection			
The purpose of this inspection was to conduct a Critical Incident inspection.			
During the course of the inspection, the inspector spoke with: Residents, the Administrator, Environmental Services Manager, Falls Coordinator, Registered Nursing Staff (RN and RPN), Personal Support Workers (PSW) and the Cook.			
During the course of the inspection, the inspector(s): Conducted a walk-through of all resident home areas and various common areas, observed care provided to residents in the facility, reviewed electronic plan of care, reviewed written plans of care, reviewed progress notes, and interviewed staff members			
The following Inspection Protocols were used in:			
<ul style="list-style-type: none"><li>• Safe and Secure Home</li><li>• Falls Prevention</li></ul>			
<input checked="" type="checkbox"/> Findings of Non-Compliance were found during this inspection. The following action was taken:			
1 WN			

### NON- COMPLIANCE / (Non-respectés)



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Inspection Report  
under the *Long-  
Term Care Homes  
Act, 2007***

**Rapport  
d'inspection prévue  
le *Loi de 2007 les  
foyers de soins de  
longue durée***

**Definitions/Définitions**

**WN** – Written Notifications/Avis écrit

**VPC** – Voluntary Plan of Correction/Plan de redressement volontaire

**DR** – Director Referral/Référencement du directeur

**CO** – Compliance Order/Ordre de conformité

**WAO** – Work and Activity Order/Ordre de travail et d'activités

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Non-compliance with requirements under the *Long-Term Care Homes Act, 2007* (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

Le suivant constitue un avis d'écrit de l'exigence prévue le paragraphe 1 de section 152 de les foyers de soins de longue durée.

Non-respect avec les exigences sur le *Loi de 2007 les foyers de soins de longue durée* à trouvé. (Une exigence dans le loi comprend les exigences contenues dans les points énumérés dans la définition de "exigence prévue par la présente loi" au paragraphe 2(1) de la loi.

**WN #1:** The Licensee has failed to comply with LTCHA, 2007, S.O. 2007, c.8, s. 3(1) Every licensee of a long-term care home shall ensure that the following rights of residents are fully respected and promoted:  
5. Every resident has the right to live in a safe and clean environment.

**Findings:**

1. On January 12, 2011, a ceiling tile saturated with water, caused by the malfunction of an internal gasket in the SIR pump, fell from the ceiling and hit a resident in the head, the licensee failed to ensure that the rights of a resident to live in a safe environment were fully respected and promoted.

**Signature of Licensee or Representative of Licensee**  
**Signature du Titulaire du représentant désigné**

**Signature of Health System Accountability and Performance Division  
representative/Signature du (de la) représentant(e) de la Division de la responsabilisation et de la performance du système de santé.**

**Title:**

**Date:**

**Date of Report:** If different from date(s) of inspection).  
July 20, 2011