



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance

Division

Performance Improvement and Compliance Branch

**Division de la responsabilisation et de la
performance du système de santé**

**Direction de l'amélioration de la performance et de la
conformité**

London Service Area Office
291 King Street, 4th Floor
LONDON, ON, N6B-1R8
Telephone: (519) 675-7680

Facsimile: (519) 675-7685

Bureau régional de services de London
291, rue King, 4iém étage
LONDON, ON, N6B-1R8
Téléphone: (519) 675-7680

Télécopieur: (519) 675-7685

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Jan 5, 2012	2012_072120_0007	Critical Incident

Licensee/Titulaire de permis

MACGOWAN NURSING HOMES LTD
719 Josephine Street, P.O. Box 1060, WINGHAM, ON, N0G-2W0

Long-Term Care Home/Foyer de soins de longue durée

BRAEMAR RETIREMENT CENTRE
719 Josephine Street North, R.R. #1, P.O. Box 1060, WINGHAM, ON, N0G-2W0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

BERNADETTE SUSNIK (120)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the Director of Care and the Environmental Services Supervisor regarding door access control systems.(2788-000007-11/L-001095-11)

During the course of the inspection, the inspector(s) conducted a walk-through of the home and evaluated each door leading to an unenclosed outdoor space, tested the audibility of the resident-staff communication system and reviewed policies and procedures.

Note: This report is a copy of the original inspection report #2011-159120-0022 dated July 13, 2011. Problems with IQS were encountered at the time of inspection and information was therefore collected manually. Please refer to the original saved on the Y drive under the home name and log #L-001095-11. Log #L-000010-11 was used on the report in error.

The following Inspection Protocols were used during this inspection:

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue**

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home

Specifically failed to comply with the following subsections:

s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,

- i. kept closed and locked,
- ii. equipped with a door access control system that is kept on at all times, and
- iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,

A. is connected to the resident-staff communication and response system, or
B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.

3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.

4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Findings/Faits saillants :

1. [O.Reg.79/10, s.9(1)i & ii] Four doors, one at the end of each of three wings in the home and a door at the end of the service corridor, are not equipped with an access control system (magnetic lock or similar) and are therefore not locked. Residents are able to exit through these doors unimpeded and gain access to the street. The fact that these doors are designated fire exits would prohibit them from being locked and in such a case, the type of locking mechanism would need to release when a fire alarm is engaged.

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the “Order(s) of the Inspector”.

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 17. Communication and response system



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue**

Specifically failed to comply with the following subsections:

- s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,
- (a) can be easily seen, accessed and used by residents, staff and visitors at all times;
 - (b) is on at all times;
 - (c) allows calls to be cancelled only at the point of activation;
 - (d) is available at each bed, toilet, bath and shower location used by residents;
 - (e) is available in every area accessible by residents;
 - (f) clearly indicates when activated where the signal is coming from; and
 - (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Findings/Faits saillants :

1. [O.Reg.79/10, s.17(1)(g)] All four doors noted above are currently equipped with an alarm which sounds only at the main nurse's desk which is centrally located. The alarm was tested and noted to produce a very subtle sound while at the nurse's station. The audibility was tested at the end of a corridor and it could not be heard. Staff should be alerted to the resident-staff communication and response system (which also includes the door alarms) where ever they may be working in the home.

Additional Required Actions:

CO # - 002 will be served on the licensee. Refer to the “Order(s) of the Inspector”.

Issued on this 20th day of January, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité**

Public Copy/Copie du public

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	BERNADETTE SUSNIK (120)
Inspection No. / No de l'inspection :	2012_072120_0007
Type of Inspection / Genre d'inspection:	Critical Incident
Date of Inspection / Date de l'inspection :	Jan 5, 20, 2012
Licensee / Titulaire de permis :	MACGOWAN NURSING HOMES LTD 719 Josephine Street, P.O. Box 1060, WINGHAM, ON, N0G-2W0
LTC Home / Foyer de SLD :	BRAEMAR RETIREMENT CENTRE 719 Josephine Street North, R.R. #1, P.O. Box 1060, WINGHAM, ON, N0G-2W0
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	ARCHIE MACGOWAN

To MACGOWAN NURSING HOMES LTD, you are hereby required to comply with the following order(s) by the date(s) set out below:



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

**Order # /
Ordre no :** 001

**Order Type /
Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,
 - i. kept closed and locked,
 - ii. equipped with a door access control system that is kept on at all times, and
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.
- 1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.
2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.
3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.
4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Order / Ordre :

1. All doors leading directly to the outside, where a resident can gain access to the street, shall be equipped with a door access control system.
2. The door access control system must comply with all applicable codes and standards such as the Fire Code.

Grounds / Motifs :

1. Four doors, one at the end of each of three wings in the home and a door at the end of the service corridor, are not equipped with an access control system (magnetic lock or similar) and are therefore not locked. Residents are able to exit through these doors unimpeded and gain access to the street. The fact that these doors are designated fire exits would prohibit them from being locked and in such a case, the type of locking mechanism would need to release when a fire alarm is engaged. (120)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : Jan 20, 2012



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

Order # /
Ordre no : 002

Order Type /
Genre d'ordre : Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,

- (a) can be easily seen, accessed and used by residents, staff and visitors at all times;
- (b) is on at all times;
- (c) allows calls to be cancelled only at the point of activation;
- (d) is available at each bed, toilet, bath and shower location used by residents;
- (e) is available in every area accessible by residents;
- (f) clearly indicates when activated where the signal is coming from; and
- (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Order / Ordre :

Additional speakers are to be installed in the home, so that the sound of the resident-staff communication and response system is heard by staff where ever they may be working throughout the home. The sound shall be calibrated equally throughout the home so that it is not louder in one area over another. The type of "sound" chosen for the system is to be evaluated so as not to overly disturb residents who are trying to sleep.

Grounds / Motifs :

1. All four doors noted above are currently equipped with an alarm which sounds only at the main nurse's desk which is centrally located. The alarm was tested and noted to produce a very subtle sound while at the nurse's station. The audibility was tested at the end of a corridor and it could not be heard. Staff should be alerted to the resident-staff communication and response system (which also includes the door alarms) where ever they may be working in the home. (120)

This order must be complied with /

Vous devez vous conformer à cet ordre d'ici le : Jan 20, 2012



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarbo.ca.

Issued on this 20th day of January, 2012

Signature of Inspector /
Signature de l'inspecteur :

Name of Inspector /
Nom de l'inspecteur : BERNNADETTE SUSNIK

Service Area Office /
Bureau régional de services : London Service Area Office