

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130, avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Aug 23, 2021	2021_788721_0007	008796-21	Complaint

Licensee/Titulaire de permis

Caessant-Care Nursing and Retirement Homes Limited
264 Norwich Avenue Woodstock ON N4S 3V9

Long-Term Care Home/Foyer de soins de longue durée

Caessant Care on Mary Bucke
4 Mary Bucke Street St Thomas ON N5R 5J6

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

MEAGAN MCGREGOR (721)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): August 11-13, and 16, 2021.

**The following intake was completed in this complaint inspection:
Log #008796-21 related to allegations of resident abuse.**

During the course of the inspection, the inspector(s) spoke with the Executive Director, Registered Practical Nurses (RPNs), Health Care Aides (HCAs), Resident Support Aides (RSAs), Housekeeping staff and residents.

The inspector also observed residents and the care provided to them, and reviewed residents clinical records, the home's incident and complaint reports, and relevant policies and procedures.

This inspection was conducted concurrently with Critical Incident System Inspection #2021_788721_0006. An Infection Prevention and Control (IPAC) observational checklist was completed and cooling and air temperature requirements were reviewed as part of this inspection.

**The following Inspection Protocols were used during this inspection:
Prevention of Abuse, Neglect and Retaliation**

During the course of this inspection, Non-Compliances were not issued.

0 WN(s)

0 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Légende</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

Issued on this 23rd day of August, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.