



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection  
prévu le Loi de 2007 les  
foyers de soins de longue**

**Health System Accountability and Performance**

**Division**

**Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la  
performance du système de santé**

**Direction de l'amélioration de la performance et de la  
conformité**

**Hamilton Service Area Office**  
119 King Street West, 11th Floor  
**HAMILTON, ON, L8P-4Y7**  
Telephone: (905) 546-8294  
Facsimile: (905) 546-8255

**Bureau régional de services de Hamilton**  
119, rue King Ouest, 11<sup>e</sup> étage  
**HAMILTON, ON, L8P-4Y7**  
Téléphone: (905) 546-8294  
Télécopieur: (905) 546-8255

**Public Copy/Copie du public**

<b>Date(s) of inspection/Date(s) de l'inspection</b>	<b>Inspection No/ No de l'inspection</b>	<b>Type of Inspection/Genre d'inspection</b>
Dec 21, 2011	2011_072120_0052	Follow up

**Licensee/Titulaire de permis**

**CLARION NURSING HOMES LIMITED  
337 HIGHWAY #8, STONEY CREEK, ON, L8G-1E7**

**Long-Term Care Home/Foyer de soins de longue durée**

**CLARION NURSING HOME  
337 HIGHWAY #8, STONEY CREEK, ON, L8G-1E7**

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

**BERNADETTE SUSNIK (120)**

**Inspection Summary/Résumé de l'inspection**

The purpose of this inspection was to conduct a Follow up inspection.

During the course of the inspection, the inspector(s) spoke with the administrator, director of care and non-registered staff. Non-compliance with respect to bed safety and door security was identified during an inspection on January 10, 2011 (Report #2011-120-2721-10Jan170631/H-002840-11) at which time Orders #001, #002 and #003 were issued. For this visit, bed safety issues remain and corrected non-compliance can be found on page 3.

During the course of the inspection, the inspector(s) tested each exit door and stairwell door/gate for functionality and adherence to regulations, reviewed the home's documents relating to a recent bed safety audit, reviewed the home's door alarm policy and procedure, discussed staff education with respect to both the door security system and bed safety requirements.(H-002135-11)

The following Inspection Protocols were used during this inspection:

**Safe and Secure Home**

**Findings of Non-Compliance were found during this inspection.**

**NON-COMPLIANCE / NON-RESPECT DES EXIGENCES**



**Ministry of Health and  
Long-Term Care**  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**  
**Rapport d'inspection  
prévu le Loi de 2007 les  
foyers de soins de longue**

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.)
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 15. Bed rails**

Specifically failed to comply with the following subsections:

- s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,  
(a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident;  
(b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and  
(c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).

**Findings/Faits saillants :**

1. [O. Reg.79/10, s. 15(1)(b) and (c)] The licensee has not addressed safety issues related to bed rail latch reliability in the home. The beds and bed mattresses were audited by Therapeutic Surface Solutions Inc. on December 6, 7 and 13, 2011, following Health Canada Guidelines titled "Adult Hospital Beds: Patient Entrapment Hazards, Side Rail Latching Reliability, and Other Hazards" to determine bed safety. Concerns were identified with a total of 51 beds, 39 of which were found to have mattresses with substandard foam density and 33 of which had unreliable bed rail latching issues. A discussion with the Director of Care revealed that residents were all assessed for bed rail use, however residents continue to occupy the beds where latch reliability issues were identified. Order (#003) regarding bed safety and plans to address identified bed safety risks was previously issued on May15, 2011 for an inspection conducted on January 10, 2011. To date no plans have been received.

**Additional Required Actions:**

**CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".**

Issued on this 31st day of January, 2012

THE FOLLOWING NON-COMPLIANCE AND/OR ACTION(S)/ORDER(S) HAVE BEEN COMPLIED WITH/  
LES CAS DE NON-RESPECTS ET/OU LES ACTIONS ET/OU LES ORDRES SUIVANT SONT MAINTENANT  
CONFORME AUX EXIGENCES:

CORRECTED NON-COMPLIANCE/ORDER(S) REDRESSEMENT EN CAS DE NON-RESPECT OU LES ORDRES			
REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / NO DE L'INSPECTION	INSPECTOR ID #/ NO DE L'INSPECTEUR
O. Reg. 79/10, s. 9.1.iii A & B	CO - #001	2011-120-2721-10Jan170631	120
LTCHA, 2007, S.O., 2007, c.8, s. 5.	CO - #002	2011-120-2721-10Jan170631	120
O. Reg. 79/10, s. 9.1.iii A & B	WN - #005	2011-120-2721-10Jan170631	120
LTCHA, 2007, S.O., 2007, c.8, s. 5.	WN - #006	2011-120-2721-10Jan170631	120

Issued on this 31st day of January 31, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs:





**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité**

**Public Copy/Copie du public**

<b>Name of Inspector (ID #) / Nom de l'inspecteur (No) :</b>	BERNADETTE SUSNIK (120)
<b>Inspection No. / No de l'inspection :</b>	2011_072120_0052
<b>Type of Inspection / Genre d'inspection:</b>	Follow up
<b>Date of Inspection / Date de l'inspection :</b>	Dec 21, 2011
<b>Licensee / Titulaire de permis :</b>	CLARION NURSING HOMES LIMITED 337 HIGHWAY #8, STONEY CREEK, ON, L8G-1E7
<b>LTC Home / Foyer de SLD :</b>	CLARION NURSING HOME 337 HIGHWAY #8, STONEY CREEK, ON, L8G-1E7
<b>Name of Administrator / Nom de l'administratrice ou de l'administrateur :</b>	MICHAEL JANJIC

To CLARION NURSING HOMES LIMITED, you are hereby required to comply with the following order(s) by the date(s) set out below:



## Ministry of Health and Long-Term Care

### Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

## Ministère de la Santé et des Soins de longue durée

### Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

Order # /  
Ordre no : 001

Order Type /  
Genre d'ordre : Compliance Orders, s. 153. (1) (b)

#### Pursuant to / Aux termes de :

O.Reg 79/10, s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,  
(a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident;  
(b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and  
(c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).

#### Order / Ordre :

The licensee shall prepare and submit a plan to ensure steps are taken to prevent resident entrapment and other safety issues related to the use of bed rails is addressed including latch reliability as outlined in the bed safety audit findings identified by Therapeutic Surface Solutions Inc. on December 6, 7 & 13th, 2011. The plan shall detail specifically the following:

1. How the risks identified will be prioritized. Include time lines for replacement of the mattresses and the bed rails with the latching failures.
2. The time lines for when residents were assessed for their bed safety and the type of strategy that was implemented to ensure residents do not become injured or restrained by bed rails, poor mattress condition or falls from bed.
3. Include with the plan, a copy of a current policy and procedure with respect to on-going bed safety assessments (which includes preventive maintenance for both bed frame and mattress) and resident needs assessments for bed type, mattress type and bed rail use.

The plan shall be implemented.

The plan shall be submitted electronically to LTC Homes Inspector Bernadette Susnik, Ministry of Health and Long Term Care, Performance and Improvement and Compliance Branch, Hamilton Service Area Office at [Bernadette.Susnik@ontario.ca](mailto:Bernadette.Susnik@ontario.ca) by February 29, 2012.

#### Grounds / Motifs :

1. The licensee has not addressed safety issues related to bed rail latch reliability in the home. The beds and bed mattresses were audited by Therapeutic Surface Solutions Inc. on December 6, 7 and 13, 2011, following Health Canada Guidelines titled "Adult Hospital Beds: Patient Entrapment Hazards, Side Rail Latching Reliability, and Other Hazards" to determine bed safety. Concerns were identified with a total of 51 beds, 39 of which were found to have mattresses with substandard foam density and 33 of which had unreliable bed rail latching issues. A discussion with the Director of Care revealed that residents were all assessed for bed rail use, however residents continue to occupy the beds where latch reliability issues were identified. Order (#003) regarding bed safety and plans to address identified bed safety risks was previously issued on May15, 2011 for an inspection conducted on January 10, 2011. To date no plans have been received. (120)

This order must be complied with by /  
Vous devez vous conformer à cet ordre d'ici le : Feb 29, 2012



## Ministry of Health and Long-Term Care

### Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

## Ministère de la Santé et des Soins de longue durée

### Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

### REVIEW/APPEAL INFORMATION

#### TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

**PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsb.on.ca](http://www.hsb.on.ca).

Issued on this 31st day of January, 2012

**Signature of Inspector /  
Signature de l'inspecteur :**

**Name of Inspector /  
Nom de l'inspecteur :** BERNADETTE SUSNIK

**Service Area Office /  
Bureau régional de services :** Hamilton Service Area Office