



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance

Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Hamilton Service Area Office
119 King Street West, 11th Floor
HAMILTON, ON, L8P-4Y7
Telephone: (905) 546-8294
Facsimile: (905) 546-8255

Bureau régional de services de Hamilton
119, rue King Ouest, 111ème étage
HAMILTON, ON, L8P-4Y7
Téléphone: (905) 546-8294
Télécopieur: (905) 546-8255

Public Copy/Copie du public

Date(s) of Inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Dec 28, 2011	2011_072120_0083	Critical Incident

Licensee/Titulaire de permis

THE REGIONAL MUNICIPALITY OF NIAGARA
2201 ST. DAVID'S ROAD, THOROLD, ON, L2V-4T7

Long-Term Care Home/Foyer de soins de longue durée

DOUGLAS H. RAPELJE LODGE
277 PLYMOUTH ROAD, WELLAND, ON, L3B-6E3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

BERNADETTE SUSNIK (120)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with Administrator, Housekeeping/Laundry Supervisor and a maintenance person. This is a late entry for a report that was manually completed on July 7, 2011 due to IQS problems. The original is saved on the Y drive, under the home file as log #H-001346-11 and the original inspection number is 2011-159120-0018. The Orders were cleared on Dec. 22, 2011.

During the course of the inspection, the inspector(s) conducted a walk-through of two home areas and the service corridor, reviewed the home's door security systems, policies and procedures on missing residents and their investigative findings.

The following Inspection Protocols were used during this inspection:

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévu le Loi de 2007 les
foyers de soins de longue**

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Legendé

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Alguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.)

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 5. Every licensee of a long-term care home shall ensure that the home is a safe and secure environment for its residents. 2007, c. 8, s. 5.

Findings/Faits saillants :

1. Residents [REDACTED] were all reported by the home to have eloped between May [REDACTED] 2011 and July [REDACTED] 2011. Some residents found their own way out of the building and others were assisted by visitors who did not confirm with staff that they were residents before allowing them out of the building.

error
LV
Feb 27/15

The home took immediate action in each case, however they did not continue to monitor and re-evaluate the measures to reduce risk of elopement after the 1st case. Critical incident reports submitted to the Ministry of Health for the four above cases do not indicate what long term actions would be taken with respect to all of the doors in the home and any resident's ability to exit the building, the alarm system and staff ability to hear the alarms, staff knowledge with respect to the alarm system and resident monitoring.

Additional Required Actions:

CO # - 901 was served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors In a home



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévu le Loi de 2007 les
foyers de soins de longue

Specifically failed to comply with the following subsections:

s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,

i. kept closed and locked,

ii. equipped with a door access control system that is kept on at all times, and

iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,

A. is connected to the resident-staff communication and response system, or

B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.

3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.

4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Findings/Faits saillants :

1. [O. Reg. 79/10, s.9(1)(1.i, ii, iii, A & B] The home has multiple areas and many doors. As the doors are not labeled in the home, they are being assigned a number for identification purposes in this report:

Home area 200 – Doors #1 and #2

Home area 300 – Doors #3 and #4

Home area 400 – Doors #5 and #6

Home area 500 – Doors #7 and #8

Central Core – Main doors

Doors #1, 2, 4, 5, 6, 7 and 8 lead to the outside of the home (unenclosed outdoor areas) and each were confirmed to be missing a door access control system. Without a door access control system, the doors are not locked and residents have easy access to the outside. These doors are not connected to an audio visual enunciator that is connected to the resident-staff communication and response system. These doors are connected to an audio enunciator unit at the nurse's station nearest to the door, however, a visual cue is not provided to determine which door had been breached. These doors do not have a manual reset switch at each door.

The reset switches at each of these doors do not cancel the alarm. The alarm can only be cancelled at the nurse's station. The switches are in place only to ensure that the alarm at the nurse's station will activate.

The main doors in the central core of the home and door #8 have door access control systems on them in the form of a magnetic lock which is deactivated by punching in a code on a key pad. However, these doors are not connected to the resident-staff communication and response system. In addition, the enunciator panels do not visually indicate which door was breached.

Additional Required Actions:

CO # - 902 was served on the licensee. Refer to the "Order(s) of the Inspector".



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue

THE FOLLOWING NON-COMPLIANCE AND/OR ACTION(S)/ORDER(S) HAVE BEEN COMPLIED WITH/
LES CAS DE NON-RESPECTS ET/OU LES ACTIONS ET/OU LES ORDRES SUIVANT SONT MAINTENANT
CONFORME AUX EXIGENCES:

CORRECTED NON-COMPLIANCE/ORDER(S) REDRESSEMENT EN CAS DE NON-RESPECT OU LES ORDERS:			
REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / NO DE L'INSPECTION	INSPECTOR ID #/ NO DE L'INSPECTEUR
LTCHA, 2007 S.O. 2007, c.8 s. 5.	CO #901	2011_072120_0083	120
O.Reg 79/10 r. 9. (1)	CO #902	2011_072120_0083	120

Issued on this 28th day of December, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

LViink - reports revised Feb 27/15



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité**

Public Copy/Copie du public

**Name of Inspector (ID #) /
Nom de l'inspecteur (No) :** BERNADETTE SUSNIK (120)

**Inspection No. /
No de l'inspection :** 2011_072120_0083

**Type of Inspection /
Genre d'inspection:** Critical Incident

**Date of Inspection /
Date de l'inspection :** Dec 28, 2011

**Licensee /
Titulaire de permis :** THE REGIONAL MUNICIPALITY OF NIAGARA
2201 ST. DAVID'S ROAD, THOROLD, ON, L2V-4T7

**LTC Home /
Foyer de SLD :** DOUGLAS H. RAPELJE LODGE
277 PLYMOUTH ROAD, WELLAND, ON, L3B-6E3

**Name of Administrator /
Nom de l'administratrice
ou de l'administrateur :** BRENT KERWIN

To THE REGIONAL MUNICIPALITY OF NIAGARA, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Order # /
Ordre no :** 901

**Order Type /
Genre d'ordre :** Compliance Orders, s. 153. (1) (b)

Pursuant to / Aux termes de :

LTCHA, 2007 S.O. 2007, c.8, s. 5. Every licensee of a long-term care home shall ensure that the home is a safe and secure environment for its residents. 2007, c. 8, s. 5.

Order / Ordre :

The licensee shall:

1. Prepare and submit a plan to the Inspector by August 5, 2011 which identifies and addresses the safety risks posed by the unlocked doors and include in the plan proposed timelines by which the identified risks will be addressed; and
 - i. identified risks are prioritized so that residents at highest risk are to be addressed as first priority; and
 - ii. all areas of risk (with the exception of the installation of the door access control systems) shall be addressed within 30 days of the date of this Order; and
2. Implement the plan in accordance with the timelines approved by the Inspector.

The written plan shall be submitted to Bernadette Susnik, Long-Term Care Homes Inspector, Ministry of Health and Long-Term Care, Performance Improvement and Compliance Branch, 119 King St. W., 11th floor, Hamilton, ON, L8P 4Y7.

Grounds / Motifs :

1. Residents [REDACTED] were all reported by the home to have eloped between May [REDACTED] 2011 and July [REDACTED] 2011. Some residents found their own way out of the building and others were assisted by visitors who did not confirm with staff that they were residents before allowing them out of the building.

error
LV
FEB 27/15

The home took immediate action in each case, however they did not continue to monitor and re-evaluate the measures to reduce risk of elopement after the 1st case. Critical incident reports submitted to the Ministry of Health for the four above cases do not indicate what long term actions would be taken with respect to all of the doors in the home and any resident's ability to exit the building, the alarm system and staff ability to hear the alarms, staff knowledge with respect to the alarm system and resident monitoring. (120)

**This order must be complied with by /
Vous devez vous conformer à cet ordre d'ici le :** Immediate

**Order # /
Ordre no :** 902

**Order Type /
Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

O.Reg 79/10, s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,

- i. kept closed and locked,
- ii. equipped with a door access control system that is kept on at all times, and
- iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.

3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.

4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Order / Ordre :

The licensee shall:

1. All doors leading to the outside of the home (to unenclosed outdoor areas) must be equipped with a door access control system and also be connected to the resident-staff communication and response system, or be connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

2. All doors already equipped with a door access control system must be connected to the resident-staff communication and response system, or be connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

Grounds / Motifs :



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

1. The home has multiple areas and many doors. As the doors are not labeled in the home, they are being assigned a number for identification purposes in this report:

Home area 200 – Doors #1 and #2

Home area 300 – Doors #3 and #4

Home area 400 – Doors #5 and #6

Home area 500 – Doors #7 and #8

Central Core – Main doors

Doors #1, 2, 4, 5, 6, 7 and 8 lead to the outside of the home (unenclosed outdoor areas) and each were confirmed to be missing a door access control system. Without a door access control system, the doors are not locked and residents have easy access to the outside. These doors are not connected to an audio visual enunciator that is connected to the resident-staff communication and response system. These doors are connected to an audio enunciator unit at the nurse's station nearest to the door, however, a visual cue is not provided to determine which door had been breached. These doors do not have a manual reset switch at each door.

The reset switches at each of these doors do not cancel the alarm. The alarm can only be cancelled at the nurse's station. The switches are in place only to ensure that the alarm at the nurse's station will activate.

The main doors in the central core of the home and door #8 have door access control systems on them in the form of a magnetic lock which is deactivated by punching in a code on a key pad. However, these doors are not connected to the resident – staff communication and response system. In addition, the enunciator panels do not visually indicate which door was breached. (120)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : Immediate



Ministry of Health and Long-Term Care

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

Ministère de la Santé et des Soins de longue durée

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarbo.ca.

Issued on this 28th day of December, 2011

Signature of Inspector / LVink - report Feb 27-2015
Signature de l'inspecteur :

Name of Inspector /
Nom de l'inspecteur : BERNADETTE SUSNIK

Service Area Office /
Bureau régional de services : Hamilton Service Area Office