

**Inspection Report under
the Long-Term Care
Homes Act, 2007****Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée****Long-Term Care Operations Division
Long-Term Care Inspections Branch****Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300Bureau régional de services de
London
130, avenue Dufferin 4^{ème} étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300**Public Copy/Copie du rapport public**

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Feb 28, 2020	2020_678590_0001	023863-19, 001060- 20, 001316-20	Critical Incident System

Licensee/Titulaire de permisExtendicare (Canada) Inc.
3000 Steeles Avenue East Suite 103 MARKHAM ON L3R 4T9**Long-Term Care Home/Foyer de soins de longue durée**Extendicare Southwood Lakes
1255 North Talbot Road WINDSOR ON N9G 3A4**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

ALICIA MARLATT (590)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): February 3 - 7, 2020.

During the course of the inspection, the inspector(s) spoke with the Director of Care, one Social Worker, one Clinical Care Coordinator, two Registered Practical Nurses, two Personal Support Workers, one Dietary Aid and two family members.

During the course of the inspection, the inspector(s) reviewed two residents' clinical records, Critical Incident System reports and Risk Management reports.

During the course of the inspection, the inspector(s) observed two residents and their rooms for specific interventions to be in place, resident/resident interactions, staff/resident interactions, infection prevention and control practices and the general maintenance and cleanliness of the home.

**The following Inspection Protocols were used during this inspection:
Falls Prevention**

During the course of this inspection, Non-Compliances were not issued.

0 WN(s)

0 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Légende

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

Issued on this 28th day of February, 2020

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.