



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4ième étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Jul 3, 4, 5, 6, 10, 2012; 2012_036126_0014; Critical Incidents

Licensee/Titulaire de permis
EXTENDICARE NORTHEASTERN ONTARIO INC
3000 STEELES AVENUE EAST, SUITE 700, MARKHAM, ON, L3R-9W2

Long-Term Care Home/Foyer de soins de longue durée
EXTENDICARE STARWOOD
114 STARWOOD ROAD, NEPEAN, ON, K2G-3N5

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs
LINDA HARKINS (126)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, the Director of Care (DOC), the Assistant Director of Care (ADOC), two Registered Nurses (RN), one Registered Practical Nurses (RPN), three Personal Support Workers(PSW) and three residents.

During the course of the inspection, the inspector(s) reviewed four resident's health care records, observed care and services given to residents and ensure that the doors were close and locked at all times.

During this inspection the following four critical incident reports were reviewed:
CI 2485-000023-12 Log # O-000547-12 (see inspection 2012_03612613 for Written Notification and Order issued)
CI 2485-000024-12 log# O-000599-12
CI 2485-000035-12 Log# O-000719-12
CI 2845-000049-12 Log #O-00160/-12

The following Inspection Protocols were used during this inspection:

- Falls Prevention
Personal Support Services
Prevention of Abuse, Neglect and Retaliation

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES	
Legend WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	Legendé WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.) The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD. Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home

Specifically failed to comply with the following subsections:

s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,

- i. kept closed and locked,**
- ii. equipped with a door access control system that is kept on at all times, and**
- iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,**
 - A. is connected to the resident-staff communication and response system, or**
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door**

and has a manual reset switch at each door.

1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.

3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.

4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Findings/Faits saillants :



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

1. The licensee has failed to comply with O. Reg 79/10, s.9.(1) 1.(i.ii) in that the doors leading to stairways of the home kept closed and locked and equipped with a door access control system that is on at all times. On July 5, 2012, it was noted that the door that give access to the stairwell and to the garden was not closing properly. This door is equipped with a door control system but is not kept on at all times. The DOC stated that the control system is on by-pass during the day and evening to promote independence of the residents by giving them access to the garden whenever they want during the day and evening. The ADOC stated that Registered Nurse #12 confirmed that often when he/she comes on day shift, he/she will put the access control system on by-pass as night shift are putting the access control system on for the night.

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that all doors that give access to stairwells is kept closed and locked at all times., to be implemented voluntarily.

Issued on this 10th day of July, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

A handwritten signature in black ink, appearing to read "L. Harkens", written in a cursive style.