

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection prévue
sous *la Loi de 2007 sur les foyers
de soins de longue durée*

Long-Term Care Homes Division
Long-Term Care Inspections Branch

Division des foyers de soins de
longue durée
Inspection de soins de longue durée

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130, avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Public Copy/Copie du public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Oct 28, 2019	2019_607523_0048	015978-19	Follow up

Licensee/Titulaire de permis

Fiddick's Nursing Home Limited
437 First Avenue P.O. Box340 PETROLIA ON N0N 1R0

Long-Term Care Home/Foyer de soins de longue durée

Fiddick's Nursing Home
437 First Avenue P.O. Box340 PETROLIA ON N0N 1R0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

ALI NASSER (523)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Follow up inspection.

This inspection was conducted on the following date(s): October 22, 2019.

This inspection was completed for Follow Up Intake Log #015978-19 to CO#001 from inspection #2019_607523_0038 / 015058-19 related to the doors in the home.

During the course of the inspection, the inspector(s) spoke with the Administrator, Environmental Services Manager, Assistant Director of Care, RAI Coordinator, two Registered staff members, and a Personal Support Worker.

The inspector(s) also toured the home, observed residents and care provided to them, observed the doors in the home, reviewed specific policies and procedures of the home.

The following Inspection Protocols were used during this inspection:
Safe and Secure Home

During the course of this inspection, Non-Compliances were not issued.

- 0 WN(s)
- 0 VPC(s)
- 0 CO(s)
- 0 DR(s)
- 0 WAO(s)

The following previously issued Order(s) were found to be in compliance at the time of this inspection:

Les Ordre(s) suivants émis antérieurement ont été trouvés en conformité lors de cette inspection:

REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / DE L'INSPECTION	NO	INSPECTOR ID #/ NO DE L'INSPECTEUR
O.Reg 79/10 s. 9. (1)	CO #001	2019_607523_0038		523

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Légende

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

Issued on this 28th day of October, 2019

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.