



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Health System Accountability and  
Performance Division  
Performance Improvement and  
Compliance Branch**

**Division de la responsabilisation et de la  
performance du système de santé  
Direction de l'amélioration de la  
performance et de la conformité**

Ottawa Service Area Office  
347 Preston St, 4th Floor  
OTTAWA, ON, K1S-3J4  
Telephone: (613) 569-5602  
Facsimile: (613) 569-9670

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

Bureau régional de services d'Ottawa  
347, rue Preston, 4iém étage  
OTTAWA, ON, K1S-3J4  
Téléphone: (613) 569-5602  
Télécopieur: (613) 569-9670

**Public Copy/Copie du public**

<b>Report Date(s) / Date(s) du Rapport</b>	<b>Inspection No / No de l'inspection</b>	<b>Log # / Registre no</b>	<b>Type of Inspection / Genre d'inspection</b>
Jan 16, 2013	2013_203126_0001	O-00115-12	Critical Incident System

**Licensee/Titulaire de permis**

**THE OTTAWA JEWISH HOME FOR THE AGED  
10 Nadolny Sachs Private, Ottawa-Carleton, ON, K2A-4G7**

**Long-Term Care Home/Foyer de soins de longue durée**

**HILLEL LODGE  
10 NADOLNY SACHS PRIVATE, OTTAWA, ON, K2A-4G7**

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs  
LINDA HARKINS (126)**

**Inspection Summary/Résumé de l'inspection**



Ministry of Health and  
Long-Term Care

Inspection Report under  
the Long-Term Care  
Homes Act, 2007

Ministère de la Santé et des  
Soins de longue durée

Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée

---

**The purpose of this inspection was to conduct a Critical Incident System inspection.**

**This inspection was conducted on the following date(s): January 8 and 9, 2013**

**During the course of the inspection, the inspector(s) spoke with the Administrator, the Director of Care, one Registered Nurse and one Personal Support Worker**

**During the course of the inspection, the inspector(s) reviewed resident health care record and policy and procedure related to Restraint Management Protocols (Nursing 2011/RMP)**

**The following Inspection Protocols were used during this inspection:**

**Minimizing of Restraining**

**Personal Support Services**

**Reporting and Complaints**

**Findings of Non-Compliance were found during this inspection.**

<b>NON-COMPLIANCE / NON - RESPECT DES EXIGENCES</b>	
<b>Legend</b>	<b>Legendé</b>
WN – Written Notification	WN – Avis écrit
VPC – Voluntary Plan of Correction	VPC – Plan de redressement volontaire
DR – Director Referral	DR – Aiguillage au directeur
CO – Compliance Order	CO – Ordre de conformité
WAO – Work and Activity Order	WAO – Ordres : travaux et activités



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.)

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 110.**

**Requirements relating to restraining by a physical device**

**Specifically failed to comply with the following:**

**s. 110. (2) Every licensee shall ensure that the following requirements are met where a resident is being restrained by a physical device under section 31 of the Act:**

**1. That staff only apply the physical device that has been ordered or approved by a physician or registered nurse in the extended class. O. Reg. 79/10, s. 110 (2).**

**Findings/Faits saillants :**

1. The licensee failed to comply with O.Reg 79/10 s.110.(2)1. in that the home applied a physical device on a resident without an order or approval by a physician or by a registered nurse in the extended class.

In May 2012, a resident fell and sustained a laceration. As per the report of this critical incident, it is documented that the resident had a seat belt which the resident could not remove. No orders by the physician for a lab belt restraint was found in the resident health care record for that period.[s. 110. (2) 1.]



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

---

**Issued on this 16th day of January, 2013**

**Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs**

A handwritten signature in black ink, appearing to read "B. Harkins".