



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division Performance Improvement and Compliance Branch Division de la responsabilisation et de la performance du système de santé Direction de l'amélioration de la performance et de la conformité

Hamilton Service Area Office 119 King Street West, 11th Floor HAMILTON, ON, L8P-4Y7 Telephone: (905) 546-8294 Facsimile: (905) 546-8255

Bureau régional de services de Hamilton 119, rue King Ouest, 11ième étage HAMILTON, ON, L8P-4Y7 Téléphone: (905) 546-8294 Télécopieur: (905) 546-8255

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Mar 30, 2012, 2012\_072120\_0029, Critical Incident

Licensee/Titulaire de permis IDLEWYLD MANOR 449 SANATORIUM ROAD, HAMILTON, ON, L9C-2A7

Long-Term Care Home/Foyer de soins de longue durée IDLEWYLD MANOR 449 SANATORIUM ROAD, HAMILTON, ON, L9C-2A7

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs BERNADETTE SUSNIK (120)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with administrator, acting director of care, environmental services supervisor, non-registered staff and a resident regarding the use of equipment. (H-000067-12)

During the course of the inspection, the inspector(s) observed the resident's wheelchair and had a personal support worker demonstrate how it is used and reviewed the resident's plan of care.

The following Inspection Protocols were used during this inspection: Personal Support Services

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Legend	Legendé
WN – Written Notification	WN – Avis écrit
VPC – Voluntary Plan of Correction	VPC – Plan de redressement volontaire
DR – Director Referral	DR – Aiguillage au directeur
CO – Compliance Order	CO – Ordre de conformité
WAO – Work and Activity Order	WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.)
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 36. Every licensee of a long-term care home shall ensure that staff use safe transferring and positioning devices or techniques when assisting residents. O. Reg. 79/10, s. 36.

Findings/Faits saillants :

Staff did not use safe transferring and positioning devices or techniques when assisting an identified resident in 2012.

The resident sustained a minor head injury after being transferred from their bed to their wheelchair.

The resident received a new wheelchair in late 2011. The chair was being tilted backwards by a staff member while another member used a Hoyer Lift to swing the resident around in a sling from their bed to the wheelchair. The resident was lowered into the chair and the staff member returning the chair from the tilted position to an upright position let go of the hand brakes too quickly causing the chair to spring forward. As a result, the resident hit their head on the Hoyer Lift bar.

Neither of the staff members received training on the proper use of the wheelchair and the resident's plan of care does not specify that their wheelchair has a spring-loaded hand brake mechanism that could cause the chair to spring forward if not released correctly.

Issued on this 10th day of April, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

