



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4ième étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Dec 1, 2, 6, 2011; 2011_044161_0033; Critical Incident

Licensee/Titulaire de permis

CITY OF OTTAWA
Long Term Care Branch, 275 Perrier Avenue, OTTAWA, ON, K1L-5C6

Long-Term Care Home/Foyer de soins de longue durée

PETER D. CLARK CENTRE
9 MERIDIAN PLACE, OTTAWA, ON, K2G-6P8

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

KATHLEEN SMID (161)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with a Charge Nurse on an identified unit.

During the course of the inspection, the inspector(s) reviewed the health care record of an identified resident.

The following Inspection Protocols were used during this inspection:

Personal Support Services

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Table with 2 columns: Legend and Legendé. Legend: WN - Written Notification, VPC - Voluntary Plan of Correction, DR - Director Referral, CO - Compliance Order, WAO - Work and Activity Order. Legendé: WN - Avis écrit, VPC - Plan de redressement volontaire, DR - Aiguillage au directeur, CO - Ordre de conformité, WAO - Ordres : travaux et activités



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care

Specifically failed to comply with the following subsections:

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants :

1. The licensee failed to comply with s. 6(7) of the Long Term Care Home Act, 2007, in that an identified resident was not transferred as per care set out in her care plan.
2. In November 2011, an identified resident was transferred from the toilet to her wheelchair by one PSW using a mechanical lift.
3. The identified resident's plan of care indicates transferring using a mechanical lift with the assistance of 2 staff.

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 36. Every licensee of a long-term care home shall ensure that staff use safe transferring and positioning devices or techniques when assisting residents. O. Reg. 79/10, s. 36.

Findings/Faits saillants :

1. The licensee failed to comply with s. 36 of the Long Term Care Home Act, 2007, in that an identified resident was not transferred safely with a mechanical lift.
2. In November 2011, an identified resident was being transferred from the toilet to her wheelchair by one PSW using a mechanical lift.
3. The resident slipped from the sling, landed on the floor and sustained a hematoma to her left lower leg.

Issued on this 6th day of December, 2011



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Kathleen Inid