

# Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le *Loi de 2007* les foyers de soins de longue durée

Ministry of Health and Long-Term Care

Health System Accountability and Performance Division Performance Improvement and Compliance Branch

### Ministère de la Santé et des Soins de longue durée

Division de la responsabilisation et de la performance du système de santé

Direction de l'amélioration de la performance et de la conformité

Sudbury Service Area Office 159 Cedar Street, Suite 603 Sudbury ON P3E 6A5

Telephone: 705-564-3130 Facsimile: 705-564-3133

Bureau régional de services de Sudbury 159, rue Cedar, Bureau 603 Sudbury ON P3E 6A5

Téléphone: 705-564-3130 Télécopieur: 705-564-3133

	Licensee Copy/Copie du Titulair	re Public Copy/Copie Public	
Date(s) of inspection/Date de l'inspection	Inspection No/ d'inspection	Type of Inspection/Genre d'inspection	
May 12 – 13, 2011	2011_106_9608_12May151804	Critical Incident	
Licensee/Titulaire			
Kenora District Home for the Aged Board of Management 35 Van Horne Avenue, Box 725, Dryden, ON P8N 2Z4			
Long-Term Care Home/Foyer de soins de longue durée			
Princess Court Princess Street, Box 725, Dryden, ON P8N 2Z4			
Name of Inspector(s)/Nom de l'inspecteur(s)			
Margot Burns-Prouty (106)			
Inspection Summary/Sommaire d'inspection			
The purpose of this inspection was to conduct a Critical Incident inspection.			
During the course of the inspection, the inspector spoke with: Director of Care, RAI Coordinator, Registered Practical Nurses, Personal Support Workers, and Residents			
During the course of the inspection, the inspector: Conducted a walk-through of all resident home areas and various common areas, observed care provided to residents in the home, reviewed electronic plans of care, reviewed written plans of care, reviewed progress notes, and interviewed staff members.			
The following Inspection Protocols were used during this inspection: Prevention of Falls and Minimizing of Restraints.			
Findings of Non-Compliance were	found during this inspection.	The following action was taken:	
1 WN			



### Ministry of Health and Long-Term Care

## Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007 Rapport d'inspection prévue le *Loi de 2007 les* foyers de soins de longue durée

#### **Definitions/Définitions**

WN - Written Notifications/Avis écrit

VPC - Voluntary Plan of Correction/Plan de redressement volontaire

DR – Director Referral/Régisseur envoyé
CO – Compliance Order/Ordres de conformité

WAO - Work and Activity Order/Ordres: travaux et activités

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

Le suivant constituer un avis d'écrit de l'exigence prévue le paragraphe 1 de section 152 de les foyers de soins de longue durée.

Non-respect avec les exigences sur le Loi de 2007 les foyers de soins de longue durée à trouvé. (Une exigence dans le loi comprend les exigences contenues dans les points énumérés dans la définition de "exigence prévue par la présente loi" au paragraphe 2(1) de la loi.

WN #1: The Licensee has failed to comply with LTCHA, 2007, S.O. 2007, c.8, s. 6 (7): The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan.

#### Findings:

- 1. The admission progress note for a resident indicates that a resident is to have a bed alarm installed.
- 2. In the plan of care for a resident, there is an intervention that states, "Install bed alert"
- 3. The resident had an unwitnessed fall and was found on the floor by staff.
- 4. A progress note for the resident states, "During check to see why bed alarm did not alert the staff to this fall writer found it at the bedside but not hooked up ie pad to unit and electricity to unit.."
- 5. The licensee failed to ensure that the bed alarm was installed as specified in a resident's plan of care.

		•	
Inspector ID #:	106		
Signature of Licensee or Representative of Licensee Signature du Titulaire du représentant désigné		Signature of Health System Accountability and Performance Division representative/Signature du (de la) représentant(e) de la Division de la responsabilisation et de la performance du système de santé.	
Title:	Date:	Date of Report: October 19, 2011	