



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

London Service Area Office
291 King Street, 4th Floor
LONDON, ON, N6B-1R8
Telephone: (519) 675-7680
Facsimile: (519) 675-7685

Bureau régional de services de London
291, rue King, 4^{ème} étage
LONDON, ON, N6B-1R8
Téléphone: (519) 675-7680
Télécopieur: (519) 675-7685

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
Nov 22, 2013	2013_202165_0024	L-000901-13	Critical Incident System

Licensee/Titulaire de permis

OAKWOOD RETIREMENT COMMUNITIES INC.
325 Max Becker Drive, Suite 201, KITCHENER, ON, N2E-4H5

Long-Term Care Home/Foyer de soins de longue durée

THE VILLAGE OF RIVERSIDE GLEN
60 WOODLAWN ROAD EAST, GUELPH, ON, N1H-8M8

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

TAMMY SZYMANOWSKI (165)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): November 4, 6, 2013

During the course of the inspection, the inspector(s) spoke with Assistant General Manager, Kinesiologist

During the course of the inspection, the inspector(s) reviewed written staff statements, policies and procedures, clinical health record

The following Inspection Protocols were used during this inspection:
Falls Prevention



Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Legendé</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 36. Every licensee of a long-term care home shall ensure that staff use safe transferring and positioning devices or techniques when assisting residents. O. Reg. 79/10, s. 36.

Findings/Faits saillants :



Ministry of Health and
Long-Term Care

Ministère de la Santé et des
Soins de longue durée

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée

1. The licensee of the long term care home did not ensure that staff used safe transferring and positioning devices or techniques when assisting residents.
A) In October 2013, two staff members went to resident #001's room to transfer the resident. During the transfer, the resident fell to the floor sustaining an injury. Staff present confirmed that proper use of the sling and transfer techniques were not used during the transfer. Neither of the staff members were positioned by the resident's back/hips and therefore, could not reach the resident prior to falling.[s. 36.]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that staff use safe transferring and positioning devices or techniques when assisting residents, to be implemented voluntarily.

WN #2: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 76. Training

Specifically failed to comply with the following:

s. 76. (4) Every licensee shall ensure that the persons who have received training under subsection (2) receive retraining in the areas mentioned in that subsection at times or at intervals provided for in the regulations. 2007, c. 8, s. 76. (4).

Findings/Faits saillants :

1. The licensee of the long term care home did not ensure that staff who received training under subsection (2) received retraining in safe and correct use of equipment, including therapeutic equipment, mechanical lifts, assistive aids and positioning aids, that was relevant to the staff member's responsibilities on an annual interval.
A) The Assistant General Manager verified that one of two staff members had not received training related to safe and correct use of lifts in the last year. [s. 76. (4)]



Ministry of Health and
Long-Term Care

Ministère de la Santé et des
Soins de longue durée

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that staff who received training under subsection (2) receive retraining in safe and correct use of equipment, including therapeutic equipment, mechanical lifts, assistive aids and positioning aids, that is relevant to the staff member's responsibilities on an annual interval, to be implemented voluntarily.

Issued on this 12th day of December, 2013

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Tammy Szymanski