



Ministry of Health and  
Long-Term Care

Ministère de la Santé et  
des Soins de longue durée

Order(s) of the Inspector  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité

**Public Copy/Copie du public**

---

**Name of Inspector (ID #) /**

**Nom de l'inspecteur (No) :** DIANA STENLUND (163)

**Inspection No. /**

**No de l'inspection :** 2013\_139163\_0010

**Log No. /**

**Registre no:** 68-13

**Type of Inspection /**

**Genre d'inspection:** Follow up

**Report Date(s) /**

**Date(s) du Rapport :** May 23, 2013

**Licensee /**

**Titulaire de permis :** ST. JOSEPH'S GENERAL HOSPITAL ELLIOT LAKE  
70 Spine Road, ELLIOT LAKE, ON, P5A-1X2

**LTC Home /**

**Foyer de SLD :** ST. JOSEPH'S MANOR  
70 SPINE ROAD, ELLIOT LAKE, ON, P5A-1X2

**Name of Administrator /**

**Nom de l'administratrice  
ou de l'administrateur :** SUSAN CLAYTON

---

To ST. JOSEPH'S GENERAL HOSPITAL ELLIOT LAKE, you are hereby required to  
comply with the following order(s) by the date(s) set out below:

---

**Order # /**  
**Ordre no :** 001      **Order Type /**  
**Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

**Linked to Existing Order /**  
**Lien vers ordre existant:** 2013\_099188\_0002, CO #002;

**Pursuant to / Aux termes de :**

O.Reg 79/10, s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,

- (a) can be easily seen, accessed and used by residents, staff and visitors at all times;
- (b) is on at all times;
- (c) allows calls to be cancelled only at the point of activation;
- (d) is available at each bed, toilet, bath and shower location used by residents;
- (e) is available in every area accessible by residents;
- (f) clearly indicates when activated where the signal is coming from; and
- (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

**Order / Ordre :**

The licensee shall ensure the home is equipped with a resident-staff communication and response system that is on at all times. Specifically, the licensee shall ensure that the call bells at the head of the bed and in the bathroom of two rooms noted, are functional and activate when a call is initiated, and processes are in place to ensure the resident-staff communication system, including the pagers used by staff remain functional.

**Grounds / Motifs :**



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

1. A previous Compliance Order (CO) related to O.Reg.79/10, s.17(1)(a) was issued in Jan 2013 during inspection #2013-099188-0002. Inspector activated the resident-staff communication and response system in several rooms during the inspection. When the call bell in the bathroom of a particular room was pulled, the light did not illuminate outside the room. When the inspector tested the resident-communication and response system in another room, staff present in the area did not receive notification on their pager that the system was activated. The resident-communication and response system in that room was tested on a subsequent day and the lights outside the resident's room did not illuminate when the call bell at the head of the bed was pulled. During the inspection one staff member commented to the inspector that the pagers seldom work. The licensee has not ensured that the home is equipped with a resident-staff communication and response system that is on at all times. (163)

**This order must be complied with by /**

**Vous devez vous conformer à cet ordre d'ici le : Jun 20, 2013**



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

### **REVIEW/APPEAL INFORMATION**

#### **TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
1075 Bay Street, 11th Floor  
TORONTO, ON  
M5S-2B1  
Fax: 416-327-7603



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance  
Branch  
Ministry of Health and Long-Term Care  
1075 Bay Street, 11th Floor  
TORONTO, ON  
M5S-2B1  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

## **RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

### **PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au:

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
1075, rue Bay, 11e étage  
Ontario, ON  
M5S-2B1  
Fax: 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision  
des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la  
conformité  
Ministère de la Santé et des Soins de longue durée  
1075, rue Bay, 11e étage  
Ontario, ON  
M5S-2B1  
Fax: 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsarb.on.ca](http://www.hsarb.on.ca).

**Issued on this 23rd day of May, 2013**

**Signature of Inspector /  
Signature de l'inspecteur :**

*Diana Stenlund, #163*

**Name of Inspector /**

**Nom de l'inspecteur :** DIANA STENLUND

**Service Area Office /**

**Bureau régional de services :** Sudbury Service Area Office



**Ministry of Health and Long-Term Care**

**Ministère de la Santé et des Soins de longue durée**

**Inspection Report under the Long-Term Care Homes Act, 2007**

**Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée**

**Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch**

**Sudbury Service Area Office  
159 Cedar Street, Suite 603  
SUDBURY, ON, P3E-6A5  
Telephone: (705) 564-3130  
Facsimile: (705) 564-3133**

**Bureau régional de services de Sudbury  
159, rue Cedar, Bureau 603  
SUDBURY, ON, P3E-6A5  
Téléphone: (705) 564-3130  
Télécopieur: (705) 564-3133**

**Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité**

**Public Copy/Copie du public**

<b>Report Date(s) / Date(s) du Rapport</b>	<b>Inspection No / No de l'inspection</b>	<b>Log # / Registre no</b>	<b>Type of Inspection / Genre d'inspection</b>
May 23, 2013	2013_139163_0010	68-13	Follow up

**Licensee/Titulaire de permis**

**ST. JOSEPH'S GENERAL HOSPITAL ELLIOT LAKE  
70 Spine Road, ELLIOT LAKE, ON, P5A-1X2**

**Long-Term Care Home/Foyer de soins de longue durée**

**ST. JOSEPH'S MANOR  
70 SPINE ROAD, ELLIOT LAKE, ON, P5A-1X2**

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

**DIANA STENLUND (163)**

**Inspection Summary/Résumé de l'inspection**

**The purpose of this inspection was to conduct a Follow up inspection.**

**This inspection was conducted on the following date(s): April 24-26, 2013**

**During the course of the inspection, the inspector(s) spoke with the Administrator/Director of Care, registered nursing staff, personal support workers (PSWs), administrative support staff and residents.**

**During the course of the inspection, the inspector(s) walked through resident home areas, observed staff to resident care and interactions, activated the resident-staff communication and response system, and reviewed resident health care records.**

**The following Inspection Protocols were used during this inspection:**





Personal Support Services

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification  VPC – Voluntary Plan of Correction  DR – Director Referral  CO – Compliance Order  WAO – Work and Activity Order</p>	<p>Legendé</p> <p>WN – Avis écrit  VPC – Plan de redressement volontaire  DR – Aiguillage au directeur  CO – Ordre de conformité  WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 17. Communication and response system



---

**Specifically failed to comply with the following:**

- s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,**
- (a) can be easily seen, accessed and used by residents, staff and visitors at all times; O. Reg. 79/10, s. 17 (1).**
  - (b) is on at all times; O. Reg. 79/10, s. 17 (1).**
  - (c) allows calls to be cancelled only at the point of activation; O. Reg. 79/10, s. 17 (1).**
  - (d) is available at each bed, toilet, bath and shower location used by residents; O. Reg. 79/10, s. 17 (1).**
  - (e) is available in every area accessible by residents; O. Reg. 79/10, s. 17 (1).**
  - (f) clearly indicates when activated where the signal is coming from; and O. Reg. 79/10, s. 17 (1).**
  - (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).**
- 

**Findings/Faits saillants :**

1. Inspector activated the resident-communication and response system in several rooms during the inspection. The call bell in the bathroom of a particular room was pulled, however the light did not illuminate outside the room. When the inspector tested the resident-staff communication and response system in another room, staff present in the area informed the inspector that they did not receive notification on their pager that the system was activated. The resident-communication and response system in this room was tested on a subsequent day and the lights did not illuminate outside the resident's room when the call bell at the head of the bed was pulled. During the inspection one staff member commented to the inspector that the pagers seldom work. The licensee has not ensured that the home is equipped with a resident-staff communication and response system that is on at all times. [s. 17. (1) (a)]

***Additional Required Actions:***

***CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".***

---



**THE FOLLOWING NON-COMPLIANCE AND/OR ACTION(S)/ORDER(S) HAVE  
BEEN COMPLIED WITH/  
LES CAS DE NON-RESPECTS ET/OU LES ACTIONS ET/OU LES ORDRES  
SUIVANT SONT MAINTENANT CONFORME AUX EXIGENCES:**

<b>COMPLETED NON-COMPLIANCE/ORDER(S) REDRESSÉMENT EN CAS DE NON-RESPECT OU LES ORDERS</b>			
<b>REQUIREMENT/ EXIGENCE</b>	<b>TYPE OF ACTION/ GENRE DE MESURE</b>	<b>INSPECTION # / NO DE L'INSPECTION</b>	<b>INSPECTOR ID #/ NO DE L'INSPECTEUR</b>
O.Reg 79/10 s. 36.	CO #001	2013_099188_0002	163

Issued on this 28th day of May, 2013

**Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs**  
*Diana Stenlund, #163*