



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Hamilton Service Area Office
119 King Street West, 11th Floor
HAMILTON, ON, L8P-4Y7
Telephone: (905) 546-8294
Facsimile: (905) 546-8255

Bureau régional de services de Hamilton
119, rue King Ouest, 11^{ième} étage
HAMILTON, ON, L8P-4Y7
Téléphone: (905) 546-8294
Télécopieur: (905) 546-8255

Public Copy/Copie du public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
Jul 30, 2013	2013_189120_0049	H-000431- 13	Complaint

Licensee/Titulaire de permis

VIGOUR LIMITED PARTNERSHIP ON BEHALF OF VIGOUR
302 Town Centre Blvd, Suite #200, MARKHAM, ON, L3R-0E8

Long-Term Care Home/Foyer de soins de longue durée

LEISUREWORLD CAREGIVING CENTRE - TULLAMORE
133 KENNEDY ROAD SOUTH, BRAMPTON, ON, L6W-3G3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

BERNADETTE SUSNIK (120)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): July 24, 2013

During the course of the inspection, the inspector(s) spoke with the Administrator, Environmental Services Supervisor and maintenance personnel regarding roof leaks that occurred in the month of July 2013.

During the course of the inspection, the inspector(s) toured various areas of the home including common areas and resident rooms.

The following Inspection Protocols were used during this inspection:
Accommodation Services - Maintenance



There are no findings of Non-Compliance as a result of this inspection.

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES	
<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Legendé</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>



Ministry of Health and
Long-Term Care

Ministère de la Santé et des
Soins de longue durée

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée

Issued on this 30th day of July, 2013

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

B. Susnik