



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Homes Division
Long-Term Care Inspections Branch**

**Division des foyers de soins de
longue durée
Inspection de soins de longue durée**

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130 avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Public Copy/Copie du public

| Report Date(s) / Date(s) du rapport | Inspection No / No de l'inspection | Log # / Registre no | Type of Inspection / Genre d'inspection |
|--|---|--------------------------------|--|
| Apr 22, 2016 | 2016_276537_0013 | 033939-15 | Complaint |

Licensee/Titulaire de permis

RYKKA CARE CENTRES LP
3200 Dufferin Street Suite 407 TORONTO ON M6A 3B2

Long-Term Care Home/Foyer de soins de longue durée

Berkshire Care Centre
350 DOUGALL AVENUE WINDSOR ON N9A 4P4

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

NANCY SINCLAIR (537)

Inspection Summary/Résumé de l'inspection



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): March 22, 2016

This inspection is related to a complaint regarding air temperatures in the home. This inspections was completed concurrently with the Resident Quality Inspection log #002275-16.

During the course of the inspection, the inspector(s) spoke with a Family, the Maintenance Services Manager, the Director of Care, and the Administrator.

The inspector(s) also toured the home, reviewed maintenance records and air temperature recordings, policies and procedures.

**The following Inspection Protocols were used during this inspection:
Safe and Secure Home**

During the course of this inspection, Non-Compliances were not issued.

0 WN(s)

0 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)



NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

| | |
|---|--|
| <p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p> | <p>Legendé</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p> |
| <p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p> | <p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p> |

Issued on this 22nd day of April, 2016

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.