



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007

Ministère de la Santé et des Soins de longue durée

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

London Service Area Office
291 King Street, 4th Floor
LONDON, ON, N6B-1R8
Telephone: (519) 675-7680
Facsimile: (519) 675-7685

Bureau régional de services de London
291, rue King, 4ième étage
LONDON, ON, N6B-1R8
Téléphone: (519) 675-7680
Télécopieur: (519) 675-7685

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Aug 17, 18, 24, 29, 2011; 2011_022190_0022; Critical Incident L-001254

Licensee/Titulaire de permis

REVERA LONG TERM CARE INC.
55 STANDISH COURT, 8TH FLOOR, MISSISSAUGA, ON, L5R-4B2

Long-Term Care Home/Foyer de soins de longue durée

ROSE GARDEN VILLA
350 DOUGALL AVENUE, WINDSOR, ON, N9A-4P4

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

SANDRA FYSH (190)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, Director of Care, Assistant Director of Care, Registered Nurse, Personal Support Workers and Resident's Family.

During the course of the inspection, the inspector(s) Reviewed the clinical records of two residents; observed resident rooms and common areas; observed residents.

The following Inspection Protocols were used in part or in whole during this inspection:

- Critical Incident Response
Hospitalization and Death
Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Definitions	Définitions
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home

Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home must be,
 - i. kept closed and locked,
 - ii. equipped with a door access control system that is kept on at all times, and
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.
2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.
3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.
4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9.

Findings/Faits sayants :

1. The front door leading to the outside of the building is not equipped with an audible door alarm that can be cancelled only at the point of activation.
The Administrator confirmed that the front door does not have an audible door alarm.

Additional Required Actions:

CO # - 901 was served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 24. 24-hour admission care plan

Specifically failed to comply with the following subsections:

- s. 24. (9) The licensee shall ensure that the resident is reassessed and the care plan is reviewed and revised when,
 - (a) the resident's care needs change;
 - (b) the care set out in the plan is no longer necessary; or
 - (c) the care set out in the plan has not been effective. O. Reg. 79/10, s. 24 (9).

Findings/Faits sayants :

1. Information in a resident's plan of care was not revised when the resident's care needs changed.
This information was confirmed by the Administrator.



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Issued on this 30th day of August, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Sandra Fyfe



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité**

Public Copy/Copie du public

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	SANDRA FYSH (190)
Inspection No. / No de l'inspection :	2011_022190_0022
Type of Inspection / Genre d'inspection:	Critical Incident
Date of Inspection / Date de l'inspection :	Aug 17, 18, 24, 29, 2011
Licensee / Titulaire de permis :	REVERA LONG TERM CARE INC. 55 STANDISH COURT, 8TH FLOOR, MISSISSAUGA, ON, L5R-4B2
LTC Home / Foyer de SLD :	ROSE GARDEN VILLA 350 DOUGALL AVENUE, WINDSOR, ON, N9A-4P4
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	ELIZABETH DESJARLAIS-TEFFT

To REVERA LONG TERM CARE INC., you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

Order # /

Ordre no : 901

Order Type /

Genre d'ordre : Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home must be,
 - i. kept closed and locked,
 - ii. equipped with a door access control system that is kept on at all times, and
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.
2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.
3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.
4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9.

Order / Ordre :

The licensee is required to immediately ensure that all doors leading to stairways and the outside of the home are equipped with an audible door alarm that allows call to be cancelled only at the point of activation and, a) connected to the resident-staff communication and response system, or b) connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

Grounds / Motifs :

1. Aug 18, 2011 - 15:46 - The front door leading to the outside of the building is not equipped with an audible door alarm that can be cancelled only at the point of activation.

The Administrator confirmed that the front door does not have an audible door alarm. (190)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : Aug 31, 2011



Ministry of Health and
Long-Term Care

Ministère de la Santé et
des Soins de longue durée

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

REVIEW/APEAL INFORMATION / RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Clerk
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Ave. West
Suite 800, 8th floor
Toronto, ON M4V 2Y2
Fax: 416-327-760

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON
M5S 2T5

c/o Appeals Clerk
Performance Improvement and Compliance Branch
55 St. Clair Avenue, West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2

Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.

Issued on this 24th day of August, 2011

Signature of Inspector /
Signature de l'inspecteur :

Name of Inspector /
Nom de l'inspecteur :

SANDRA FYSH

Service Area Office /
Bureau régional de services :

London Service Area Office