Ontario

Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007

Ministère de la Santé et des Soins de longue durée

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Long-Term Care Homes Division
Long-Term Care Inspections Branch

Division des foyers de soins de longue durée
Inspection de sions de longue durée

Toronto Service Area Office
5700 Yonge Street 5th Floor
TORONTO ON M2M 4K5
Telephone: (416) 325-9660
Facsimile: (416) 327-4486

Bureau régional de services de Toronto
5700 rue Yonge 5e étage
TORONTO ON M2M 4K5
Téléphone: (416) 325-9660
Télécopieur: (416) 327-4486

Public Copy/Copie du public

Report Date(s) / Date(s) du apport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
May 26, 2016	2016_356618_0015	014720-16	Critical Incident System

Licensee/Titulaire de permis

RYKKA CARE CENTRES LP
3200 Dufferin Street Suite 407 TORONTO ON M6A 3B2

Long-Term Care Home/Foyer de soins de longue durée

HAWTHORNE PLACE CARE CENTRE
2045 FINCH AVENUE WEST NORTH YORK ON M3N 1M9

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

CECILIA FULTON (618)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): May 9,10,11,12,13,16,17,18,19, 2016.

This Critical incident inspection was related to a fire and late reporting of a Critical incident.

During the course of the inspection, the inspector(s) spoke with Registered Nurse (RN), Registered Practical Nurse (RPN), Personal Support Worker (PSW), Director of Care (DOC) and Administrator.
During the course of the inspection, the inspector made observations of Residents and Residents' home areas and conducted record reviews.

The following Inspection Protocols were used during this inspection:
Safe and Secure Home

During the course of this inspection, Non-Compliances were issued.
- **1 WN(s)**
- **0 VPC(s)**
- **0 CO(s)**
- **0 DR(s)**
- **0 WAO(s)**

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES	
Legend WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	Legendé WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA). The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD. Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 107. Reports re critical incidents

Specifically failed to comply with the following:

s. 107. (1) Every licensee of a long-term care home shall ensure that the Director is immediately informed, in as much detail as is possible in the circumstances, of each of the following incidents in the home, followed by the report required under subsection (4):

1. An emergency, including fire, unplanned evacuation or intake of evacuees. O. Reg. 79/10, s. 107 (1).

Findings/Faits saillants :

1. The licensee has failed to ensure that the Director was immediately notified, in as much detail as is possible regarding the circumstances, of an emergency, including fire.

Record review and Staff interview revealed that a fire occurred in a Resident washroom.

The critical incident report regarding this fire was submitted to the Ministry more than 30 hours after the incident had occurred.

Interview with DOC and Administrator confirmed that the Critical Incident Report regarding this fire had not been submitted to the Director immediately as required. [s. 107. (1) 1.]

Issued on this 26th day of May, 2016

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.