



Ministry of Health and
Long-Term Care

Ministère de la Santé et des
Soins de longue durée

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection prévue
sous *la Loi de 2007 sur les
foyers de soins de longue
durée*

Long-Term Care Homes Division
Long-Term Care Inspections Branch

Division des foyers de soins de
longue durée
Inspection de soins de longue durée

Hamilton Service Area Office
119 King Street West 11th Floor
HAMILTON ON L8P 4Y7
Telephone: (905) 546-8294
Facsimile: (905) 546-8255

Bureau régional de services de
Hamilton
119 rue King Ouest 11^{ième} étage
HAMILTON ON L8P 4Y7
Téléphone: (905) 546-8294
Télécopieur: (905) 546-8255

Amended Public Copy/Copie modifiée du public

| Report Date(s)/ Date(s) du Rapport | Inspection No/ No de l'inspection | Log #/ No de registre | Type of Inspection / Genre d'inspection |
|--|--------------------------------------|--------------------------|--|
| Mar 19, 2019 | 2019_539120_0012 (A1) | 027681-18 | Complaint |

Licensee/Titulaire de permis

Rykka Care Centres GP Inc.
3760 14th Avenue Suite 402 MARKHAM ON L3R 3T7

Long-Term Care Home/Foyer de soins de longue durée

Arbour Creek Long-Term Care Centre
2717 King Street East HAMILTON ON L8G 1J3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

Amended by BERNADETTE SUSNIK (120) - (A1)

Amended Inspection Summary/Résumé de l'inspection modifié



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection prévue
sous *la Loi de 2007 sur les
foyers de soins de longue
durée***

Correction made under findings related to a date.

Issued on this 19th day of March, 2019 (A1)

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
*the Long-Term Care
Homes Act, 2007***

**Rapport d'inspection prévue
sous *la Loi de 2007 sur les
foyers de soins de longue
durée***

**Long-Term Care Homes Division
Long-Term Care Inspections Branch**

**Division des foyers de soins de
longue durée
Inspection de soins de longue durée**

Hamilton Service Area Office
119 King Street West 11th Floor
HAMILTON ON L8P 4Y7
Telephone: (905) 546-8294
Facsimile: (905) 546-8255

Bureau régional de services de
Hamilton
119 rue King Ouest 11^{ième} étage
HAMILTON ON L8P 4Y7
Téléphone: (905) 546-8294
Télécopieur: (905) 546-8255

Amended Public Copy/Copie modifiée du public

| Report Date(s) / Date(s) du Rapport | Inspection No / No de l'inspection | Log # / No de registre | Type of Inspection / Genre d'inspection |
|--|---|-----------------------------------|--|
| Mar 19, 2019 | 2019_539120_0012 (A1) | 027681-18 | Complaint |

Licensee/Titulaire de permis

Rykka Care Centres GP Inc.
3760 14th Avenue Suite 402 MARKHAM ON L3R 3T7

Long-Term Care Home/Foyer de soins de longue durée

Arbour Creek Long-Term Care Centre
2717 King Street East HAMILTON ON L8G 1J3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

Amended by BERNADETTE SUSNIK (120) - (A1)

Amended Inspection Summary/Résumé de l'inspection



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
*the Long-Term Care
Homes Act, 2007***

**Rapport d'inspection prévue
sous *la Loi de 2007 sur les
foyers de soins de longue
durée***

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): November 23, 2018 (off site), February 21, March 5, 6, 2019 (off site)

This complaint inspection was conducted in relation to inadequate indoor air temperatures.

During the course of the inspection, the inspector(s) spoke with the Director of Care and Environmental Services Supervisor.

During the course of the inspection, the inspector reviewed the licensee's indoor air temperature logs and outdoor air temperature data records.

**The following Inspection Protocols were used during this inspection:
Safe and Secure Home**

During the course of the original inspection, Non-Compliances were issued.

1 WN(s)

1 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)



NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

| | |
|---|---|
| <p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p> | <p>Légende</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p> |
| <p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p> | <p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.)</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p> |

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 21. Every licensee of a long-term care home shall ensure that the home is maintained at a minimum temperature of 22 degrees Celsius. O. Reg. 79/10, s. 21.

Findings/Faits saillants :

(A1)

1. The licensee failed to ensure that the home was maintained at a minimum temperature of 22 degrees Celsius (C).

A complaint was received in October 2018, that the indoor air temperature in a resident room was between 68-70F (20-21.1C), based on a thermometer kept in the room. The complainant reported that the heat was not on during their visit and that they had to keep their coat on while in the resident's room.

The Environmental Services Supervisor (ESS), maintenance person nor the



Administrators were available in the home on a specified date in November 2018, to validate what the building temperatures were and when the heat was first turned on. The Director of Care was contacted but was unaware of any concerns and was tasked at leaving the ESS a message to contact the inspector.

On a specified date in February 2019, the ESS was contacted and requested to provide records of air temperatures documented during the month of September and October 2018. In March 2019, the documented air temperatures for September and October 2018, were received for review and included documented temperatures for six resident bedrooms on each home area [eight in total, two on each floor]. None of the common areas such as dining rooms and lounges were monitored and no temperature logs were provided for any areas on two identified dates in September and three identified dates in October 2018. According to the temperature logs, up to and including a specified date in October 2018, the temperatures were recorded between 66 F and 76.3 F (18.9 C and 24.6 C), with the highest temperatures recorded on the highest floor. The average temperature on a lower floor remained below 70 F for the majority of the days reviewed.

On a specified date in March 2019, the ESS was contacted and asked when the heat was turned on in the home and to verify how the temperatures were taken. They reported that due to the fluctuating outdoor temperatures in September and October 2018, they delayed turning on the heat and believed that the home was warm enough. The heating system was turned on on a specified date in October 2018. From September 11-30, 2018, the outdoor temperatures were 6.2C to 28.2C and from October 1-15, 2018, the outdoor temperatures were 2.1C to 26.3C [according to the weather station data at the City of Hamilton airport]. Secondly, the ESS confirmed that an infrared thermometer (laser gun), and not an ambient air thermometer was used to record the indoor air temperatures up to and including a specified date in October 2018. The ESS stated that the infrared (IR) thermometer was pointed at the inside of the resident's closet door to get a reading. According to any manufacturer of IR thermometers, only the surface of an object is measured which all emit different levels of infrared energy. Accuracy and emissivity variations depend on what the IR thermometer is pointed at and how far away the thermometer is held from the object. The amount of IR energy emitted by an object is proportional to an object's temperature and its ability to emit energy. The ambient air temperature acquired by using an infrared thermometer therefore may not be as accurate as that acquired by an ambient air thermometer. The ESS reported that a different thermometer, a digital probe thermometer designed for ambient air temperatures was used to take



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
*the Long-Term Care
Homes Act, 2007***

**Rapport d'inspection prévue
sous *la Loi de 2007 sur les
foyers de soins de longue
durée***

temperatures beginning on a specified date in October 2018, which were all recorded to be over 22C.

The licensee's obligation to ensure that indoor air temperatures be maintained at or above 22C was not complied with. Based on the recorded temperatures that were provided, despite their potential inaccuracies, no action was taken by the licensee when temperatures were consistently recorded below 71.6F or 22C on 12 specified dates in September and nine specified dates in October 2018. [s. 21.]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the home is maintained at a minimum temperature of 22 degrees Celsius, to be implemented voluntarily.

Issued on this 19th day of March, 2019 (A1)

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.



Ministry of Health and
Long-Term Care

Ministère de la Santé et des
Soins de longue durée

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

Long-Term Care Homes Division
Long-Term Care Inspections Branch
Division des foyers de soins de
longue durée
Inspection de soins de longue durée

Amended Public Copy/Copie modifiée du public

**Name of Inspector (ID #) /
Nom de l'inspecteur (No) :** Amended by BERNADETTE SUSNIK (120) - (A1)

**Inspection No. /
No de l'inspection :** 2019_539120_0012 (A1)

**Appeal/Dir# /
Appel/Dir#:**

**Log No. /
No de registre :** 027681-18 (A1)

**Type of Inspection /
Genre d'inspection :** Complaint

**Report Date(s) /
Date(s) du Rapport :** Mar 19, 2019(A1)

**Licensee /
Titulaire de permis :** Rykka Care Centres GP Inc.
3760 14th Avenue, Suite 402, MARKHAM, ON,
L3R-3T7

**LTC Home /
Foyer de SLD :** Arbour Creek Long-Term Care Centre
2717 King Street East, HAMILTON, ON, L8G-1J3

**Name of Administrator /
Nom de l'administratrice
ou de l'administrateur :** Lisa Paladino



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

To Rykka Care Centres GP Inc., you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail, commercial courier or by fax upon:

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
Toronto, ON M5S 2B1
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing, when service is made by a commercial courier it is deemed to be made on the second business day after the day the courier receives the document, and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

Health Services Appeal and Review Board and the Director

Attention Registrar
Health Services Appeal and Review Board
151 Bloor Street West, 9th Floor
Toronto, ON M5S 1S4

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
Toronto, ON M5S 2B1
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

**RENSEIGNEMENTS RELATIFS AUX RÉEXAMENS DE DÉCISION ET AUX
APPELS**

PRENEZ AVIS :

Le/la titulaire de permis a le droit de faire une demande de réexamen par le directeur de cet ordre ou de ces ordres, et de demander que le directeur suspende cet ordre ou ces ordres conformément à l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée.

La demande au directeur doit être présentée par écrit et signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au/à la titulaire de permis.

La demande écrite doit comporter ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le/la titulaire de permis souhaite que le directeur examine;
- c) l'adresse du/de la titulaire de permis aux fins de signification.

La demande de réexamen présentée par écrit doit être signifiée en personne, par courrier recommandé, par messagerie commerciale ou par télécopieur, au :

Directeur
a/s du coordonnateur/de la coordonnatrice en matière d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur : 416-327-7603



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

Quand la signification est faite par courrier recommandé, elle est réputée être faite le cinquième jour qui suit le jour de l'envoi, quand la signification est faite par messagerie commerciale, elle est réputée être faite le deuxième jour ouvrable après le jour où la messagerie reçoit le document, et lorsque la signification est faite par télécopieur, elle est réputée être faite le premier jour ouvrable qui suit le jour de l'envoi de la télécopie. Si un avis écrit de la décision du directeur n'est pas signifié au/à la titulaire de permis dans les 28 jours de la réception de la demande de réexamen présentée par le/la titulaire de permis, cet ordre ou ces ordres sont réputés être confirmés par le directeur, et le/la titulaire de permis est réputé(e) avoir reçu une copie de la décision en question à l'expiration de ce délai.

Le/la titulaire de permis a le droit d'interjeter appel devant la Commission d'appel et de révision des services de santé (CARSS) de la décision du directeur relative à une demande de réexamen d'un ordre ou des ordres d'un inspecteur ou d'une inspectrice conformément à l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée. La CARSS est un tribunal autonome qui n'a pas de lien avec le ministère. Elle est créée par la loi pour examiner les questions relatives aux services de santé. Si le/la titulaire décide de faire une demande d'audience, il ou elle doit, dans les 28 jours de la signification de l'avis de la décision du directeur, donner par écrit un avis d'appel à la fois à :

la Commission d'appel et de révision des services de santé et au directeur

À l'attention du/de la registrateur(e)
Commission d'appel et de révision
des services de santé
151, rue Bloor Ouest, 9e étage
Toronto ON M5S 1S4

Directeur
a/s du coordonnateur/de la coordonnatrice en matière
d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur : 416-327-7603

À la réception de votre avis d'appel, la CARSS en accusera réception et fournira des instructions relatives au processus d'appel. Le/la titulaire de permis peut en savoir davantage sur la CARSS sur le site Web www.hsarb.on.ca.

Issued on this 19th day of March, 2019 (A1)

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :**

Amended by BERNADETTE SUSNIK (120) - (A1)



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*,
L. O. 2007, chap. 8

**Service Area Office /
Bureau régional de services :**

Hamilton Service Area Office