

### **Inspection Report Under the** Fixing Long-Term Care Act, 2021

#### **Ministry of Long-Term Care**

Long-Term Care Operations Division Long-Term Care Inspections Branch

#### **Central West District**

609 Kumpf Drive, Suite 105 Waterloo, ON, N2V 1K8 Telephone: (888) 432-7901

# **Original Public Report**

Report Issue Date: June 5, 2023	
Inspection Number: 2023-1611-0002	
Inspection Type:	
Follow up	
Critical Incident System	
Licensee: The Regional Municipality of Peel	
Long Term Care Home and City: Tall Pines Long Term Care Centre, Brampton	
Lead Inspector	Inspector Digital Signature
Kim Byberg (729)	

Additional Inspector(s)

## **INSPECTION SUMMARY**

The inspection occurred on the following date(s): May 30, 2023 – June 2, 2023.

The following intake(s) were completed in this Critical Incident (CI) inspection:

- Intake: #00086097-23, related to fall prevention •
- Intake: #00088092-23, related to personal support services ٠

The following intake(s) were completed in this Follow-Up (FUI) inspection:

Intake: #00087174-23, Follow-up #2 - High Priority CO #001 / 2023\_1611\_0001, O. Reg 246/22 s. 55 (2)(b)(i), Skin and Wound Care, Compliance Due Date (CDD) May 31, 2023.



# Inspection Report Under the Fixing Long-Term Care Act, 2021

Ministry of Long-Term Care

Long-Term Care Operations Division Long-Term Care Inspections Branch Central West District 609 Kumpf Drive, Suite 105 Waterloo, ON, N2V 1K8 Telephone: (888) 432-7901

## **Previously Issued Compliance Order(s)**

The following previously issued Compliance Order(s) were found to be in compliance: Order #001 from Inspection #2023-1611-0001 related to O. Reg. 246/22, s. 55 (2) (b) (i) inspected by Kim Byberg (729)

The following Inspection Protocols were used during this inspection:

Skin and Wound Prevention and Management Infection Prevention and Control Falls Prevention and Management

# **INSPECTION RESULTS**

During the course of this inspection, the inspector(s) made relevant observations, reviewed records and conducted interviews, as applicable. There were no findings of non-compliance.