



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

London Service Area Office
291 King Street, 4th Floor
LONDON, ON, N6B-1R8
Telephone: (519) 675-7680
Facsimile: (519) 675-7685

Bureau régional de services de London
291, rue King, 4ième étage
LONDON, ON, N6B-1R8
Téléphone: (519) 675-7680
Télécopieur: (519) 675-7685

Public Copy/Copie du public

Table with 4 columns: Report Date(s) / Date(s) du Rapport, Inspection No / No de l'inspection, Log # / Registre no, Type of Inspection / Genre d'inspection. Row 1: Oct 21, 2013, 2013\_216144\_0073, L-000523-13, Critical Incident System

Licensee/Titulaire de permis

REVERA LONG TERM CARE INC.
55 STANDISH COURT, 8TH FLOOR, MISSISSAUGA, ON, L5R-4B2

Long-Term Care Home/Foyer de soins de longue durée

RIVERSIDE PLACE
3181 Meadowbrook Lane, WINDSOR, ON, N8T-0A4

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

CAROLEE MILLINER (144)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): October 10, 2013

During the course of the inspection, the inspector(s) spoke with one resident, the Administrator, Director of Care, one Registered Practical Nurse and two Personal Service Workers.

During the course of the inspection, the inspector(s) reviewed one critical incident report and resident health record.

The following Inspection Protocols were used during this inspection:



Falls Prevention

Pain

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Legendé

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 49. Falls prevention and management



---

**Specifically failed to comply with the following:**

**s. 49. (2) Every licensee of a long-term care home shall ensure that when a resident has fallen, the resident is assessed and that where the condition or circumstances of the resident require, a post-fall assessment is conducted using a clinically appropriate assessment instrument that is specifically designed for falls. O. Reg. 79/10, s. 49 (2).**

---

**Findings/Faits saillants :**

1. A post fall assessment was not completed for one resident using a clinically appropriate assessment instrument that is specifically designed for falls. The resident sustained an injury from the fall. Three staff confirmed a post fall assessment was not completed. [s. 49. (2)]

---

**Issued on this 21st day of October, 2013**

**Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs**

*CAROLEE MILLINER*