

# Inspection Report Under the Fixing Long-Term Care Act, 2021

#### **Ministry of Long-Term Care**

Long-Term Care Operations Division Long-Term Care Inspections Branch

#### **London District**

130 Dufferin Avenue, 4th Floor London, ON, N6A 5R2 Telephone: (800) 663-3775

# **Public Report**

Report Issue Date: September 26, 2025

**Inspection Number**: 2025-1462-0005

**Inspection Type:** 

Complaint

Licensee: peopleCare Communities Inc.

Long Term Care Home and City: peopleCare Oakcrossing London, London

## **INSPECTION SUMMARY**

The inspection occurred onsite on the following date(s): September 26, 2025

The following intake(s) were inspected:

• Intake #00156805 is a complaint about a resident's room temperatures.

The following **Inspection Protocols** were used during this inspection:

Safe and Secure Home

# **INSPECTION RESULTS**

During the course of this inspection, the inspector(s) made relevant observations, reviewed records and conducted interviews, as applicable. There were no findings of non-compliance.



# Inspection Report Under the Fixing Long-Term Care Act, 2021

## **Ministry of Long-Term Care**

Long-Term Care Operations Division Long-Term Care Inspections Branch

### **London District**

130 Dufferin Avenue, 4th Floor London, ON, N6A 5R2 Telephone: (800) 663-3775



# Inspection Report Under the Fixing Long-Term Care Act, 2021

## **Ministry of Long-Term Care**

Long-Term Care Operations Division Long-Term Care Inspections Branch

### **London District**

130 Dufferin Avenue, 4th Floor London, ON, N6A 5R2 Telephone: (800) 663-3775