



Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection en vertu
de la Loi de 2007 sur les
foyers de soins de longue
durée

Long-Term Care Operations Division
Long-Term Care Inspections Branch

Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130, avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Amended Public Copy/Copie modifiée du rapport public

Report Date(s)/ Date(s) du Rapport	Inspection No/ No de l'inspection	Log #/ No de registre	Type of Inspection / Genre d'inspection
April 28, 2022	2022_1474_0001 (A1)	019062-21 019061-21 018996-21	Follow-Up

Licensee/Titulaire de permis

Schlegel Villages Inc.
325 Max Becker Drive, Suite. 201, Kitchener, ON, N2E4H5

Long-Term Care Home/Foyer de soins de longue durée

The Village at St Clair
1800 Talbot Road, Windsor, ON, N9H0E3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

Amended by SAMANTHA PERRY (740) - (A1)

Amended Inspection Summary/Résumé de l'inspection modifié

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu
de la Loi de 2007 sur les
foyers de soins de longue
durée**

The public Follow-up inspection report was amended to reflect a change in the inspection number from 2022_1351_0001 to 2022_1474_0001. The Follow-up inspection, 2022_1474_0001 was completed on April 27, 2022.

Issued on this 11th day of May, 2022 (A1)

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.

Amended Public Report (A1)

Report Issue Date	April 28, 2022		
Inspection Number	2022_1474_0001		
Inspection Type			
<input type="checkbox"/> Critical Incident System	<input type="checkbox"/> Complaint	<input checked="" type="checkbox"/> Follow-Up	<input type="checkbox"/> Director Order Follow-up
<input type="checkbox"/> Proactive Inspection	<input type="checkbox"/> SAO Initiated		<input type="checkbox"/> Post-occupancy
<input type="checkbox"/> Other	_____		
Licensee	Schlegel Villages		
Long-Term Care Home and City	The Village at St Clair, Windsor		
Inspector who Amended	Inspector who Amended Digital Signature		
Samantha Perry #740			

AMENDED INSPECTION REPORT SUMMARY

This public inspection report has been amended to reflect a change in the inspection number from 2022_1351_0001 to 2022_1474_0001. The Follow-Up inspection, 2022_1474_0001 was completed on April 27, 2022.

INSPECTION SUMMARY

The inspection occurred on the following date(s): [Month Day, Year]

The following intake(s) were inspected:

- #019062-21 Follow-up inspection related to order #001 from inspection # 2021_797740_0028 related to skin and wound assessments
- #019061-21 Follow-up inspection related to order #003 from inspection #2021_797740_0027 related to the home's skin and wound program
- #018996-21 Follow-up inspection related to order #002 from inspection #2021_797740_0027 related to medication administration.

Previously Issued Compliance Order(s)

The following previously issued Compliance Order(s) were found to be in compliance.

Legislative Reference		Inspection #	Order #	Inspector (ID) who complied the order
O. Reg. 79/10	s. 131(2)	2021_797740_0028	#001	Samantha Perry #740
O. Reg. 79/10	s. 48(1)	2021_797740_0027	#003	Ali Nasser #523
O. Reg. 79/10	s. 50(2)	2021_797740_0027	#002	Ali Nasser#523

The following **Inspection Protocols** were used during this inspection:

- Infection Prevention and Control (IPAC)
- Medication Management
- Skin and Wound Prevention and Management

INSPECTION RESULTS

During the course of this inspection, the inspector(s) made relevant observations, reviewed records and conducted interviews, as applicable. There were *no findings of non-compliance*.