

Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division

Performance improvement and Compliance Branch
Division de la responsabilisation et de la

performance du système de santé Direction de l'amélioration de la performance et de la conformité Hamilton Service Area Office 119 King Street West, 11th Floor HAMILTON, ON, L8P-4Y7 Telephone: (905) 546-8294 Facsimile: (905) 546-8255 Bureau régional de services de Hamilton 119, rue King Ouest, 11iém étage HAMILTON, ON, L8P-4Y7 Téléphone: (905) 546-8294 Télécopieur: (905) 546-8255

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection No/ No de l'inspection Type of Inspection/Genre d'inspection

Sep 17, 26, 28, 2012 2012_072120_0070 Critical Incident

Licensee/Titulaire de permis

ST. JOSEPH'S HEALTH SYSTEM
56 GOVERNOR'S ROAD, DUNDAS, ON, L9H-5G7

Long-Term Care Home/Foyer de soins de longue durée

ST JOSEPH'S VILLA, DUNDAS
56 GOVERNOR'S ROAD, DUNDAS, ON, L9H-5G7

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the president, director of operations, charge nurse and non-registered staff regarding.

Inspection Summary/Résumé de l'inspection

During the course of the inspection, the inspector(s) reviewed the resident's plan of care, staff lift and transfer training records and the geographical location of the fall. (H-001691-12)

The following Inspection Protocols were used during this inspection: Personal Support Services

Safe and Secure Home

BERNADETTE SUSNIK (120)

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Legend	Legendé
DR — Director Referral CO — Compliance Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 23. Every licensee of a long-term care home shall ensure that staff use all equipment, supplies, devices, assistive aids and positioning aids in the home in accordance with manufacturers' instructions. O. Reg. 79/10, s. 23.

Findings/Faits saillants:

The licensee of a long-term care home has not ensured that staff use all equipment, supplies, devices, assistive aids and positioning aids in the home in accordance with manufacturers' instructions.

In 2012, a personal support worker transported a resident using a commode/shower chair. When the casters crossed over a depression and transition strip in the floor, the resident was forced forward and fell out of the chair. The resident was subsequently transferred to the hospital with an injury.

User guidelines for this type of chair state that the chair is to be used for transfers and showering. The guidelines do not direct staff to use the chair for transport. The casters on the chair are small and not designed for transport. Management staff reported that the home's resident handling policy regarding the use of commodes was amended after the incident to include the limitations of the commodes for long distance transport.

According to registered staff and management staff, the personal support workers have been trained to use a wheelchair for resident transport. During the inspection, a notice was observed in the shower room on the resident's home area reminding staff that resident's are to be transported using a wheelchair and not a commode/shower chair.

Issued on this 28th day of September, 2012



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

B. Susnik

Original signature on Licence copy.