

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**

Central East Service Area Office
33 King Street West, 4th Floor
OSHAWA ON L1H 1A1
Telephone: (905) 440-4190
Facsimile: (905) 440-4111

Bureau régional de services de
Centre-Est
33, rue King Ouest, étage 4
OSHAWA ON L1H 1A1
Téléphone: (905) 440-4190
Télécopieur: (905) 440-4111

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Mar 16, 2021	2021_595110_0003	002675-21	Critical Incident System

Licensee/Titulaire de permis

Chartwell Master Care LP
7070 Derrycrest Drive Mississauga ON L5W 0G5

Long-Term Care Home/Foyer de soins de longue durée

Chartwell Ballycliffe Long Term Care Residence
70 Station Street Ajax ON L1S 1R9

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

DIANE BROWN (110)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): March 9 and 10, 2021.

The purpose of this Inspection was a Critical Incident (CI) related to an altercation between residents resulting in injury.

During the course of the inspection, the inspector(s) spoke with Administrator, Director of Care, Manager of Environmental Services, Housekeeper, Personal Support Workers (PSW), Registered Practical Nurse (RPN).

During the Inspection the Inspector completed health record reviews, conducted a tour of the home, made observations of infection control practices, specific resident care practices as it related to the CI.

**The following Inspection Protocols were used during this inspection:
Infection Prevention and Control
Responsive Behaviours**

During the course of this inspection, Non-Compliances were issued.

1 WN(s)

1 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Légende</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care

Specifically failed to comply with the following:

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants :

1. The licensee has failed to ensure that the care set out in the plan of care was provided to the resident as specified in the plan.

A critical incident (CI) was submitted to the Ministry of Long -Term Care reporting an incident of responsive behaviors between resident #001 and a co resident resulting in an injury.

A record review, following the incident, revealed an updated care plan that included the use of a device. The device was to be used in resident #001's room to decrease the risk of responsive behaviors towards others.

Observations made during the inspection period identified the device was not being used. Staff interviews acknowledged the need to ensure the device was in place as required by the residents plan of care.

Sources: Critical Incident Report, resident #001's health record, interviews with PSWs #100, #102 and RPN #101 and observations. [s. 6. (7)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the care set out in the plan of care was provided to the resident as specified in the plan, to be implemented voluntarily.

Issued on this 17th day of March, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.