



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Hamilton Service Area Office
119 King Street West, 11th Floor
HAMILTON, ON, L8P-4Y7
Telephone: (905) 546-8294
Facsimile: (905) 546-8255

Bureau régional de services de Hamilton
119, rue King Ouest, 11ième étage
HAMILTON, ON, L8P-4Y7
Téléphone: (905) 546-8294
Télécopieur: (905) 546-8255

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: April 17, 18, 24 + 26, 2012; 2012\_072120\_0038; Complaint

Licensee/Titulaire de permis

RYKKA CARE CENTRES LP
50 SAMOR ROAD, SUITE 205, TORONTO, ON, M6A-1J6

Long-Term Care Home/Foyer de soins de longue durée

WELLINGTON PARK CARE CENTRE
802 HAGER AVENUE, BURLINGTON, ON, L7S-1X2

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

BERNADETTE SUSNIK (120), MARILYN TONE (167)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, Director of Care, Registered Staff, Environmental Services Supervisor, personal support workers, residents and the complainant regarding the management of residents with responsive behaviours and lighting levels in the home. (H-000471-12 & H-000502-12)

During the course of the inspection, the inspector(s) reviewed lighting levels throughout the home, resident health care records, consultation reports, responsive behaviour policies and procedures and observed residents on a particular unit in the home.

The following Inspection Protocols were used during this inspection:

Prevention of Abuse, Neglect and Retaliation

Responsive Behaviours

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 18. Every licensee of a long-term care home shall ensure that the lighting requirements set out in the Table to this section are maintained. O. Reg. 79/10, s. 18.**

Location	Lux
Enclosed Stairways	- Minimum levels of 322.92 lux continuous consistent lighting throughout
All corridors	- Minimum levels of 322.92 lux continuous consistent lighting throughout
In all other areas of the home, including resident bedrooms and vestibules, washrooms, and tub and shower rooms.	- Minimum levels of 322.92 lux
All other homes	Location - Lux
Stairways	- Minimum levels of 322.92 lux continuous consistent lighting throughout
All corridors	- Minimum levels of 215.28 lux continuous consistent lighting throughout
In all other areas of the home	- Minimum levels of 215.84 lux
Each drug cabinet	- Minimum levels of 1,076.39 lux
At the bed of each resident when the bed is at the reading position	- Minimum levels of 376.73 lux

O. Reg. 79/10, r. 18, Table.

#### Findings/Faits saillants :

The licensee of the long-term care home has not ensured that the lighting requirements set out in the Table are maintained.

Resident bedrooms (overall room lighting), most resident ensuite washrooms, main foyer and various lounge spaces do not meet the minimum requirement of 215.84 lux. Resident bedrooms (not at overbed lights) were measured to be 80-100 lux in the centre of the room. Most resident ensuite washrooms were measured to be between 175-195 lux over the vanity and between 80-180 lux over the toilet.

The corridor on 2W does not provide continuous lux levels of 215.28. When measured, levels dropped to 80 lux between light fixtures, which are spaced approximately 8-10 feet apart and therefore do not offer the continuous illumination levels required.

Lounge spaces and the main foyer all have various illumination levels below 215.84 lux. The main foyer has multiple light fixtures, however the room was very dark and lighting levels were between 20-80 lux. The lounge on 2E was measured to be less than 100 lux in the centre of the room and exactly 100 lux directly under a light bulb.

The licensee has not assessed the illumination levels throughout the home and was therefore not aware that the lighting requirements are non compliant.

#### Additional Required Actions:

**CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".**



Ministry of Health and  
Long-Term Care

Inspection Report under  
the Long-Term Care  
Homes Act, 2007

Ministère de la Santé et des  
Soins de longue durée

Rapport d'inspection  
prévus le Loi de 2007 les  
foyers de soins de longue

Issued on this 15th day of May, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

*B. Suvaril*



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

---

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	BERNADETTE SUSNIK (120), MARILYN TONE (167)
Inspection No. / No de l'inspection :	2012_072120_0038
Type of Inspection / Genre d'inspection:	Complaint
Date of Inspection / Date de l'inspection :	Apr 17, 18, 24 + 26, 2012
Licensee / Titulaire de permis :	RYKKA CARE CENTRES LP 50 SAMOR ROAD, SUITE 205, TORONTO, ON, M6A-1J6
LTC Home / Foyer de SLD :	WELLINGTON PARK CARE CENTRE 802 HAGER AVENUE, BURLINGTON, ON, L7S-1X2
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	Charlotte Nevills

---

To RYKKA CARE CENTRES LP, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

---

**Order # /**  
**Ordre no :** 001                      **Order Type /**  
**Genre d'ordre :** Compliance Orders, s. 153. (1) (b)

**Pursuant to / Aux termes de :**

O.Reg 79/10, s. 18. Every licensee of a long-term care home shall ensure that the lighting requirements set out in the Table to this section are maintained. O. Reg. 79/10, s. 18. TABLE  
Homes to which the 2009 design manual applies  
Location - Lux  
Enclosed Stairways - Minimum levels of 322.92 lux continuous consistent lighting throughout  
All corridors - Minimum levels of 322.92 lux continuous consistent lighting throughout  
In all other areas of the home, including resident bedrooms and vestibules, washrooms, and tub and shower rooms. - Minimum levels of 322.92 lux  
All other homes  
Location - Lux  
Stairways - Minimum levels of 322.92 lux continuous consistent lighting throughout  
All corridors - Minimum levels of 215.28 lux continuous consistent lighting throughout  
In all other areas of the home - Minimum levels of 215.84 lux  
Each drug cabinet - Minimum levels of 1,076.39 lux  
At the bed of each resident when the bed is at the reading position - Minimum levels of 376.73 lux  
O. Reg. 79/10, r. 18, Table.

**Order / Ordre :**

The Licensee shall:

- a) conduct an assessment of all lighting levels in the home and;
- b) prepare and submit a plan to the Inspector by June 15, 2012 which identifies the time lines by which the non-compliant lighting levels will be rectified.

The plan shall be implemented.

The written plan shall be submitted to Bernadette Susnik, Long-Term Care Homes Inspector, Ministry of Health and Long -Term Care, Performance Improvement and Compliance Branch, 119 King St. W., 11th floor, Hamilton, ON, L8P 4Y7. Fax: 905-546-8255 & E-mail:Bernadette.susnik@ontario.ca

**Grounds / Motifs :**



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

1. The licensee of the long-term care home has not ensured that the lighting requirements set out in the Table are maintained.

Resident bedrooms (overall room lighting), most resident ensuite washrooms, main foyer and various lounge spaces do not meet the minimum requirement of 215.84 lux. Resident bedrooms (not at overbed lights) were measured to be 80-100 lux in the centre of the room. Most resident ensuite washrooms were measured to be between 175-195 lux over the vanity and between 80-180 lux over the toilet.

The corridor on 2W does not provide continuous lux levels of 215.28. When measured, levels dropped to 80 lux between light fixtures, which are spaced approximately 8-10 feet apart and therefore do not offer the continuous illumination levels required.

Lounge spaces and the main foyer all have various illumination levels below 215.84 lux. The main foyer has multiple light fixtures, however the room was very dark and lighting levels were between 20-80 lux. The lounge on 2E was measured to be less than 100 lux in the centre of the room and exactly 100 lux directly under a light bulb.

The licensee has not assessed the illumination levels throughout the home and was therefore not aware that the lighting requirements are non compliant. (120)

**This order must be complied with by /**

**Vous devez vous conformer à cet ordre d'ici le :** Jun 15, 2012



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**REVIEW/APPEAL INFORMATION**

**TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the *Long-Term Care Homes Act, 2007*.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the *Long-Term Care Homes Act, 2007*. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

**PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsarb.on.ca](http://www.hsarb.on.ca).

**Issued on this 15th day of May, 2012**

**Signature of Inspector /  
Signature de l'inspecteur :**

**Name of Inspector /  
Nom de l'inspecteur :**

BERNADETTE SUSNIK

**Service Area Office /  
Bureau régional de services :**

Hamilton Service Area Office