



**Ministry of Health and
Long-Term Care**
**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**
**Rapport d'inspection
prévu le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance

Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4iém étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

| Date(s) of inspection/Date(s) de l'inspection | Inspection No/ No de l'inspection | Type of Inspection/Genre d'inspection |
|--|-----------------------------------|--|
| Aug 28, Sep 4, 5, 2012 | 2012_054133_0035 | Follow up |

Licensee/Titulaire de permis

CARESSANT-CARE NURSING AND RETIREMENT HOMES LIMITED
264 NORWICH AVENUE, WOODSTOCK, ON, N4S-3V9

Long-Term Care Home/Foyer de soins de longue durée

CARESSANT CARE BOURGET
2279 Laval Street, P.O. Box 99, Bourget, ON, K0A-1E0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

JESSICA LAPENSEE (133)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Follow up inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, registered and non registered nursing staff and housekeeping services staff members.

During the course of the inspection, the inspector(s) verified that the home's communication and response system was operable throughout the 1st floor and in the original part of the building on the 2nd floor.

The following Inspection Protocols were used during this inspection:

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

| NON-COMPLIANCE / NON-RESPECT DES EXIGENCES | |
|---|---------------------------------------|
| Legend | Legendé |
| WN – Written Notification | WN – Avis écrit |
| VPC – Voluntary Plan of Correction | VPC – Plan de redressement volontaire |
| DR – Director Referral | DR – Aiguillage au directeur |
| CO – Compliance Order | CO – Ordre de conformité |
| WAO – Work and Activity Order | WAO – Ordres : travaux et activités |



**Ministry of Health and
Long-Term Care**
**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**
**Rapport d'inspection
prévue le Loi de 2007 les
foyers de soins de longue**

| | |
|---|---|
| Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.) | Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.) |
| The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA. | Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD. |

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 17. Communication and response system
Specifically failed to comply with the following subsections:

- s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,
- (a) can be easily seen, accessed and used by residents, staff and visitors at all times;
 - (b) is on at all times;
 - (c) allows calls to be cancelled only at the point of activation;
 - (d) is available at each bed, toilet, bath and shower location used by residents;
 - (e) is available in every area accessible by residents;
 - (f) clearly indicates when activated where the signal is coming from; and
 - (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Findings/Faits saillants :

1. The licensee has failed to comply with O. Reg 79/10, s.17(1) e in that the home's communication and response system is not available in every area accessible by residents.

The inspector noted that the home's communication and response system is not available in the first floor resident's lounge, the first floor dining room next to the kitchen and at the main entrance sitting area.

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 87. Housekeeping

Specifically failed to comply with the following subsections:

- s. 87. (2) As part of the organized program of housekeeping under clause 15 (1) (a) of the Act, the licensee shall ensure that procedures are developed and implemented for,
- (a) cleaning of the home, including,
 - (i) resident bedrooms, including floors, carpets, furnishings, privacy curtains, contact surfaces and wall surfaces, and
 - (ii) common areas and staff areas, including floors, carpets, furnishings, contact surfaces and wall surfaces;
 - (b) cleaning and disinfection of the following in accordance with manufacturer's specifications and using, at a minimum, a low level disinfectant in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices:
 - (i) resident care equipment, such as whirlpools, tubs, shower chairs and lift chairs,
 - (ii) supplies and devices, including personal assistance services devices, assistive aids and positioning aids, and
 - (iii) contact surfaces;
 - (c) removal and safe disposal of dry and wet garbage; and
 - (d) addressing incidents of lingering offensive odours. O. Reg. 79/10, s. 87 (2).



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévu le Loi de 2007 les
foyers de soins de longue

Findings/Faits saillants :

1. The licensee has failed to comply with O. Reg 79/10, s. 87(2)(d) in that the home has failed to address offensive and lingering odours in identified resident washrooms.

The inspector was at the home August 28, 2012 to conduct a follow up inspection related to the home's communication and response system and this brought the inspector into every resident washroom within the original part of the building. The inspector noted a strong urine-like smell in four resident washrooms. Housekeeping services staff person #S100 informed the inspector that these are known as problematic washrooms with regards to odours, and that they are cleaned at minimum once daily, often more, yet despite routine cleaning they remain odorous. Housekeeping services staff person #S100 informed the inspector that two of the washrooms had been cleaned that morning. Housekeeping services staff person #S100 proceeded to clean the two washrooms that had not yet been cleaned, and then re-cleaned the two washrooms that had been cleaned in the morning. The inspector noted that the strong urine-like smell remained in three of the four washrooms. The Administrator went into the four washrooms with the inspector and agreed there was a lingering offensive odour in three of them.

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance with the requirement that procedures are developed and implemented for addressing incidents of lingering offensive odours, to be implemented voluntarily.

**THE FOLLOWING NON-COMPLIANCE AND/OR ACTION(S)/ORDER(S) HAVE BEEN COMPLIED WITH/
LES CAS DE NON-RESPECTS ET/OU LES ACTIONS ET/OU LES ORDRES SUIVANT SONT MAINTENANT
CONFORME AUX EXIGENCES:**

| CORRECTED NON-COMPLIANCE/ORDER(S) REDRESSEMENT EN CAS DE NON-RESPECT OU LES ORDERS: | | | |
|--|------------------------------------|--------------------------------------|---------------------------------------|
| REQUIREMENT/ EXIGENCE | TYPE OF ACTION/ GENRE DE MESURE | INSPECTION # / NO DE L'INSPECTION | INSPECTOR ID #/ NO DE L'INSPECTEUR |
| LTCHA, 2007 S.O. 2007, c.8 s. 15. | WN #1 | 2012_034117_0016 | 133 |
| LTCHA, 2007 S.O. 2007, c.8 s. 15. | CO #001 | 2012_034117_0016 | 133 |

Issued on this 5th day of September, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité**

Public Copy/Copie du public

| | |
|--|---|
| Name of Inspector (ID #) / Nom de l'inspecteur (No) : | JESSICA LAPENSEE (133) |
| Inspection No. / No de l'inspection : | 2012_054133_0035 |
| Type of Inspection / Genre d'inspection: | Follow up |
| Date of Inspection / Date de l'inspection : | Aug 28, Sep 4, 5, 2012 |
| Licensee / Titulaire de permis : | CARESSANT-CARE NURSING AND RETIREMENT HOMES LIMITED 264 NORWICH AVENUE, WOODSTOCK, ON, N4S-3V9 |
| LTC Home / Foyer de SLD : | CARESSANT CARE BOURGET 2279 Laval Street, P.O. Box 99, Bourget, ON, K0A-1E0 |
| Name of Administrator / Nom de l'administratrice ou de l'administrateur : | GERRY MILLER, HUMPHREY JACQUES |

To CARESSANT-CARE NURSING AND RETIREMENT HOMES LIMITED, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Order # /
Ordre no :** 001

**Order Type /
Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,
(a) can be easily seen, accessed and used by residents, staff and visitors at all times;
(b) is on at all times;
(c) allows calls to be cancelled only at the point of activation;
(d) is available at each bed, toilet, bath and shower location used by residents;
(e) is available in every area accessible by residents;
(f) clearly indicates when activated where the signal is coming from; and
(g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Order / Ordre :

The licensee must make the resident-staff communication and response system available in every area accessible by residents, with specific reference to the first floor resident's lounge, the first floor dining room next to the kitchen and the main entrance sitting area.

Grounds / Motifs :

1. The licensee has failed to comply with O. Reg 79/10, s.17(1) e in that the home's communication and response system is not available in every area accessible by residents.

The inspector noted that the home's communication and response system is not available in the first floor resident's lounge, the first floor dining room next to the kitchen and at the main entrance sitting area. (133)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : Sep 28, 2012



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Clerk
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
Toronto ON M5S 2B1
Fax: (416) 327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Clerk
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
Toronto ON M5S 2B1
Fax: (416) 327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
1075 rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur: (416) 327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
1075 rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur: (416) 327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsb.on.ca.

Issued on this 5th day of September, 2012

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :** JESSICA LAPENSEE

**Service Area Office /
Bureau régional de services :** Ottawa Service Area Office