



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Long-Term Care Homes Division  
Long-Term Care Inspections Branch**  
**Division des foyers de soins de  
longue durée**  
**Inspection de sions de longue durée**

London Service Area Office  
130 Dufferin Avenue 4th floor  
LONDON ON N6A 5R2  
Telephone: (519) 873-1200  
Facsimile: (519) 873-1300

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

Bureau régional de services de  
London  
130 avenue Dufferin 4ème étage  
LONDON ON N6A 5R2  
Téléphone: (519) 873-1200  
Télécopieur: (519) 873-1300

**Public Copy/Copie du public**

<b>Report Date(s) / Date(s) du apport</b>	<b>Inspection No / No de l'inspection</b>	<b>Log # / Registre no</b>	<b>Type of Inspection / Genre d'inspection</b>
May 5, 2016	2016_262523_0017	022749-15	Follow up

**Licensee/Titulaire de permis**

CARESSANT-CARE NURSING AND RETIREMENT HOMES LIMITED  
264 NORWICH AVENUE WOODSTOCK ON N4S 3V9

**Long-Term Care Home/Foyer de soins de longue durée**

CARESSANT CARE ON MARY BUCKE  
4 MARY BUCKE STREET ST. THOMAS ON N5R 5J6

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

ALI NASSER (523)

**Inspection Summary/Résumé de l'inspection**



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

**The purpose of this inspection was to conduct a Follow up inspection.**

**This inspection was conducted on the following date(s): March 7, 2016**

**This Follow Up inspection was to follow up on order #001 from inspection #2015\_355588\_15 related to water temperatures and was completed concurrently with the following Critical Incident Inspection:**

**Log #021386-15 / CIS#2627-000008-15, this inspection was related to an incident of a missing resident.**

**During the course of the inspection, the inspector(s) spoke with the Administrator, Director of Nursing (DON), a Registered Nurse, two Personal Support Workers (PSW), a Housekeeping Staff and a Maintenance Worker.**

**The inspector(s) also conducted a tour of the home and the courtyard, reviewed related policies and procedures, clinical records and critical incident reports.**

**Ad-hoc notes were used during this inspection.**

**During the course of this inspection, Non-Compliances were issued.**

**1 WN(s)  
0 VPC(s)  
1 CO(s)  
0 DR(s)  
0 WAO(s)**



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

**NON-COMPLIANCE / NON - RESPECT DES EXIGENCES**

**Legend**

WN – Written Notification  
VPC – Voluntary Plan of Correction  
DR – Director Referral  
CO – Compliance Order  
WAO – Work and Activity Order

**Legendé**

WN – Avis écrit  
VPC – Plan de redressement volontaire  
DR – Aiguillage au directeur  
CO – Ordre de conformité  
WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 90. Maintenance services**



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

**Specifically failed to comply with the following:**

- s. 90. (2) The licensee shall ensure that procedures are developed and implemented to ensure that,
- (a) electrical and non-electrical equipment, including mechanical lifts, are kept in good repair, and maintained and cleaned at a level that meets manufacturer specifications, at a minimum; O. Reg. 79/10, s. 90 (2).
  - (b) all equipment, devices, assistive aids and positioning aids in the home are kept in good repair, excluding the residents' personal aids or equipment; O. Reg. 79/10, s. 90 (2).
  - (c) heating, ventilation and air conditioning systems are cleaned and in good state of repair and inspected at least every six months by a certified individual, and that documentation is kept of the inspection; O. Reg. 79/10, s. 90 (2).
  - (d) all plumbing fixtures, toilets, sinks, grab bars and washroom fixtures and accessories are maintained and kept free of corrosion and cracks; O. Reg. 79/10, s. 90 (2).
  - (e) gas or electric fireplaces and heat generating equipment other than the heating system referred to in clause (c) are inspected by a qualified individual at least annually, and that documentation is kept of the inspection; O. Reg. 79/10, s. 90 (2).
  - (f) hot water boilers and hot water holding tanks are serviced at least annually, and that documentation is kept of the service; O. Reg. 79/10, s. 90 (2).
  - (g) the temperature of the water serving all bathtubs, showers, and hand basins used by residents does not exceed 49 degrees Celsius, and is controlled by a device, inaccessible to residents, that regulates the temperature; O. Reg. 79/10, s. 90 (2).
  - (h) immediate action is taken to reduce the water temperature in the event that it exceeds 49 degrees Celsius; O. Reg. 79/10, s. 90 (2).
  - (i) the temperature of the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius; O. Reg. 79/10, s. 90 (2).
  - (j) if the home is using a computerized system to monitor the water temperature, the system is checked daily to ensure that it is in good working order; and O. Reg. 79/10, s. 90 (2).
  - (k) if the home is not using a computerized system to monitor the water temperature, the water temperature is monitored once per shift in random locations where residents have access to hot water. O. Reg. 79/10, s. 90 (2).



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

**Findings/Faits saillants :**

1. The licensee has failed to ensure that procedures were developed and implemented to ensure that the temperature of the water serving all bathtubs, showers and hand basins used by residents was 49 degrees Celsius or less and that the hot water serving all bathtubs and showers used by residents was maintained at a temperature of at least 40 degrees Celsius.

Previously issued as a Written Notification (WN) under O.Reg.79/10 s. 90(2) on October 8, 2013, Inspection #2013\_24304\_0002.

Previously issued as a Written Notification and a Compliance Order under O.Reg.79/10 s. 90(2) on October 30, 2015, Inspection # 2015\_355588\_0015 and a compliance date of December 27, 2015.

Staff interviews revealed that the temperature documented on the bath logs was not reflective of the digital temperature displayed on the tub but rather the water temperature in the tub and that this temperature is based on the resident's preference.

Observations in the north and south tub rooms revealed that the water temperature on the digital temperature reading on the tub was between 36 & 39 degrees. Water was kept running between 5 and 10 minutes with no change in temperature.

Interview with Maintenance staff #104 revealed that at midday it may take a long time for the water temperature to reach 40 degrees. He was not aware of a specific reason.

This was confirmed with Administrator #100, who also confirmed in an interview that all staff should implement the home's policy for water temperatures, and that the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius and not exceeding 49 degrees Celsius. [s. 90. (2)]

***Additional Required Actions:***

***CO # - 001 will be served on the licensee. Refer to the “Order(s) of the Inspector”.***



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection sous la  
Loi de 2007 sur les foyers de  
soins de longue durée**

**Issued on this 5th day of May, 2016**

**Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs**

**Original report signed by the inspector.**



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**Long-Term Care Homes Division  
Long-Term Care Inspections Branch**

**Division des foyers de soins de longue durée  
Inspection de sions de longue durée**

**Public Copy/Copie du public**

**Name of Inspector (ID #) /**

**Nom de l'inspecteur (No) :** ALI NASSER (523)

**Inspection No. /**

**No de l'inspection :** 2016\_262523\_0017

**Log No. /**

**Registre no:** 022749-15

**Type of Inspection /**

**Genre**

**d'inspection:** Follow up

**Report Date(s) /**

**Date(s) du Rapport :** May 5, 2016

**Licensee /**

**Titulaire de permis :**

CARESSANT-CARE NURSING AND RETIREMENT  
HOMES LIMITED  
264 NORWICH AVENUE, WOODSTOCK, ON, N4S-3V9

**LTC Home /**

**Foyer de SLD :**

CARESSANT CARE ON MARY BUCKE  
4 MARY BUCKE STREET, ST. THOMAS, ON, N5R-5J6

**Name of Administrator /**

**Nom de l'administratrice**

**ou de l'administrateur :** Kori Amon

---

To CARESSANT-CARE NURSING AND RETIREMENT HOMES LIMITED, you are  
hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

---

**Order # /**

**Ordre no :** 001

**Order Type /**

**Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

**Linked to Existing Order /**

**Lien vers ordre  
existant:** 2015\_355588\_0015, CO #001;

**Pursuant to / Aux termes de :**

O.Reg 79/10, s. 90. (2) The licensee shall ensure that procedures are developed and implemented to ensure that,

(a) electrical and non-electrical equipment, including mechanical lifts, are kept in good repair, and maintained and cleaned at a level that meets manufacturer specifications, at a minimum;

(b) all equipment, devices, assistive aids and positioning aids in the home are kept in good repair, excluding the residents' personal aids or equipment;

(c) heating, ventilation and air conditioning systems are cleaned and in good state of repair and inspected at least every six months by a certified individual, and that documentation is kept of the inspection;

(d) all plumbing fixtures, toilets, sinks, grab bars and washroom fixtures and accessories are maintained and kept free of corrosion and cracks;

(e) gas or electric fireplaces and heat generating equipment other than the heating system referred to in clause (c) are inspected by a qualified individual at least annually, and that documentation is kept of the inspection;

(f) hot water boilers and hot water holding tanks are serviced at least annually, and that documentation is kept of the service;

(g) the temperature of the water serving all bathtubs, showers, and hand basins used by residents does not exceed 49 degrees Celsius, and is controlled by a device, inaccessible to residents, that regulates the temperature;

(h) immediate action is taken to reduce the water temperature in the event that it exceeds 49 degrees Celsius;

(i) the temperature of the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius;

(j) if the home is using a computerized system to monitor the water temperature, the system is checked daily to ensure that it is in good working order; and

(k) if the home is not using a computerized system to monitor the water temperature, the water temperature is monitored once per shift in random locations where residents have access to hot water. O. Reg. 79/10, s. 90 (2).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**Order / Ordre :**

The licensee shall ensure the home's policy regarding water temperatures is implemented by all staff. When water temperature is not meeting the requirements, an immediate action is taken and that action is documented. The licensee shall ensure a monitoring system is in place to ensure staff are consistently following the water temperature policy.

**Grounds / Motifs :**



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

1. The licensee has failed to ensure that procedures were developed and implemented to ensure that the temperature of the water serving all bathtubs, showers and hand basins used by residents was 49 degrees Celsius or less and that the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius.

Staff interviews revealed that the temperature documented on the bath logs was not reflective of the digital temperature displayed on the tub but rather the water temperature in the tub and that this temperature is based on the resident's preference.

Observations in the north and south tub rooms revealed that the water temperature on the digital temperature reading on the tub was between 36 & 39 degrees. Water was kept running between 5 and 10 minutes with no change in temperature.

Interview with Maintenance staff #104 revealed that at midday it may take a long time for the water temperature to reach 40 degrees. He was not aware of a specific reason.

This was confirmed with Administrator #100, who also confirmed in an interview that all staff should implement the home's policy for water temperatures, and that the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius and not exceeding 49 degrees Celsius.

This non compliance was previously issued as a Written Notification (WN) under O.Reg.79/10 s. 90(2) on October 8, 2013, Inspection #2013\_24304\_0002.

This non compliance was previously issued as a Written Notification and a Compliance Order under O.Reg.79/10 s. 90(2) on October 30, 2015, Inspection # 2015\_355588\_0015 and a compliance date of December 27, 2015.

During this Follow Up inspection the licensee was found to have not met compliance with the above compliance order. (523)



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**This order must be complied with by /  
Vous devez vous conformer à cet ordre d'ici le :**

Jun 30, 2016



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**REVIEW/APPEAL INFORMATION**

**TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Long-Term Care Inspections Branch  
Ministry of Health and Long-Term Care  
1075 Bay Street, 11th Floor  
TORONTO, ON  
M5S-2B1  
Fax: 416-327-7603



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Long-Term Care Inspections Branch  
Ministry of Health and Long-Term Care  
1075 Bay Street, 11th Floor  
TORONTO, ON  
M5S-2B1  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

## **RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

### **PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au:

Directeur  
a/s Coordinateur des appels  
Inspection de soins de longue durée  
Ministère de la Santé et des Soins de longue durée  
1075, rue Bay, 11e étage  
Ontario, ON  
M5S-2B1  
Fax: 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**

Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision  
des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Inspection de sions de longue durée  
Ministère de la Santé et des Soins de longue durée  
1075, rue Bay, 11e étage  
Ontario, ON  
M5S-2B1  
Fax: 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsb.on.ca](http://www.hsb.on.ca).

**Issued on this 5th day of May, 2016**

**Signature of Inspector /  
Signature de l'inspecteur :**

**Name of Inspector /  
Nom de l'inspecteur :** Ali Nasser

**Service Area Office /  
Bureau régional de services :** London Service Area Office