

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu
de la Loi de 2007 sur les
foyers de soins de longue
durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130, avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Amended Public Copy/Copie modifiée du rapport public

Report Date(s)/ Date(s) du Rapport	Inspection No/ No de l'inspection	Log #/ No de registre	Type of Inspection / Genre d'inspection
May 13, 2022	2022_1034_0001 (A1)	020641-21 020620-21	Critical Incident System

Licensee/Titulaire de permis

Copper Terrace Limited
284 Central Avenue, London, ON, N6B 2C8

Long-Term Care Home/Foyer de soins de longue durée

Copper Terrace
91 Tecumseh Road, Chatham, ON, N7M 1B3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

Amended by CHERYL MCFADDEN (745) - (A1)

Amended Inspection Summary/Résumé de l'inspection modifié

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu
de la Loi de 2007 sur les
foyers de soins de longue
durée**

This licensee inspection report has been revised to reflect the correct inspection number and report issue date. The Critical Incident System inspection #2022_1034_0001 was completed on May 3, 2022.

Issued on this 13th day of May 2022 (A1)

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.

Amended Public Report (A1)

Report Issue Date May 13, 2022
Inspection Number 2022_1034_0001
Inspection Type
 Critical Incident System Complaint Follow-Up Director Order Follow-up
 Proactive Inspection SAO Initiated Post-occupancy
 Other _____

Licensee

Copper Terrace Limited

Long-Term Care Home and City

Copper Terrace Nursing Home, Chatham

Inspector who Amended

Cheryl McFadden #745

Inspector who Amended Digital Signature

AMENDED INSPECTION REPORT SUMMARY

This licensee inspection report has been revised to reflect the correct inspection number and report issue date. The Critical Incident System inspection #2022_1034_0001 was completed on May 3, 2022.

INSPECTION SUMMARY

The inspection occurred on the following date(s): April 25, 26 and 27, 2022.

The following intake(s) were inspected:

- Log# 020641-21, CIS #1115-000052-21 related to responsive behaviours and resident to resident abuse.
- Log# 020620-21, CIS #1115-000053-21 related to responsive behaviours and resident to resident abuse.

The following **Inspection Protocols** were used during this inspection:

- Infection Prevention and Control (IPAC)
- Prevention of Abuse and Neglect
- Responsive Behaviours

INSPECTION RESULTS

During the course of this inspection, the inspector(s) made relevant observations, reviewed records and conducted interviews, as applicable. There were *no findings of non-compliance*.