



**Ministry of Health and  
Long-Term Care**  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**  
**Rapport d'inspection  
prévu le Loi de 2007 les  
foyers de soins de longue**

**Health System Accountability and Performance**

**Division**  
**Performance Improvement and Compliance Branch**  
**Division de la responsabilisation et de la  
performance du système de santé**  
**Direction de l'amélioration de la performance et de la  
conformité**

Hamilton Service Area Office  
119 King Street West, 11th Floor  
HAMILTON, ON, L8P-4Y7  
Telephone: (905) 546-8294  
Facsimile: (905) 546-8255

Bureau régional de services de Hamilton  
119, rue King Ouest, 11<sup>e</sup> étage  
HAMILTON, ON, L8P-4Y7  
Téléphone: (905) 546-8294  
Télécopieur: (905) 546-8255

**Public Copy/Copie du public**

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Nov 16, 2012	2012_189120_0010	Follow up

**Licensee/Titulaire de permis**

**THE REGIONAL MUNICIPALITY OF NIAGARA  
2201 ST. DAVID'S ROAD, THOROLD, ON, L2V-4T7**

**Long-Term Care Home/Foyer de soins de longue durée**

**GILMORE LODGE  
50 Gilmore Road, Fort Erie, ON, L2A-2M1**

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

**BERNADETTE SUSNIK (120)**

**Inspection Summary/Résumé de l'inspection**

The purpose of this inspection was to conduct a Follow up inspection.

During the course of the inspection, the inspector(s) spoke with the Director of Care and Environmental Services Supervisor regarding the home's door access control system. (H-001598-12)

During the course of the inspection, the inspector(s) toured several home areas and tested some of the locking mechanisms on various perimeter doors, verified that the locking mechanisms were connected to the resident-staff communication and response system and reviewed the home's emergency contingency plans and fire alarm drill process.

An Order was previously issued after an inspection (2011-072120-0030/H-002143-11) conducted on October 25, 2011 for non-compliance with section 9 of Ontario Regulation 79/10 with respect to missing door access control systems. The Order has been addressed and section 9 is now in compliance. See table below.

The following Inspection Protocols were used during this inspection:

Safe and Secure Home

There are no findings of Non-Compliance as a result of this inspection.

**NON-COMPLIANCE / NON-RESPECT DES EXIGENCES**



Ministry of Health and  
Long-Term Care  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

Ministère de la Santé et des  
Soins de longue durée  
**Rapport d'inspection  
prévue le Loi de 2007 les  
foyers de soins de longue**

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**THE FOLLOWING NON-COMPLIANCE AND/OR ACTION(S)/ORDER(S) HAVE BEEN COMPLIED WITH/  
LES CAS DE NON-RESPECTS ET/OU LES ACTIONS ET/OU LES ORDRES SUIVANT SONT MAINTENANT  
CONFORME AUX EXIGENCES:**

CORRECTED NON-COMPLIANCE/ORDER(S) REDRESSEMENT EN CAS DE NON-RESPECT OU LES ORDRES			
REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / NO DE L'INSPECTION	INSPECTOR ID #/ NO DE L'INSPECTEUR
O.Reg 79/10 r. 9.	CO #001	2011_072120_0030	120

Issued on this 20th day of November, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

B. Sosnik