

**Ministry of Long-Term Care**

Long-Term Care Operations Division  
Long-Term Care Inspections Branch

**London District**

130 Dufferin Avenue, 4th Floor  
London, ON, N6A 5R2  
Telephone: (800) 663-3775

## Original Public Report

**Report Issue Date:** September 10, 2024

**Inspection Number:** 2024-1216-0004

**Inspection Type:** Other

**Licensee:** Hardy Terrace LTC Operating Limited

**Long Term Care Home and City:** Hardy Terrace, Brantford

## INSPECTION SUMMARY

The inspection occurred offsite on the following date(s): September 9, 2024

The following intake(s) were inspected:

- Intake: #00125969 - Outstanding Emergency Planning Annual Attestation 2023

The following **Inspection Protocols** were used during this inspection:

Safe and Secure Home

## INSPECTION RESULTS

### WRITTEN NOTIFICATION: Attestation

NC #001 Written Notification pursuant to FLTCA, 2021, s. 154 (1) 1.

**Non-compliance with: O. Reg. 246/22, s. 270 (3)**

Attestation

s. 270 (3) The licensee shall ensure that the attestation is submitted annually to the Director.

**Ministry of Long-Term Care**

Long-Term Care Operations Division  
Long-Term Care Inspections Branch

**London District**

130 Dufferin Avenue, 4th Floor  
London, ON, N6A 5R2  
Telephone: (800) 663-3775

The licensee has failed to ensure that the emergency planning attestation was submitted annually to the Director.

**Rationale and Summary:**

The Ministry of Long-Term Care (MLTC) did not receive the home's Emergency Planning Attestation form by the due date of December 31, 2023. The Administrator said that they did not recall submitting the attestation. The MLTC could not be sure if the home had or was reviewing and revising emergency plans when they did not submit the attestation.

**Sources:** MLTC attestation tracking and interview with the Administrator.