

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**

Ottawa Service Area Office
347 Preston St Suite 420
OTTAWA ON K1S 3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347 rue Preston bureau 420
OTTAWA ON K1S 3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Dec 3, 2021	2021_779641_0032	014852-21	Critical Incident System

Licensee/Titulaire de permis

Gibson Holdings (Ontario) Ltd.
343 Amherst Drive Amherstview ON K7N 1X3

Long-Term Care Home/Foyer de soins de longue durée

Helen Henderson Nursing Home
343 Amherst Drive Amherstview ON K7N 1X3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

CATHI KERR (641)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): November 19, 22, 23, 25, 26, 29, 2021 on site and November 24, 2021 offsite.

This inspection was initiated from intake log #014852-21, CIS #2728-000002-21, related to a resident having eloped out of their window but not missing from the home.

During the course of the inspection, the inspector(s) spoke with the Administrator, the Assistant Administrator, the Director of Care, the Assistant Director of Care, the Environmental Service Manager, Registered Nurses, Registered Practical Nurses, Personal Support Workers and residents.

During the inspection, the Inspector completed a tour of the home, observed residents' environments, the provision of care and services to residents, reviewed relevant resident health care records, and policies and procedures related to Infection Prevention and Control and Safe and Secure Home, specifically related to windows.

**The following Inspection Protocols were used during this inspection:
Infection Prevention and Control
Safe and Secure Home**

During the course of this inspection, Non-Compliances were not issued.

0 WN(s)

0 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Légende</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

Issued on this 3rd day of December, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.