



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

**Health System Accountability and
Performance Division
Performance Improvement and
Compliance Branch**

**Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la
performance et de la conformité**

Toronto Service Area Office
5700 Yonge Street 5th Floor
TORONTO ON M2M 4K5
Telephone: (416) 325-9660
Facsimile: (416) 327-4486

Bureau régional de services de
Toronto
5700 rue Yonge 5e étage
TORONTO ON M2M 4K5
Téléphone: (416) 325-9660
Télécopieur: (416) 327-4486

Public Copy/Copie du public

Report Date(s) / Date(s) du apport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
Aug 20, 2015	2015_398605_0017	T-002691-15	Follow up

Licensee/Titulaire de permis

THE GOVERNING COUNCIL OF THE SALVATION ARMY IN CANADA
2 OVERLEA BLVD TORONTO ON M4H 1P4

Long-Term Care Home/Foyer de soins de longue durée

ISABEL AND ARTHUR MEIGHEN MANOR
155 MILLWOOD ROAD TORONTO ON M4S 1J6

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

SARAH KENNEDY (605)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Follow up inspection.

This inspection was conducted on the following date(s): June 30, 2015

During the course of the inspection, the inspector(s) spoke with the Executive Director (ED).

The following Inspection Protocols were used during this inspection:



**Accommodation Services - Maintenance
Safe and Secure Home**

During the course of this inspection, Non-Compliances were issued.

1 WN(s)

1 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

The following previously issued Order(s) were found to be in compliance at the time of this inspection:

Les Ordre(s) suivants émis antérieurement ont été trouvés en conformité lors de cette inspection:

REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / DE L'INSPECTION	NO	INSPECTOR ID #/ NO DE L'INSPECTEUR
LTCHA, 2007 S.O. 2007, c.8 s. 5.	CO #001	2015_398605_0013		605



NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Legendé</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 15. Accommodation services

Specifically failed to comply with the following:

- s. 15. (2) Every licensee of a long-term care home shall ensure that,**
- (a) the home, furnishings and equipment are kept clean and sanitary; 2007, c. 8, s. 15 (2).**
 - (b) each resident's linen and personal clothing is collected, sorted, cleaned and delivered; and 2007, c. 8, s. 15 (2).**
 - (c) the home, furnishings and equipment are maintained in a safe condition and in a good state of repair. 2007, c. 8, s. 15 (2).**

Findings/Faits saillants :

1. The licensee has failed to ensure that the home is maintained in a safe condition and in a good state of repair.

Observation on June 30, 2015, at 11:40a.m. revealed that the dining room floor on 2 Coombs had water damage and the floor was rippling. Maintenance staff were observed duct taping the floor to smooth out the ripples.

Interview with the ED revealed that a steam table in the 2 Coombs servery had leaked and caused water damage to the dining room floor. Residents are still able to use the dining room. The ED confirmed that the 2 Coombs dining area is not being maintained in a safe condition and good state of repair and that the floors and serveries will be replaced in 4-6 weeks. The ED is aware that the expectation is for the home to be maintained in a safe condition and good state of repair. [s. 15. (2) (c)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the home is maintained in a safe condition and in a good state of repair, to be implemented voluntarily.



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

Issued on this 20th day of August, 2015

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.