

Inspection Report under the Long-Term Care Homes Act, 2007**Rapport d'inspection en vertu de la Loi de 2007 sur les foyers de soins de longue durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**
Division des opérations relatives aux soins de longue durée
Inspection de soins de longue durée

Ottawa Service Area Office
347 Preston St Suite 420
OTTAWA ON K1S 3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347 rue Preston bureau 420
OTTAWA ON K1S 3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Feb 26, 2021	2021_765541_0001	022441-20, 023316-20	Complaint

Licensee/Titulaire de permis

0760444 B.C. Ltd. as General Partner on behalf of Omni Health Care Limited Partnership

2020 Fisher Drive Suite 1 Peterborough ON K9J 6X6

Long-Term Care Home/Foyer de soins de longue durée

Kentwood Park
2 Ontario Street Picton ON K0K 2T0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

AMBER LAM (541)

Inspection Summary/Résumé de l'inspection

Inspection Report under the Long-Term Care Homes Act, 2007**Rapport d'inspection en vertu de la Loi de 2007 sur les foyers de soins de longue durée**

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): February 10-12, 16-17, 2021

The following logs were completed during this inspection:

- Log #023316-20, a complaint related to falls and use of side-rails
- Log #022441-20, a complaint related to resident care and services

During the course of the inspection, the inspector(s) spoke with the former Administrator, the current Administrator, the Director of Care (DOC), the Physiotherapist, Registered Nurses, Registered Practical Nurse, Personal Support Workers, an activity aide, residents and family. The inspector also observed resident meal services, observed resident rooms including beds and side-rail use, observed infection prevention and control practices within the home, reviewed resident health care records including care plans, fall risk assessments, post-fall assessments, fall policies, side rail assessments, resident bathing schedules and reviewed completed side rail entrapment assessments.

The following Inspection Protocols were used during this inspection:

Dignity, Choice and Privacy

Falls Prevention

Infection Prevention and Control

Personal Support Services

Safe and Secure Home

During the course of this inspection, Non-Compliances were issued.

- 3 WN(s)**
- 2 VPC(s)**
- 1 CO(s)**
- 0 DR(s)**
- 0 WAO(s)**

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend

WN – Written Notification
 VPC – Voluntary Plan of Correction
 DR – Director Referral
 CO – Compliance Order
 WAO – Work and Activity Order

Légende

WN – Avis écrit
 VPC – Plan de redressement volontaire
 DR – Aiguillage au directeur
 CO – Ordre de conformité
 WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 15. Bed rails

Specifically failed to comply with the following:

- s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,**
(a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident; O. Reg. 79/10, s. 15 (1).
(b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and O. Reg. 79/10, s. 15 (1).
(c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).

Findings/Faits saillants :

Inspection Report under the Long-Term Care Homes Act, 2007**Rapport d'inspection en vertu de la Loi de 2007 sur les foyers de soins de longue durée**

1. The licensee has failed to ensure that where bed rails are used, the resident has been assessed and his or her bed system evaluated in accordance with evidence-based practices, and if there are none, in accordance with prevailing practices to minimize risk to the resident.

Current evidence-based practice with regard to bed rails outlines a process that is to be followed with regards to the decision to use or discontinue use of bed rails for a resident.

In late summer/early fall 2020, the home removed bed rails on all residents' beds, indicating this was based on entrapment risk and best practice.

The decision to remove bed rails was not based on evidence-based practice in that the home did not document in the individual residents' health care records, there was no formation of an interdisciplinary team, there was no individualized assessment and there was no documented risk benefit assessment completed within the residents' health care records.

After the bed rails were removed, some bed rails were put back on residents' beds due to family and/or resident request. At the time of inspection, there were bed rails on 12 out of 33 resident beds. In making the decision to add the side-rails back on the resident beds, evidence-based practices, as noted above, were not followed.

Sources: Health Canada guidance document titled "Adult Hospital Beds: Patient Entrapment Hazards, Side Rail Latching Reliability, and Other Hazards" including companion documents, complaint log, Interviews with RNs, the Director of Care and PSW staff, health care records of residents, observations on February 10 and 17, 2021. [s. 15. (1) (a)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

**WN #2: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6.
Plan of care**

Inspection Report under the Long-Term Care Homes Act, 2007**Rapport d'inspection en vertu de la Loi de 2007 sur les foyers de soins de longue durée****Specifically failed to comply with the following:**

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants :

1. The care set out in the plan of care for a resident related to falls, was not provided as specified in the plan.

A resident suffered an injury due to a fall from their bed. The resident is identified as a high risk for falls and was to have specific fall interventions in place. At the time of the fall, the resident's specific fall interventions were not in place.

There was actual harm to the resident as the resident sustained an injury.

Sources: Progress notes, MORSE fall risk assessment, plan of care, post-fall assessment, interview with physiotherapist, an RN and resident. [s. 6. (7)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the care set out in the plan of care for a resident, is provided to the resident as specified in the plan, to be implemented voluntarily.

WN #3: The Licensee has failed to comply with O.Reg 79/10, s. 229. Infection prevention and control program**Specifically failed to comply with the following:**

s. 229. (4) The licensee shall ensure that all staff participate in the implementation of the program. O. Reg. 79/10, s. 229 (4).

Findings/Faits saillants :

Inspection Report under the Long-Term Care Homes Act, 2007**Rapport d'inspection en vertu de la Loi de 2007 sur les foyers de soins de longue durée**

1. The licensee has failed to ensure that staff participate in the implementation of the infection prevention and control program.

The licensee failed to ensure that a hand hygiene program was in place in accordance with the Ontario evidence-based hand hygiene (HH) program, “Just Clean Your Hands” (JCYH) related to staff assisting residents with HH before and after meals.

On February 10 and 17, 2021, the home’s HH program did not include a process for staff to assist residents to clean their hands before and after a meal as residents’ hands were not cleaned before and after lunch. The home’s HH program was based on the JCYH program which requires that staff assist residents to clean their hands before and after meals.

The failure to have a hand hygiene program in place in accordance with evidence based-practices presents a risk to residents related to the possible ingestion of disease-causing organisms that may have been on their hands.

Sources: Observations of residents in the dining room, interviews with the Director of Care and IPAC lead, a Personal Support Worker and other staff, “Just Clean Your Hands” program resources. [s. 229. (4)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that staff participate in the implementation of the infection prevention and control program, specifically the hand hygiene program, to be implemented voluntarily.



**Ministry of Long-Term
Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère des Soins de longue
durée**

**Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée**

Issued on this 26th day of February, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.



**Ministry of Long-Term
Care**

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

**Ministère des Soins de longue
durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux soins de longue durée
Inspection de soins de longue durée**

Public Copy/Copie du rapport public

Name of Inspector (ID #) /

Nom de l'inspecteur (No) : AMBER LAM (541)

Inspection No. /

No de l'inspection : 2021_765541_0001

Log No. /

No de registre : 022441-20, 023316-20

Type of Inspection /

Genre d'inspection: Complaint

Report Date(s) /

Date(s) du Rapport : Feb 26, 2021

Licensee /

Titulaire de permis :

0760444 B.C. Ltd. as General Partner on behalf of Omni Health Care Limited Partnership
2020 Fisher Drive, Suite 1, Peterborough, ON, K9J-6X6

LTC Home /

Foyer de SLD :

Kentwood Park
2 Ontario Street, Picton, ON, K0K-2T0

Name of Administrator /

**Nom de l'administratrice
ou de l'administrateur :**

Matthew Riel



**Ministry of Long-Term
Care**

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

**Ministère des Soins de longue
durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

To 0760444 B.C. Ltd. as General Partner on behalf of Omni Health Care Limited Partnership, you are hereby required to comply with the following order(s) by the date(s) set out below:

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

**Order # /
No d'ordre :** 001

**Order Type /
Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,

- (a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident;
- (b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and
- (c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).

Order / Ordre :

The licensee must be compliant with O. Reg. 79/10, s. 15 (1). Specifically the licensee shall:

Ensure that bed rail use for all residents who use bed rails, is assessed and implemented in full accordance with the prevailing practices document "Clinical Guidance for the Assessment and Implementation of Bed Rails in Hospitals, Long-Term Care Facilities and Home Care Settings" (FDA, 2003). This includes, but is not limited to:

1. a) A documented individual resident assessment by an interdisciplinary team, including all specified factors prior to any decision regarding bed rail use or removal from use. The specified factors are: medical diagnosis, conditions, symptoms, and/or behavioral symptoms; sleep habits; medication; acute medical or surgical interventions; underlying medical conditions; existence of delirium; ability to toilet self safely; cognition; communication; mobility (in and out of bed); risk of falling.
- b.) A documented risk benefit assessment, following the resident assessment by the interdisciplinary team, where bed rails are in use. The documented risk benefit assessment, as prescribed, is to include: identification of why other care interventions are not appropriate, or not effective if they were previously

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

attempted and determined not to be the treatment of choice for the resident; comparing the potential for injury or death associated with use or non-use of bed rails to the benefits for an individual resident; a final conclusion, if bed rails are used, indicating that clinical and environmental interventions have proven to be unsuccessful in meeting the resident's assessed needs or a determination that the risk of bed rail use is lower than that of other interventions or of not using them.

- c) Documented approval of the use of bed rails for an individual resident by the interdisciplinary team that conducted the resident's assessment and the final risk benefit assessment. The names of the team members are to be documented.
- 2.) Update the written plan of care based on the resident's assessment/reassessment by the interdisciplinary team. Provide clear directions as to how the bed rails on a resident's bed are to be used, when they are to be used, and in what position they are to be used. Include in the written plan of care any necessary accessories or interventions that are required to mitigate any identified bed safety hazards.

Grounds / Motifs :

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

1. The licensee has failed to ensure that where bed rails are used, the resident has been assessed and his or her bed system evaluated in accordance with evidence-based practices, and if there are none, in accordance with prevailing practices to minimize risk to the resident.

Current evidence-based practice with regard to bed rails outlines a process that is to be followed with regards to the decision to use or discontinue use of bed rails for a resident.

In late summer/early fall 2020, the home removed bed rails on all residents' beds, indicating this was based on entrapment risk and best practice. The decision to remove bed rail was not based on evidence-based practice in that the home did not document in the individual residents' health care records, there was no formation of an interdisciplinary team, there was no individualized assessment and there was no documented risk benefit assessment completed within the residents' health care records.

After the bed rails were removed, some bed rails were put back on residents' beds due to family and/or resident request. At the time of inspection, there were bed rails on 12 out of 33 resident beds. In making the decision to add the side-rails back on the resident beds, evidence-based practices, as noted above, were not followed.

Sources: Health Canada guidance document titled "Adult Hospital Beds: Patient Entrapment Hazards, Side Rail Latching Reliability, and Other Hazards" including companion documents, a complaint log, Interviews with RNs, the Director of Care and PSW staff, health care records of residents, observations on February 10 and 17, 2021. (541)

**This order must be complied with by /
Vous devez vous conformer à cet ordre d'ici le :**

May 24, 2021

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION**TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail, commercial courier or by fax upon:

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Long-Term Care
1075 Bay Street, 11th Floor
Toronto, ON M5S 2B1
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing, when service is made by a commercial courier it is deemed to be made on the second business day after the day the courier receives the document, and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Ministry of Long-Term Care**Order(s) of the Inspector**

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ministère des Soins de longue durée**Ordre(s) de l'inspecteur**

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

Health Services Appeal and Review Board and the Director

Attention Registrar
Health Services Appeal and Review Board
151 Bloor Street West, 9th Floor
Toronto, ON M5S 1S4

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Long-Term Care
1075 Bay Street, 11th Floor
Toronto, ON M5S 2B1
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

RENSEIGNEMENTS RELATIFS AUX RÉEXAMENS DE DÉCISION ET AUX APPELS**PRENEZ AVIS :**

Le/la titulaire de permis a le droit de faire une demande de réexamen par le directeur de cet ordre ou de ces ordres, et de demander que le directeur suspende cet ordre ou ces ordres conformément à l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée.

La demande au directeur doit être présentée par écrit et signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au/à la titulaire de permis.

La demande écrite doit comporter ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le/la titulaire de permis souhaite que le directeur examine;
- c) l'adresse du/de la titulaire de permis aux fins de signification.

La demande de réexamen présentée par écrit doit être signifiée en personne, par courrier recommandé, par messagerie commerciale ou par télécopieur, au :

Directeur
a/s du coordonnateur/de la coordonnatrice en matière d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère des Soins de longue durée
1075, rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur : 416-327-7603

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

Quand la signification est faite par courrier recommandé, elle est réputée être faite le cinquième jour qui suit le jour de l'envoi, quand la signification est faite par messagerie commerciale, elle est réputée être faite le deuxième jour ouvrable après le jour où la messagerie reçoit le document, et lorsque la signification est faite par télécopieur, elle est réputée être faite le premier jour ouvrable qui suit le jour de l'envoi de la télécopie. Si un avis écrit de la décision du directeur n'est pas signifié au/à la titulaire de permis dans les 28 jours de la réception de la demande de réexamen présentée par le/la titulaire de permis, cet ordre ou ces ordres sont réputés être confirmés par le directeur, et le/la titulaire de permis est réputé(e) avoir reçu une copie de la décision en question à l'expiration de ce délai.

Le/la titulaire de permis a le droit d'interjeter appel devant la Commission d'appel et de révision des services de santé (CARSS) de la décision du directeur relative à une demande de réexamen d'un ordre ou des ordres d'un inspecteur ou d'une inspectrice conformément à l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée. La CARSS est un tribunal autonome qui n'a pas de lien avec le ministère. Elle est créée par la loi pour examiner les questions relatives aux services de santé. Si le/la titulaire décide de faire une demande d'audience, il ou elle doit, dans les 28 jours de la signification de l'avis de la décision du directeur, donner par écrit un avis d'appel à la fois à :

la Commission d'appel et de révision des services de santé et au directeur

À l'attention du/de la registrateur(e)
Commission d'appel et de révision
des services de santé
151, rue Bloor Ouest, 9e étage
Toronto ON M5S 1S4

Directeur
a/s du coordonnateur/de la coordonnatrice en matière
d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère des Soins de longue durée
1075, rue Bay, 11e étage
Toronto ON M5S 2B1
Télécopieur : 416-327-7603

À la réception de votre avis d'appel, la CARSS en accusera réception et fournira des instructions relatives au processus d'appel. Le/la titulaire de permis peut en savoir davantage sur la CARSS sur le site Web www.hsb.on.ca.

Issued on this 26th day of February, 2021

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :** Amber Lam

**Service Area Office /
Bureau régional de services :** Ottawa Service Area Office