

Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Health System Accountability and Performance Division Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé Direction de l'amélioration de la performance et de la conformité Toronto Service Area Office 5700 Yonge Street, 5th Floor TORONTO, ON, M2M-4K5 Telephone: (416) 325-9660 Facsimile: (416) 327-4486 Bureau régional de services de Toronto 5700, rue Yonge, 5e étage TORONTO, ON, M2M-4K5 Téléphone: (416) 325-9660 Télécopieur: (416) 327-4486

Public Copy/Copie du public

Report Date(s) /	Inspection No /	Log # /	Type of Inspection / Genre d'inspection
Date(s) du Rapport	No de l'inspection	Registre no	
Mar 8, 2013	2013_168202_0014	T-1446-12	Critical Incident System

Licensee/Titulaire de permis

TORONTO LONG-TERM CARE HOMES AND SERVICES
55 JOHN STREET, METRO HALL, 11th FLOOR, TORONTO, ON, M5V-3C6

Long-Term Care Home/Foyer de soins de longue durée

KIPLING ACRES

2233 KIPLING AVENUE, ETOBICOKE, ON, M9W-4L3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

VALERIE JOHNSTON (202)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): March 04, 05, 06, 2013

During the course of the inspection, the inspector(s) spoke with Director of Care, Nurse Manager, Registered Nursing Staff, Physiotherapist, Personal Care Assistants

During the course of the inspection, the inspector(s) observed the provision of care to residents, reviewed clinical records, observed resident #001's bed rails

The following Inspection Protocols were used during this inspection:



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

Personal Support Services
Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES			
Legend	Legendé		
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités		
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.		
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non- respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.		

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care

Specifically failed to comply with the following:

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants:



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007 Ministère de la Santé et des Soins de longue durée

Rapport d'inspection sous la Loi de 2007 sur les foyers de soins de longue durée

1. The licensee failed to ensure that the care set out in the plan of care is provided to the resident as specified in the plan. [s.6.(7)]

Resident #001's written plan of care directs staff to remove all 1/4 sized bed rails from his/her bed due to risk of injury. Staff interviews revealed that resident #001, who has a cognitive impairment, moves around in bed. Staff confirmed that resident #001 does not reposition him/herself. Staff felt that this was or is likely due to his/her upper body rigidity and decreased strength. Resident #001 sustained an injury due to being caught on 1/4 side rail was later diagnosed with a fracture of unknown cause. During the course of this inspection on March 05, 2013, resident #001 was observed to be lying in bed with 1/4 side rails positioned up on either side of the bed. An interview with the Nurse Manager(NM)confirmed that resident #001 should not have bed side rails as specified in the plan of care. [s. 6. (7)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the care set out in the plan of care is provided to the resident as specified in the plan, to be implemented voluntarily.

Issued on this 8th day of March, 2013

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs