

Inspection Report under
the Long-Term Care
Homes Act, 2007

Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée

Long-Term Care Operations Division
Long-Term Care Inspections Branch

Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130, avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Jun 21, 2021	2021_777731_0016	003963-21	Follow up

Licensee/Titulaire de permis

Meadow Park (Chatham) Inc.
c/o Jarlette Health Services 711 Yonge Street Midland ON L4R 2E1

Long-Term Care Home/Foyer de soins de longue durée

Meadow Park Nursing Home (Chatham)
110 Sandys Street Chatham ON N7L 4X3

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

KRISTEN MURRAY (731), HELENE DESABRAIS (615)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Follow up inspection.

This inspection was conducted on the following date(s): June 14, 15, and 16, 2021.

The following Follow up intake was completed within this inspection:

Follow Up Log #003963-21 / CO#001 from inspection #2021_747725_0002 regarding s. 15. (2)

**An IPAC inspection was also completed as part of this inspection.
A cooling and air temperature inspection was also completed as part of this inspection.**

During the course of the inspection, the inspector(s) spoke with the Administrator, a Co-Director of Care (Co-DOC), the Environmental Services Supervisor, a Registered Nurse (RN), and a housekeeper.

The inspectors also observed resident rooms and common areas, observed residents and the care provided to them, reviewed health care records and plans of care for identified residents, reviewed the home's temperature records and documentation related to the compliance order.

**The following Inspection Protocols were used during this inspection:
Infection Prevention and Control
Safe and Secure Home**

During the course of this inspection, Non-Compliances were not issued.

0 WN(s)

0 VPC(s)

0 CO(s)

0 DR(s)

0 WAO(s)

The following previously issued Order(s) were found to be in compliance at the time of this inspection:

Les Ordre(s) suivants émis antérieurement ont été trouvés en conformité lors de cette inspection:

REQUIREMENT/ EXIGENCE	TYPE OF ACTION/ GENRE DE MESURE	INSPECTION # / DE L'INSPECTION	NO	INSPECTOR ID #/ NO DE L'INSPECTEUR
LTCHA, 2007 S.O. 2007, c.8 s. 15. (2)	CO #001	2021_747725_0002		615

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend	Légende
<p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

Issued on this 21st day of June, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.