

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection en vertu de
la Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Operations Division
Long-Term Care Inspections Branch**

**Division des opérations relatives aux
soins de longue durée
Inspection de soins de longue durée**

Central West Service Area Office
1st Floor, 609 Kumpf Drive
WATERLOO ON N2V 1K8
Telephone: (888) 432-7901
Facsimile: (519) 885-2015

Bureau régional de services de Centre
Ouest
1e étage, 609 rue Kumpf
WATERLOO ON N2V 1K8
Téléphone: (888) 432-7901
Télécopieur: (519) 885-2015

Public Copy/Copie du rapport public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / No de registre	Type of Inspection / Genre d'inspection
Nov 17, 2021	2021_823653_0027	008197-21	Critical Incident System

Licensee/Titulaire de permis

Retirement Home Specialists Incorporated
120 Conception Bay Highway Suite 110, Villa Nova Plaza Conception Bay South ON
A1W 3A6

Long-Term Care Home/Foyer de soins de longue durée

Morrison Park Nursing Home
7363 Calfass Road, R.R. #2 Puslinch ON N0B 2J0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

ROMELA VILLASPIR (653)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident System inspection.

This inspection was conducted on the following date(s): October 12-15, and 19, 2021.

The following intake was completed in this Critical Incident System (CIS) inspection:

Log #008197-21 was related to falls prevention and management.

Complaint inspection #2021_823653_0026 was completed in conjunction with this CIS inspection.

During the course of the inspection, the inspector(s) spoke with the Dietary Aide (DA), Registered Nurse (RN), and the Falls Lead RN.

During the course of the inspection, the inspector toured the home, observed provision of care, reviewed clinical health records, the home's investigation notes, and relevant home policies and procedures.

The following Inspection Protocols were used during this inspection:

Falls Prevention

Safe and Secure Home

During the course of this inspection, Non-Compliances were issued.

2 WN(s)

1 VPC(s)

1 CO(s)

0 DR(s)

0 WAO(s)

NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Légende</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care

Specifically failed to comply with the following:

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants :

1. The licensee failed to ensure that the care set out in the plan of care was provided to two residents as it related to the application of a device.

A resident was at risk for falls, and one of the interventions in their care plan was for staff to apply a device when they were seated in a chair. On one occasion, the resident had an unwitnessed fall in a non-residential area. Prior to the unwitnessed fall, staff had last seen the resident seated in the common area, and the device was not in place at that time.

By not ensuring the application of the device, staff were not able to respond as quickly to prevent the fall. The resident's fall resulted in a significant change in their health condition.

Sources: Critical Incident System (CIS) report, resident's clinical health records; Interviews with the Falls Lead Registered Nurse (RN), and a staff member. [s. 6. (7)]

2. A resident was at risk for falls, and one of the interventions in their care plan was for staff to apply a device.

During an observation, Inspector #653 and the Falls Lead RN noted that the device was not applied as required by the resident's care plan.

By not ensuring the application of the device, staff may not be able to respond as quickly to prevent a fall.

Sources: Resident's clinical health records; Inspector #653's observation; Interviews with the Falls Lead RN, and a registered staff. [s. 6. (7)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home

Specifically failed to comply with the following:

s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents, and those doors must be kept closed and locked when they are not being supervised by staff. O. Reg. 79/10, s. 9; O. Reg. 363/11, s. 1 (1, 2).

Findings/Faits saillants :

1. The licensee failed to ensure that the door leading to a non-residential area was locked when they were not being supervised by staff.

On one occasion, a resident had an unwitnessed fall in a non-residential area, which resulted in a significant change in their health condition. A staff member did not lock the door and the resident opened the door and entered the non-residential area. The Falls Lead RN stated that the door leading to the non-residential area must be locked at all times when not being supervised by staff.

Sources: CIS report, a resident's clinical health records; Interviews with the Falls Lead RN, and a staff member. [s. 9. (1) 2.]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the following rules are complied with: All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents, and those doors must be kept closed and locked when they are not being supervised by staff, to be implemented voluntarily.

Issued on this 18th day of November, 2021

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

Long-Term Care Operations Division
Long-Term Care Inspections Branch

Division des opérations relatives aux soins de longue durée
Inspection de soins de longue durée

Public Copy/Copie du rapport public

Name of Inspector (ID #) /

Nom de l'inspecteur (No) : ROMELA VILLASPIR (653)

Inspection No. /

No de l'inspection : 2021_823653_0027

Log No. /

No de registre : 008197-21

Type of Inspection /

Genre d'inspection: Critical Incident System

Report Date(s) /

Date(s) du Rapport : Nov 17, 2021

Licensee /

Titulaire de permis : Retirement Home Specialists Incorporated
120 Conception Bay Highway, Suite 110, Villa Nova
Plaza, Conception Bay South, ON, A1W-3A6

LTC Home /

Foyer de SLD : Morriston Park Nursing Home
7363 Calfass Road, R.R. #2, Puslinch, ON, N0B-2J0

Name of Administrator /

Nom de l'administratrice

ou de l'administrateur : Karen Bolger

To Retirement Home Specialists Incorporated, you are hereby required to comply with the following order(s) by the date(s) set out below:

Order(s) of the Inspector**Ordre(s) de l'inspecteur**

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

Order # /**No d'ordre :** 001**Order Type /****Genre d'ordre :** Compliance Orders, s. 153. (1) (a)**Pursuant to / Aux termes de :**

LTCHA, 2007 S.O. 2007, c.8, s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Order / Ordre :

The licensee must be compliant with s. 6 (7) of the Long-Term Care Homes Act (LTCHA).

Specifically, the licensee must:

1. Identify all residents who are at risk for falls.
2. Develop and implement an auditing system to ensure that fall interventions are implemented by staff as required by the plan of care, for all residents who are at risk for falls.
3. Assign individual(s) who will conduct the audits as soon as each shift begins and before each shift ends.
4. A record is required to be kept by the licensee for all actions undertaken in items #1 and #3. The record shall be made available to the inspector upon request.

Grounds / Motifs :

1. The licensee failed to ensure that the care set out in the plan of care was provided to two residents as it related to the application of a device.

A resident was at risk for falls, and one of the interventions in their care plan was for staff to apply a device when they were seated in a chair. On one occasion, the resident had an unwitnessed fall in a non-residential area. Prior to the unwitnessed fall, staff had last seen the resident seated in the common area, and the device was not in place at that time.

Order(s) of the Inspector

Pursuant to section 153 and/or section 154 of the *Long-Term Care Homes Act, 2007*, S.O. 2007, c. 8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou de l'article 154 de la *Loi de 2007 sur les foyers de soins de longue durée*, L.O. 2007, chap. 8

By not ensuring the application of the device, staff were not able to respond as quickly to prevent the fall. The resident's fall resulted in a significant change in their health condition.

Sources: Critical Incident System (CIS) report, resident's clinical health records; Interviews with the Falls Lead Registered Nurse (RN), and a staff member. (653)

2. A resident was at risk for falls, and one of the interventions in their care plan was for staff to apply a device.

During an observation, Inspector #653 and the Falls Lead RN noted that the device was not applied as required by the resident's care plan.

By not ensuring the application of the device, staff may not be able to respond as quickly to prevent a fall.

Sources: Resident's clinical health records; Inspector #653's observation; Interviews with the Falls Lead RN, and a registered staff.

An order was made by taking the following factors into account:

Severity: There was actual harm to a resident as the fall incident resulted in a significant change in their health condition. There was minimal risk of harm to another resident when their device was not implemented, as the registered staff applied the device after the inspector and the Falls Lead RN identified that it was not in place.

Scope: Out of the three residents reviewed, two residents did not have the required device in place, demonstrating a pattern of non-compliance.

Compliance History: In the last 36 months, the licensee was found to be noncompliant with s. 6 (7) of the LTCHA, and 2 Written Notifications (WNs) and 2 Voluntary Plan of Corrections (VPCs) were issued to the home. (653)

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

**This order must be complied with by /
Vous devez vous conformer à cet ordre d'ici le :**

Jan 17, 2022

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail, commercial courier or by fax upon:

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Long-Term Care
438 University Avenue, 8th Floor
Toronto, ON M7A 1N3
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing, when service is made by a commercial courier it is deemed to be made on the second business day after the day the courier receives the document, and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

Health Services Appeal and Review Board and the Director

Attention Registrar
Health Services Appeal and Review Board
151 Bloor Street West, 9th Floor
Toronto, ON M5S 1S4

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Long-Term Care
438 University Avenue, 8th Floor
Toronto, ON M7A 1N3
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.

Order(s) of the Inspector

Ordre(s) de l'inspecteur

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

**RENSEIGNEMENTS RELATIFS AUX RÉEXAMENS DE DÉCISION ET AUX
APPELS**

PRENEZ AVIS :

Le/la titulaire de permis a le droit de faire une demande de réexamen par le directeur de cet ordre ou de ces ordres, et de demander que le directeur suspende cet ordre ou ces ordres conformément à l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée.

La demande au directeur doit être présentée par écrit et signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au/à la titulaire de permis.

La demande écrite doit comporter ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le/la titulaire de permis souhaite que le directeur examine;
- c) l'adresse du/de la titulaire de permis aux fins de signification.

La demande de réexamen présentée par écrit doit être signifiée en personne, par courrier recommandé, par messagerie commerciale ou par télécopieur, au :

Directeur
a/s du coordonnateur/de la coordonnatrice en matière d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère des Soins de longue durée
438, rue University, 8^e étage
Toronto ON M7A 1N3
Télécopieur : 416-327-7603

Order(s) of the Inspector**Ordre(s) de l'inspecteur**

Pursuant to section 153 and/or
section 154 of the *Long-Term
Care Homes Act, 2007*, S.O.
2007, c. 8

Aux termes de l'article 153 et/ou de
l'article 154 de la *Loi de 2007 sur les
foyers de soins de longue durée*, L.O.
2007, chap. 8

Quand la signification est faite par courrier recommandé, elle est réputée être faite le cinquième jour qui suit le jour de l'envoi, quand la signification est faite par messagerie commerciale, elle est réputée être faite le deuxième jour ouvrable après le jour où la messagerie reçoit le document, et lorsque la signification est faite par télécopieur, elle est réputée être faite le premier jour ouvrable qui suit le jour de l'envoi de la télécopie. Si un avis écrit de la décision du directeur n'est pas signifié au/à la titulaire de permis dans les 28 jours de la réception de la demande de réexamen présentée par le/la titulaire de permis, cet ordre ou ces ordres sont réputés être confirmés par le directeur, et le/la titulaire de permis est réputé(e) avoir reçu une copie de la décision en question à l'expiration de ce délai.

Le/la titulaire de permis a le droit d'interjeter appel devant la Commission d'appel et de révision des services de santé (CARSS) de la décision du directeur relative à une demande de réexamen d'un ordre ou des ordres d'un inspecteur ou d'une inspectrice conformément à l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée. La CARSS est un tribunal autonome qui n'a pas de lien avec le ministère. Elle est créée par la loi pour examiner les questions relatives aux services de santé. Si le/la titulaire décide de faire une demande d'audience, il ou elle doit, dans les 28 jours de la signification de l'avis de la décision du directeur, donner par écrit un avis d'appel à la fois à :

la Commission d'appel et de révision des services de santé et au directeur

À l'attention du/de la registrateur(e)
Commission d'appel et de révision
des services de santé
151, rue Bloor Ouest, 9e étage
Toronto ON M5S 1S4

Directeur
a/s du coordonnateur/de la coordonnatrice en matière
d'appels
Direction de l'inspection des foyers de soins de longue durée
Ministère des Soins de longue durée
438, rue University, 8e étage
Toronto ON M7A 1N3
Télécopieur : 416-327-7603

À la réception de votre avis d'appel, la CARSS en accusera réception et fournira des instructions relatives au processus d'appel. Le/la titulaire de permis peut en savoir davantage sur la CARSS sur le site Web www.hsarb.on.ca.

Issued on this 17th day of November, 2021

Signature of Inspector /

Signature de l'inspecteur :

Name of Inspector /

Nom de l'inspecteur : Romela Villaspir

Service Area Office /

Bureau régional de services : Central West Service Area Office