



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Toronto Service Area Office
55 St. Clair Avenue West, 8th Floor
TORONTO, ON, M4V-2Y7
Telephone: (416) 325-9297
Facsimile: (416) 327-4486

Bureau régional de services de Toronto
55, avenue St. Clair Ouest, 8ième étage
TORONTO, ON, M4V-2Y7
Téléphone: (416) 325-9297
Télécopieur: (416) 327-4486

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Jul 18, 19, 20, 21, 22, Aug 10, 11, Oct 24, 2011; 2011_102132_0004; Complaint

Licensee/Titulaire de permis

PROVIDENCE HEALTHCARE
3276 St. Clair Avenue East, TORONTO, ON, M1L-1W1

Long-Term Care Home/Foyer de soins de longue durée

PROVIDENCE HEALTHCARE
3276 ST. CLAIR AVENUE EAST, SCARBOROUGH, ON, M1L-1W1

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

ROSEMARY LAM (132)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

During the course of the inspection, the inspector(s) spoke with Administrator, Director of Care, Nurse managers, Registered staff, Resident Aides, Resident.

During the course of the inspection, the inspector(s) Reviewed medical files & policies, tested hot water temperatures in spa.

The following Inspection Protocols were used during this inspection:

- Accommodation Services - Maintenance
Continance Care and Bowel Management
Reporting and Complaints

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Legend	Legendé
WN – Written Notification	WN – Avis écrit
VPC – Voluntary Plan of Correction	VPC – Plan de redressement volontaire
DR – Director Referral	DR – Aiguillage au directeur
CO – Compliance Order	CO – Ordre de conformité
WAO – Work and Activity Order	WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 90. Maintenance services

Specifically failed to comply with the following subsections:

- s. 90. (2) The licensee shall ensure that procedures are developed and implemented to ensure that,**
- (a) electrical and non-electrical equipment, including mechanical lifts, are kept in good repair, and maintained and cleaned at a level that meets manufacturer specifications, at a minimum;**
 - (b) all equipment, devices, assistive aids and positioning aids in the home are kept in good repair, excluding the residents' personal aids or equipment;**
 - (c) heating, ventilation and air conditioning systems are cleaned and in good state of repair and inspected at least every six months by a certified individual, and that documentation is kept of the inspection;**
 - (d) all plumbing fixtures, toilets, sinks, grab bars and washroom fixtures and accessories are maintained and kept free of corrosion and cracks;**
 - (e) gas or electric fireplaces and heat generating equipment other than the heating system referred to in clause (c) are inspected by a qualified individual at least annually, and that documentation is kept of the inspection;**
 - (f) hot water boilers and hot water holding tanks are serviced at least annually, and that documentation is kept of the service;**
 - (g) the temperature of the water serving all bathtubs, showers, and hand basins used by residents does not exceed 49 degrees Celsius, and is controlled by a device, inaccessible to residents, that regulates the temperature;**
 - (h) immediate action is taken to reduce the water temperature in the event that it exceeds 49 degrees Celsius;**
 - (i) the temperature of the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius;**
 - (j) if the home is using a computerized system to monitor the water temperature, the system is checked daily to ensure that it is in good working order; and**
 - (k) if the home is not using a computerized system to monitor the water temperature, the water temperature is monitored once per shift in random locations where residents have access to hot water. O. Reg. 79/10, s. 90 (2).**

Findings/Faits saillants :

On the day of Ministry inspector's visit on July 17, 2011, temperature of hot water serving bathtubs and showers used by residents were not maintained at a temperature of at least 40 degrees Celsius. Water temperature for one of the resident units shower was recorded between 31.3C to 32C, Tub at 19-20C. Previous and on-going issue with low hot water temperatures were identified on other resident units, on July 8 at 38C; on July 22 between 38.5C to 39.7C. No action was taken to address these low water temperatures.[90(2)(i)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care
Specifically failed to comply with the following subsections:

s. 6. (1) Every licensee of a long-term care home shall ensure that there is a written plan of care for each resident that sets out,

- (a) the planned care for the resident;
- (b) the goals the care is intended to achieve; and
- (c) clear directions to staff and others who provide direct care to the resident. 2007, c. 8, s. 6 (1).

s. 6. (5) The licensee shall ensure that the resident, the resident's substitute decision-maker, if any, and any other persons designated by the resident or substitute decision-maker are given an opportunity to participate fully in the development and implementation of the resident's plan of care. 2007, c. 8, s. 6 (5).

s. 6. (7) The licensee shall ensure that the care set out in the plan of care is provided to the resident as specified in the plan. 2007, c. 8, s. 6 (7).

Findings/Faits saillants :

1. A resident's plan of care (in computer) directed staff to check and change brief every two hours or at least four times on the day shift between 7 am-3:00pm. Inspector observed care on July 19, 2011, changes occurred twice only at 0730am, 10:30am for day shift. Confirmed with staff that the next change will not occur until 6 hrs after on the evening shift at around 4:30pm. Review of the resident's chart confirmed that the 4:30pm brief changes did not always occurred and resident had been told to wait for another 3 hrs until after supper for the change to happen.
2. A resident's plan of care does not give clear direction for toileting to staff when care plan in computer and care direction on the Kardex (used mostly by direct care staff) are not consistent. [6(1)(c)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure the plan of care sets out clear direction for staff and that the care are provided as specified in the plan of care, to be implemented voluntarily.

WN #3: The Licensee has failed to comply with O.Reg 79/10, s. 103. Complaints — reporting certain matters to Director

Specifically failed to comply with the following subsections:

s. 103. (2) The licensee shall comply with subsection (1) immediately upon completing the licensee's investigation into the complaint, or at an earlier date if required by the Director. O. Reg. 79/10, s. 103 (2).

Findings/Faits saillants :

The Licensee has not reported to the Director, result of investigation of a family member's complaint of alleged neglect. [103(2)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure staff reports to the Director, immediately upon completing investigation into the complaint, to be implemented voluntarily.

WN #4: The Licensee has failed to comply with O.Reg 79/10, s. 27. Care conference

Specifically failed to comply with the following subsections:

- s. 27. (1) Every licensee of a long-term care home shall ensure that,
- (a) a care conference of the interdisciplinary team providing a resident's care is held within six weeks following the resident's admission and at least annually after that to discuss the plan of care and any other matters of importance to the resident and his or her substitute decision-maker, if any;
 - (b) the resident, the resident's substitute decision-maker, if any, and any person that either of them may direct are given an opportunity to participate fully in the conferences; and
 - (c) a record is kept of the date, the participants and the results of the conferences. O. Reg. 79/10, s. 27 (1).

Findings/Faits saillants :

1. No record of care conference could be found. Staff was not aware of issues discussed. Family member complained that care issues were raised with no action by LTCH to improve.[27(1)(c)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure all care conferences held are documented and issues arising from it are followed up, to be implemented voluntarily.

WN #5: The Licensee has failed to comply with O.Reg 79/10, s. 51. Continence care and bowel management

Specifically failed to comply with the following subsections:

s. 51. (2) Every licensee of a long-term care home shall ensure that,

(a) each resident who is incontinent receives an assessment that includes identification of causal factors, patterns, type of incontinence and potential to restore function with specific interventions, and that where the condition or circumstances of the resident require, an assessment is conducted using a clinically appropriate assessment instrument that is specifically designed for assessment of incontinence;

(b) each resident who is incontinent has an individualized plan, as part of his or her plan of care, to promote and manage bowel and bladder continence based on the assessment and that the plan is implemented;

(c) each resident who is unable to toilet independently some or all of the time receives assistance from staff to manage and maintain continence;

(d) each resident who is incontinent and has been assessed as being potentially continent or continent some of the time receives the assistance and support from staff to become continent or continent some of the time;

(e) continence care products are not used as an alternative to providing assistance to a person to toilet;

(f) there are a range of continence care products available and accessible to residents and staff at all times, and in sufficient quantities for all required changes;

(g) residents who require continence care products have sufficient changes to remain clean, dry and comfortable; and

(h) residents are provided with a range of continence care products that,

(i) are based on their individual assessed needs,

(ii) properly fit the residents,

(iii) promote resident comfort, ease of use, dignity and good skin integrity,

(iv) promote continued independence wherever possible, and

(v) are appropriate for the time of day, and for the individual resident's type of incontinence. O. Reg. 79/10, s.

51 (2).

Findings/Faits saillants :

1. The Licensee did not assess the resident as being potentially continent. The plan of care did not include staff providing support for resident to become continent or continent some of the time with toileting routine. [51(2)(d)]

2. The Licensee did not assess resident's continent need using a clinically appropriate assessment instrument. [51(2)(a)]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure continent assessments are done using appropriate clinical tool, to be implemented voluntarily.

Issued on this 24th day of October, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs





**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	ROSEMARY LAM (132)
Inspection No. / No de l'inspection :	2011_102132_0004
Type of Inspection / Genre d'inspection:	Complaint
Date of Inspection / Date de l'inspection :	Jul 18, 19, 20, 21, 22, Aug 10, 11, Oct 24, 2011
Licensee / Titulaire de permis :	PROVIDENCE HEALTHCARE 3276 St. Clair Avenue East, TORONTO, ON, M1L-1W1
LTC Home / Foyer de SLD :	PROVIDENCE HEALTHCARE 3276 ST. CLAIR AVENUE EAST, SCARBOROUGH, ON, M1L-1W1
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	ASTRIDA FLORINS

To PROVIDENCE HEALTHCARE, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Order # /
Ordre no : 001

Order Type /
Genre d'ordre : Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 90. (2) The licensee shall ensure that procedures are developed and implemented to ensure that,

- (a) electrical and non-electrical equipment, including mechanical lifts, are kept in good repair, and maintained and cleaned at a level that meets manufacturer specifications, at a minimum;
- (b) all equipment, devices, assistive aids and positioning aids in the home are kept in good repair, excluding the residents' personal aids or equipment;
- (c) heating, ventilation and air conditioning systems are cleaned and in good state of repair and inspected at least every six months by a certified individual, and that documentation is kept of the inspection;
- (d) all plumbing fixtures, toilets, sinks, grab bars and washroom fixtures and accessories are maintained and kept free of corrosion and cracks;
- (e) gas or electric fireplaces and heat generating equipment other than the heating system referred to in clause (c) are inspected by a qualified individual at least annually, and that documentation is kept of the inspection;
- (f) hot water boilers and hot water holding tanks are serviced at least annually, and that documentation is kept of the service;
- (g) the temperature of the water serving all bathtubs, showers, and hand basins used by residents does not exceed 49 degrees Celsius, and is controlled by a device, inaccessible to residents, that regulates the temperature;
- (h) immediate action is taken to reduce the water temperature in the event that it exceeds 49 degrees Celsius;
- (i) the temperature of the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius;
- (j) if the home is using a computerized system to monitor the water temperature, the system is checked daily to ensure that it is in good working order; and
- (k) if the home is not using a computerized system to monitor the water temperature, the water temperature is monitored once per shift in random locations where residents have access to hot water. O. Reg. 79/10, s. 90 (2).

Order / Ordre :

The Licensee shall have staff monitor water temperature consistently and to take action to ensure the temperature of the hot water serving all bathtubs and showers used by residents is maintained at a temperature of at least 40 degrees Celsius.

Grounds / Motifs :

1. On July 17, 2011, the temperature of hot water serving bathtub and showers used by residents is not maintained at 40 degree Celsius. One of resident Spa was recorded to be between 31.3C to 32C for the shower and was at 19-20C for the tub. (132)

This order must be complied with by /
Vous devez vous conformer à cet ordre d'ici le : Oct 25, 2011



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the *Long-Term Care Homes Act, 2007*.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the *Long-Term Care Homes Act, 2007*. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



Ministry of Health and
Long-Term Care

Ministère de la Santé et
des Soins de longue durée

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarb.on.ca.

Issued on this 24th day of October, 2011

Signature of Inspector /
Signature de l'inspecteur :

Name of Inspector /
Nom de l'inspecteur : ROSEMARY LAM

Service Area Office /
Bureau régional de services : Toronto Service Area Office