



**Ministry of Health and  
Long-Term Care**  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**  
**Rapport d'inspection  
prévue le Loi de 2007 les  
foyers de soins de longue**

**Health System Accountability and Performance**

**Division**

**Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la  
performance du système de santé**

**Direction de l'amélioration de la performance et de la  
conformité**

London Service Area Office  
291 King Street, 4th Floor  
LONDON, ON, N6B-1R8  
Telephone: (519) 675-7680  
Facsimile: (519) 675-7685

Bureau régional de services de London  
291, rue King, 4<sup>e</sup> étage  
LONDON, ON, N6B-1R8  
Téléphone: (519) 675-7680  
Télécopieur: (519) 675-7685

**Public Copy/Copie du public**

Date(s) of inspection/ Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'Inspection
Dec 2, 5, 9, 15, 2011	2011_093145_0031	Complaint

**Licensee/Titulaire de permis**

SAUGEEN VALLEY NURSING CENTER LTD  
465 DUBLIN STREET, MOUNT FOREST, ON, N0G-2L3

**Long-Term Care Home/Foyer de soins de longue durée**

SAUGEEN VALLEY NURSING CENTER  
465 DUBLIN STREET, MOUNT FOREST, ON, N0G-2L3

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

KARIN MUSSART (145)

**Inspection Summary/Résumé de l'inspection**

The purpose of this inspection was to conduct a Complaint inspection.

During the course of the inspection, the inspector(s) spoke with The Administrator; Director of Support Services.

During the course of the inspection, the inspector(s) Reviewed maintenance policy and procedures; toured home; reviewed cleaning schedules; reviewed cleaning routines.

The following Inspection Protocols were used during this inspection:

Accommodation Services - Housekeeping

Accommodation Services - Maintenance

Findings of Non-Compliance were found during this inspection.

**NON-COMPLIANCE / NON-RESPECT DES EXIGENCES**



**Ministry of Health and  
Long-Term Care**  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**  
**Rapport d'inspection  
prévue le Loi de 2007 les  
foyers de soins de longue**

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 15. Accommodation services  
Specifically failed to comply with the following subsections:**

- s. 15. (2) Every licensee of a long-term care home shall ensure that,**  
**(a) the home, furnishings and equipment are kept clean and sanitary;**  
**(b) each resident's linen and personal clothing is collected, sorted, cleaned and delivered; and**  
**(c) the home, furnishings and equipment are maintained in a safe condition and in a good state of repair.** 2007, c. 8, s. 15 (2).

**Findings/Faits saillants :**

1. Found resident rooms and a Spa had cracked and damaged flooring.
  2. A resident room had stained flooring by the toilet.
  3. Observed holes in resident washroom doors and/or damaged wall surfaces in resident rooms, and a hallway.
  4. In one resident room the bedside table was delaminating and the baseboard heater had the paint scraped, and rust was showing.
- [LTCHA, 2007, S.O.. 2007, c.8, s.15. (2)(c)]

**Additional Required Actions:**

**VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance to ensure that the home is maintained in a good state of repair., to be implemented voluntarily.**

Issued on this 15th day of December, 2011



**Ministry of Health and  
Long-Term Care**  
**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**  
**Rapport d'inspection  
prévue le Loi de 2007 les  
foyers de soins de longue**

**Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs**

A handwritten signature in black ink, appearing to read "K.C. M.S." or a similar variation, placed within a rectangular box.