



Ministry of Health and Long-Term Care

Inspection Report under the Long-Term Care Homes Act, 2007

Ministère de la Santé et des Soins de longue durée

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4ième étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Table with 3 columns: Date(s) of inspection, Inspection No, Type of Inspection. Row 1: Aug 31, Sep 27, Oct 3, 4, 11, 2011; 2011\_028102\_0016; Complaint

Licensee/Titulaire de permis

Glen Hill Terrace Christian Homes Inc.
200 Glen Hill Drive South, WHITBY, ON, L1N-9W2

Long-Term Care Home/Foyer de soins de longue durée

STRATHAVEN LIFECARE CENTRE
264 King Street East, Bowmanville, ON, L1C-1P9

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

WENDY BERRY (102)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, Director of Care, Environmental Services Supervisor, Food Services Supervisor, several registered and non registered nursing staff, several dietary aides, a housekeeper and several residents.

During the course of the inspection, the inspector(s) toured the lower level, 1st and 2nd floors of the long term care home, reviewed maintenance records related to the elevators, reviewed dining areas for residents, observed the mid day meal service on August 31 and September 01, discussed generator operating capacity.

The following Inspection Protocols were used during this inspection:

Critical Incident Response

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



**Ministry of Health and  
Long-Term Care**

**Inspection Report under  
the Long-Term Care  
Homes Act, 2007**

**Ministère de la Santé et des  
Soins de longue durée**

**Rapport d'inspection  
prévues le Loi de 2007 les  
foyers de soins de longue**

<p>Legend</p> <p>WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order</p>	<p>Legendé</p> <p>WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p> <p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p> <p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 90. Maintenance services**  
Specifically failed to comply with the following subsections:

**s. 90. (3) The licensee shall ensure that the home's mechanical ventilation systems are functioning at all times except when the home is operating on power from an emergency generator. O. Reg. 79/10, s. 90 (3).**

**Findings/Faits saillants :**

1. The exhaust ventilation system was not operational on August 31, 2011 in north wing washrooms that each contain 2 toilets and 2 sinks on the 1st and 2nd floor.

**WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 107. Reports re critical incidents**  
Specifically failed to comply with the following subsections:

**s. 107. (3) The licensee shall ensure that the Director is informed of the following incidents in the home no later than one business day after the occurrence of the incident, followed by the report required under subsection (4):**

1. A resident who is missing for less than three hours and who returns to the home with no injury or adverse change in condition.
2. An environmental hazard, including a breakdown or failure of the security system or a breakdown of major equipment or a system in the home that affects the provision of care or the safety, security or well-being of residents for a period greater than six hours.
3. A missing or unaccounted for controlled substance.
4. An injury in respect of which a person is taken to hospital.
5. A medication incident or adverse drug reaction in respect of which a resident is taken to hospital. O. Reg. 79/10, s. 107 (3).

**Findings/Faits saillants :**



Ministry of Health and  
Long-Term Care

Inspection Report under  
the Long-Term Care  
Homes Act, 2007

Ministère de la Santé et des  
Soins de longue durée

Rapport d'inspection  
prévus le Loi de 2007 les  
foyers de soins de longue

1. The licensee did not inform the Director within one business day regarding an environmental hazard, which includes the breakdown of major equipment or a system in the home that affects the provision of care or the safety, security or well being of residents for a period greater than 6 hours.
2. The "back" elevator was removed from service for transporting residents by the management of the home on August 06, 2011 and continuing indefinitely.
3. Temporary dining areas were set up on each of the 1st and 2nd floors for the provision of meal services to 75 residents who normally eat their meals in a lower level dining area that is accessed by elevator. [s. 107.(3)]

---

**WN #3: The Licensee has failed to comply with O.Reg 79/10, s. 19. Generators**

Specifically failed to comply with the following subsections:

**s. 19. (4) The licensee of a home to which subsection (2) or (3) applies shall ensure, not later than six months after the day this section comes into force, that the home has guaranteed access to a generator that will be operational within three hours of a power outage and that can maintain everything required under clauses (1) (a), (b) and (c). O. Reg. 79/10, s. 19 (4).**

---

**Findings/Faits saillants :**

1. Strathaven Lifecare Centre long term care home has Class C beds within the meaning of subsection 187 (18) of the Act.
2. During discussions related to a voluntary partial shut down of one elevator, it was identified and confirmed that the on site generator is currently not set up to maintain the heating system and essential services including the resident-staff communication and response system, elevators within the long term care home.
3. The licensee has not ensured that the home has guaranteed access to a generator that will be operational within 3 hours of a power outage that will maintain everything that is required to be maintained by a generator in the event of a power outage under O. Reg. 79/10, Sec. 19 (1). (102)

**Additional Required Actions:**

**CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".**

Issued on this 11th day of October, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs



**Ministry of Health and  
Long-Term Care**

**Ministère de la Santé et  
des Soins de longue durée**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

---

<b>Name of Inspector (ID #) / Nom de l'inspecteur (No) :</b>	WENDY BERRY (102)
<b>Inspection No. / No de l'inspection :</b>	2011_028102_0016
<b>Type of Inspection / Genre d'inspection:</b>	Complaint
<b>Date of Inspection / Date de l'inspection :</b>	Aug 31 <sup>st</sup> , Sep 27, Oct 3, 4, 11, 2011
<b>Licensee / Titulaire de permis :</b>	Glen Hill Terrace Christian Homes Inc. 200 Glen Hill Drive South, WHITBY, ON, L1N-9W2
<b>LTC Home / Foyer de SLD :</b>	STRATHAVEN LIFECARE CENTRE 264 King Street East, Bowmanville, ON, L1C-1P9
<b>Name of Administrator / Nom de l'administratrice ou de l'administrateur :</b>	PATRICK BROWN

---

To Glen Hill Terrace Christian Homes Inc., you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

---

**Order # /**  
**Ordre no :** 001      **Order Type /**  
**Genre d'ordre :** Compliance Orders, s. 153. (1) (a)

**Pursuant to / Aux termes de :**

O.Reg 79/10, s. 19. (4) The licensee of a home to which subsection (2) or (3) applies shall ensure, not later than six months after the day this section comes into force, that the home has guaranteed access to a generator that will be operational within three hours of a power outage and that can maintain everything required under clauses (1) (a), (b) and (c). O. Reg. 79/10, s. 19 (4).

**Order / Ordre :**

The licensee will ensure that the home has guaranteed access to a generator that will be operational within 3 hours of a power outage and will be set up to maintain everything required under clauses (1) (a), (b) and (c) of O. Reg. 79/10, s. 19(1) including: the heating system; emergency lighting; and essential services. Connections made to the generator must conform to all relevant provincial and municipal codes and regulations.

**Grounds / Motifs :**

1. Strathaven Lifecare Centre long term care home has Class C beds within the meaning of subsection 187 (18) of the Act.
2. During discussions related to a voluntary partial shut down of one elevator, it was identified and confirmed that the on site generator is currently not set up to maintain the heating system and essential services including the resident-staff communication and response system, elevators within the long term care home.
3. The licensee has not ensured that the home has guaranteed access to a generator that will be operational within 3 hours of a power outage that will maintain everything that is required to be maintained by a generator in the event of a power outage under O. Reg. 79/10, Sec. 19 (1). (102)

**This order must be complied with by /**

**Vous devez vous conformer à cet ordre d'ici le :** Jul 15, 2012



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**REVIEW/APPEAL INFORMATION**

**TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée*, L.O. 2007, chap. 8

**RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

**PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsarb.on.ca](http://www.hsarb.on.ca).

**Issued on this 11th day of October, 2011**

**Signature of Inspector /  
Signature de l'inspecteur :**

**Name of Inspector /  
Nom de l'inspecteur :**

WENDY BERRY

**Service Area Office /  
Bureau régional de services :**

Ottawa Service Area Office