



**Ministry of Health and Long-Term Care**

**Inspection Report under the Long-Term Care Homes Act, 2007**

**Ministère de la Santé et des Soins de longue durée**

**Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue**

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch  
Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité

London Service Area Office  
291 King Street, 4th Floor  
LONDON, ON, N6B-1R8  
Telephone: (519) 675-7680  
Facsimile: (519) 675-7685

Bureau régional de services de London  
291, rue King, 4ième étage  
LONDON, ON, N6B-1R8  
Téléphone: (519) 675-7680  
Télécopieur: (519) 675-7685

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Sep 15, 20, 21, 29, 2011	2011_088135_0013	Critical Incident

**Licensee/Titulaire de permis**

REVERA LONG TERM CARE INC.  
55 STANDISH COURT, 8TH FLOOR, MISSISSAUGA, ON, L5R-4B2

**Long-Term Care Home/Foyer de soins de longue durée**

SUMAC LODGE  
1464 BLACKWELL ROAD, SARNIA, ON, N7S-5M4

**Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs**

BONNIE MACDONALD (135)

**Inspection Summary/Résumé de l'inspection**

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with Director of Care, Environmental Services Manager, Food Services Manager, Registered Nurse, 2 Personal Support Workers, 1 family member and 2 residents.

During the course of the inspection, the inspector(s) reviewed resident's health record, reports, equipment inspection tracking logs, incident reports, policy and procedures, and interviewed residents, staff and family members.

The following Inspection Protocols were used during this inspection:

Critical Incident Response

Responsive Behaviours

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

**NON-COMPLIANCE / NON-RESPECT DES EXIGENCES**



<p><b>Legend</b></p> <p>WN – Written Notification  VPC – Voluntary Plan of Correction  DR – Director Referral  CO – Compliance Order  WAO – Work and Activity Order</p>	<p><b>Legendé</b></p> <p>WN – Avis écrit  VPC – Plan de redressement volontaire  DR – Aiguillage au directeur  CO – Ordre de conformité  WAO – Ordres : travaux et activités</p>
<p>Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)</p>	<p>Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.</p>
<p>The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.</p>	<p>Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.</p>

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home  
Specifically failed to comply with the following subsections:**

- s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:**
- 1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,**
    - i. kept closed and locked,**
    - ii. equipped with a door access control system that is kept on at all times, and**
    - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,**
      - A. is connected to the resident-staff communication and response system, or**
      - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.**
  - 1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.**
  - 2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.**
  - 3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.**
  - 4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).**

**Findings/Faits saillants :**

1. Sept. 15, 2011, 9:57-in interview Director of Care confirmed, the home's front door leading to the outside is not equipped with an audible door alarm connected to the nursing station.
- Sept. 15, 2011, 11:00-in interview home's Environmental Services Manager confirmed, "We do not have an alarm for the front door.[O.Reg 79/10,s.9.(1) iii]

**Additional Required Actions:**

**CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".**

**WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 230. Emergency plans**



Ministry of Health and  
Long-Term Care

Inspection Report under  
the Long-Term Care  
Homes Act, 2007

Ministère de la Santé et des  
Soins de longue durée

Rapport d'inspection  
prévus le Loi de 2007 les  
foyers de soins de longue

Specifically failed to comply with the following subsections:

s. 230. (7) The licensee shall,

- (a) test the emergency plans related to the loss of essential services, fires, situations involving a missing resident, medical emergencies and violent outbursts on an annual basis, including the arrangements with the community agencies, partner facilities and resources that will be involved in responding to an emergency;
- (b) test all other emergency plans at least once every three years, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency;
- (c) conduct a planned evacuation at least once every three years; and
- (d) keep a written record of the testing of the emergency plans and planned evacuation and of the changes made to improve the plans. O. Reg. 79/10, s. 230 (7).

**Findings/Faits saillants :**

1. Sept.15, 2011, 13:17-in interview the Director of Care in consultation with the Food Services Manager confirmed the home had not tested their emergency plans in the last year, related to missing resident; which involve arrangements with community agencies, partner facilities and resources that would be involved in responding to the emergency.  
[O.Reg 79/10,s.230.(7)(a)]

**Additional Required Actions:**

*VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance ensuring emergency plan for missing resident is tested on an annual basis that includes any arrangements with community agencies, partner facilities and resources that would be involved in responding to the emergency, to be implemented voluntarily.*

Issued on this 29th day of September, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

*Bonnie MacDonald*



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

Health System Accountability and Performance Division  
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé  
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

---

<b>Name of Inspector (ID #) / Nom de l'inspecteur (No) :</b>	BONNIE MACDONALD (135)
<b>Inspection No. / No de l'inspection :</b>	2011_088135_0013
<b>Type of Inspection / Genre d'inspection:</b>	Critical Incident
<b>Date of Inspection / Date de l'inspection :</b>	Sep 15, 20, 21, 29, 2011
<b>Licensee / Titulaire de permis :</b>	REVERA LONG TERM CARE INC. 55 STANDISH COURT, 8TH FLOOR, MISSISSAUGA, ON, L5R-4B2
<b>LTC Home / Foyer de SLD :</b>	SUMAC LODGE 1464 BLACKWELL ROAD, SARNIA, ON, N7S-5M4
<b>Name of Administrator / Nom de l'administratrice ou de l'administrateur :</b>	DONNA MCLEOD

---

To REVERA LONG TERM CARE INC., you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

---

**Order # /**  
**Ordre no :** 001      **Order Type /**  
**Genre d'ordre :** Compliance Orders, s. 153. (1) (b)

**Pursuant to / Aux termes de :**

O.Reg 79/10, s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,
  - i. kept closed and locked,
  - ii. equipped with a door access control system that is kept on at all times, and
  - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
    - A. is connected to the resident-staff communication and response system, or
    - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.
- 1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.
2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.
3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.
4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

**Order / Ordre :**

The licensee is required to ensure the following rules are complied with:

1. All doors leading to the outside of the home are equipped with an audible door alarm that allows calls to be canceled only at the point of activation and,
  - A. is connected to the resident-staff communication and response system or
  - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

**Grounds / Motifs :**

1. Sept. 15, 2011, 9:57-in interview Director of Care confirmed, the homes' front door leading to the outside is not equipped with an audible door alarm connected to the nursing station.  
Sept. 15, 2011, 11:00-in interview home's Environmental Services Manager confirmed, "We do not have an alarm for the front door."  
[O.Reg 79/10,s.9.1.iii.] (135)

**This order must be complied with by /**

**Vous devez vous conformer à cet ordre d'ici le :** Oct 28, 2011



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

**REVIEW/APPEAL INFORMATION**

**TAKE NOTICE:**

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this (these) Order(s) is (are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar  
151 Bloor Street West  
9th Floor  
Toronto, ON M5S 2T5

Director  
c/o Appeals Coordinator  
Performance Improvement and Compliance Branch  
Ministry of Health and Long-Term Care  
55 St. Clair Avenue West  
Suite 800, 8th Floor  
Toronto, ON M4V 2Y2  
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website [www.hsarb.on.ca](http://www.hsarb.on.ca).



**Ministry of Health and  
Long-Term Care**

**Order(s) of the Inspector**  
Pursuant to section 153 and/or  
section 154 of the *Long-Term Care  
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la santé et  
des Soins de longue durée**

**Ordre(s) de l'inspecteur**  
Aux termes de l'article 153 et/ou  
de l'article 154 de la *Loi de 2007 sur les foyers  
de soins de longue durée, L.O. 2007, chap. 8*

**RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL**

**PRENDRE AVIS**

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire  
Commission d'appel et de révision des services de santé  
151, rue Bloor Ouest, 9e étage  
Toronto (Ontario) M5S 2T5

Directeur  
a/s Coordinateur des appels  
Direction de l'amélioration de la performance et de la conformité  
Ministère de la Santé et des Soins de longue durée  
55, avenue St. Clair Ouest  
8e étage, bureau 800  
Toronto (Ontario) M4V 2Y2  
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au [www.hsarb.on.ca](http://www.hsarb.on.ca).

**Issued on this 29th day of September, 2011**

**Signature of Inspector /  
Signature de l'inspecteur :** *Bonnie MacDonald*

**Name of Inspector /  
Nom de l'inspecteur :** BONNIE MACDONALD

**Service Area Office /  
Bureau régional de services :** London Service Area Office