

Inspection Report under the *Long-Term*Care Homes Act, 2007

Rapport d'inspection prévue le *Loi de 2007 les foyers de soins de longue durée*

Ministry of Health and Long-Term Care

Health System Accountability and Performance Division Performance Improvement and Compliance Branch

Ministère de la Santé et des Soins de longue durée

Division de la responsabilisation et de la performance du système de santé Direction de l'amélioration de la performance et de la conformité Hamilton Service Area Office 119 King Street West, 11th Floor Hamilton ON L8P 4Y7

Telephone: 905-546-8294 Facsimile: 905-546-8255 Bureau régional de services de Hamilton 119, rue King Ouest, 11iém étage Hamilton ON L8P 4Y7

Téléphone: 905-546-8294 Télécopieur: 905-546-8255

	Licensee Copy/Copie du Titulais	re Public Copy/Copie Public		
Date(s) of inspection/Date de l'inspection January 20, 21, 26, 2011 – Inspector #146	Inspection No/ d'inspection 2011_146_2364_20Jan115211 2011_127_2364_26Jan092717	Type of Inspection/Genre d'Inspection Complaint H-02847, 02992, 00062, 00063		
Inspector 127 on January 26 only Licensee/Titulaire				
Revera Long Term Care, 55 Standish Court, 8 th floor, Mississauga, ON., I5r 4B2				
Long-Term Care Home/Foyer de soins de longue durée Garden City Manor, 168 Scott Street, St Catharines, ON., L2H 1H2				
Name of Inspector(s)/Nom de l'inspecteur(s) Barbara Naykalyk-Hunt, #146 Richard Hayden, #127				
Inspection Summary/Sommaire d'inspection				
The purpose of this inspection was to conduct a complaint inspection.				
During the course of the inspection, the inspectors spoke with: the administrator, the environmental services manager, two associate directors of care, housekeeping staff, 3 registered nursing staff and 2 personal support workers (PSW's), 3 family members and 3 residents.				
During the course of the inspection, the inspectors: toured the home, all units and a random selection of resident rooms and laundry supply rooms, observed residents in lounges, dining rooms and hallways and reviewed the health files of 3 identified residents.				
The following Inspection Protocols were used during this inspection: Personal Support Services, Accommodation Services- Housekeeping, Accommodation Services – Laundry and Safe and Secure home				
Findings of Non-Compliance were found during this inspection. The following action was taken:				
4 WN 1VPC				



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée **Inspection Report** under the Long-Term Care Homes Act. 2007

Rapport d'inspection prévue le Loi de 2007 les foyers de soins de longue durée

NON- COMPLIANCE / (Non-respectés)

Definitions/Définitions

WN – Written Notifications/Avis écrit VPC – Voluntary Plan of Correction/Plan de redressement volontaire

DR - Director Referral/Régisseur envoyé

CO - Compliance Order/Ordres de conformité

WAO - Work and Activity Order/Ordres: travaux et activités

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

Le suivant constituer un avis d'écrit de l'exigence prévue le paragraphe 1 de section 152 de les foyers de soins de longue durée.

Non-respect avec les exigences sur le Loi de 2007 les foyers de soins de longue durée à trouvé. (Une exigence dans le loi comprend les exigences contenues dans les points énumérés dans la définition de "exigence prévue par la présente loi" au paragraphe 2(1) de la loi.

WN #1: The Licensee has failed to comply with O.Reg. 79/10, s.33(1)

33(1) Every licensee of a long-term care home shall ensure that each resident of the home is bathed, at a minimum, twice a week by the method of his or her choice and more frequently as determined by the resident's hygiene requirements, unless contraindicated by a medical condition.

Findings:

- 1. According to resident daily care flow sheets on an identified resident's health file:
 - in October 2010, out of a possible 8 baths (twice weekly), the resident had or was offered 4 baths and only 2 hair shampoos.
 - on October 26, 2010, staff wrote on the bath flow sheet that the resident was not showered due to lack
 - in November 2010, out of a possible 9 baths, the resident had or was offered 7 baths and 6
 - in December, 2010, out of a possible 9 baths, the resident had or was offered 5 baths and 3 shampoos.

Inspector ID #:

146

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance related to ensuring that all residents receive 2 baths per week at a minimum, to be implemented voluntarily.

WN #2: The Licensee has failed to comply with O.Reg. 79/10, s.49(2)

49(2) Every licensee of a long-term care home shall ensure that when a resident has fallen, the



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007 Rapport d'inspection prévue le *Loi de 2007 les* foyers de soins de longue durée

resident is assessed and that where the condition or circumstances of the resident require, a post-fall assessment is conducted using a clinically appropriate assessment instrument that is specifically designed for falls.

Findings:

- 1. A physiotherapy assistant note in the electronic progress notes states that the resident was reported to have had a fall 4 days prior to the physio note
- 2. There is no record of the fall in the electronic health file. There is a handwritten multidisciplinary note in the paper chart by an RPN with an accounting of the fall that says the resident was found sitting on floor with no injuries. Vitals assessed. No other assessment with a clinically appropriate tool specifically designed for falls was conducted. The ADOC stated that agency staff chart on paper because they have no access to electronic records.

inspector ID #:

146

WN #3: The Licensee has failed to comply with O.Reg. 79/10, s.51(2)

51(2) Every licensee of a long-term care home shall ensure that,

(g) residents who require continence care products have sufficient changes to remain clean, dry and comfortable;

Findings:

1. Family report that the resident was changed into a dry brief before they left the home in mid-afternoon. When the family returned to visit the resident the following day, the resident was still wearing the same brief and it was heavily soiled.

Inspector ID #:

146

WN #4: The Licensee has failed to comply with: O. Reg. 79/10, s. 9.1.(i), (ii) and (iii) A and B:

- 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:
 - 1. All doors leading to stairways and the outside of the home must be,
 - i. kept closed and locked,
 - ii. equipped with a door access control system that is kept on at all times, and
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,
 - A. is connected to the resident-staff communication and response system, or



Ministry of Health and Long-Term Care

Ministère de la Santé et des Soins de longue durée

Inspection Report under the Long-Term Care Homes Act, 2007 Rapport d'inspection prévue le *Loi de 2007 les* foyers de soins de longue durée

B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

Findings:

Inspector ID #:

127

- 1. 1st Floor Orchard Café Dining Lounge The door leading to the outside of the home was not locked and not equipped with a door access control system that is on at all times.
- 2. 1 South lounge Short Hills resident home area The door leading to the outside of the home was not locked and not equipped with a door access control system that is on at all times.
- 3. 1 North lounge DeCew Falls resident home area The door leading to the outside of the home was not locked and not equipped with a door access control system that is on at all times.
- 4. The door leading to the from reception area to the stairway near the front door was not locked, alarmed, equipped with a door access control system that is on at all times nor equipped with an audible door alarm that allows calls to be cancelled only at the point of activation.

Signature of Licensee or Signature du Titulaire du	Representative of Licensee représentant désigné	Signature of Health System Accountability and Performance Division representative/Signature du (de la) représentant(e) de la Division de la responsabilisation et de la performance du système de santé. Danhara Mayrahyh Hund
Title:	Date:	Date of Report: (if different from date(s) of inspection).