



**Inspection Report
under the Long-Term
Care Homes Act, 2007**

**Rapport d'inspection
prévue le Loi de 2007
les foyers de soins de
longue durée**

Ministry of Health and Long-Term Care
Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Ottawa Service Area Office
347 Preston St., 4th Floor
Ottawa ON K1S 3J4

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ième} étage
Ottawa ON K1S 3J4

**Ministère de la Santé et des Soins de
longue durée**

Division de la responsabilisation et de la performance du
système de santé
Direction de l'amélioration de la performance et de la
conformité

Telephone: 613-569-5602
Facsimile: 613-569-9670

Téléphone: 613-569-5602
Télécopieur: 613-569-9670

	Licensee Copy/Copie du Titulaire	X Public Copy/Copie Public
Date(s) of inspection/Date de l'inspection February 17, 2011	Inspection No/ d'inspection 2011_102_9589_17Feb141557	Type of Inspection/Genre d'inspection Critical Incident Log # O-000346
Licensee/Titulaire The Corporation of the City of Kawartha Lakes 26 Francis Street, Lindsay, Ontario K9V 5R8 Fax # 705 324 5417		
Long-Term Care Home/Foyer de soins de longue durée Victoria Manor Home For The Aged 220 Angeline Street South, Lindsay, Ontario K9V 4R2 Fax # 705 324 8607		
Name of Inspector(s)/Nom de l'inspecteur(s) Wendy Berry (102)		
Inspection Summary/Sommaire d'inspection		
<p>The purpose of this inspection was to conduct a critical incident inspection related to a resident elopement.</p> <p>During the course of the inspection, the inspector spoke with: the Administrator, several registered and non registered nursing staff members.</p> <p>During the course of the inspection, the inspector: reviewed door security on many resident accessible exit and stairway doors within the 1st floor central core and lobby areas, MacMillan Resident Home Area and the basement level.</p> <p>The following Inspection Protocol was used during this inspection: Safe and Secure Home.</p> <p>Findings of Non-Compliance were found during this inspection. The following action was taken:</p> <p>1 WN</p> <p>4 CO: CO # 001, 002, 003, 004</p>		



NON-COMPLIANCE / (Non-respectés)

Definitions/Définitions

WN – Written Notifications/Avis écrit
VPC – Voluntary Plan of Correction/Plan de redressement volontaire
DR – Director Referral/Régisseur envoyé
CO – Compliance Order/Ordres de conformité
WAO – Work and Activity Order/Ordres: travaux et activités

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Non-compliance with requirements under the *Long-Term Care Homes Act, 2007* (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

Le suivant constituer un avis d'écrit de l'exigence prévue le paragraphe 1 de section 152 de les foyers de soins de longue durée.

Non-respect avec les exigences sur le *Loi de 2007 les foyers de soins de longue durée* à trouvé. (Une exigence dans le loi comprend les exigences contenues dans les points énumérés dans la définition de "exigence prévue par la présente loi" au paragraphe 2(1) de la loi.

WN #1: The Licensee has failed to comply with O. Reg. 79/10, s. 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home must be,
 - i. kept closed and locked,
 - ii. equipped with a door access control system that is kept on at all times, and
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

Findings:

1. On February 17, 2011, 13 doors leading to stairways and to the outside of the home were closed but not locked in the areas inspected: the 1st floor MacMillan resident home area, the 1st floor central core and lobby area, and the basement:
 - 5 doors leading to stairways were not locked and are accessible to residents of the Long Term Care Home: 1st floor door, adjacent to the elevators, leading from the lobby into the stairway to the 2nd floor; the 1st floor door, located between MacMillan wing resident rooms labelled "W107" and "W108", leading from the corridor into a stairway; the 1st floor door, located between MacMillan wing resident rooms labelled "W119 and W120" leading from the corridor into a stairway; the basement door, located between rooms labelled "sprinkler room" and "supply room", leading from the corridor to a stairway; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an exterior stairway.
 - 9 doors leading to the outside of the home were not locked and are accessible to residents of the Long Term Care Home: 1st floor main entrance doors, facing towards Angeline Street, that leads from the lobby to the outside (doors are on interior and exterior motion activated sensors that open the doors); 1st floor rear entrance door, facing rear parking lot, that leads from the lobby to the outside; 1st floor door, in the vicinity of the chapel, that leads from 1st floor corridor to the outside near the generator; 1st floor door, in the vicinity of the chapel, leading from the stairway to the outside of the home by the generator; 1st floor exit door, adjacent to office "N136", leading from the corridor to the outside rear raised walkway facing the parking lot; 1st floor exit door leading from the stairway, located between



resident rooms "W107" and "W108", leading to the outside ; 1st floor door leading from the stairway, between resident rooms "W119" and "W120", to the outside; basement door adjacent to room "N055 kitchen receiving room" that leads to the outside raised loading dock at the rear of the home; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an outside stairway.

2. The 13 doors identified above were not equipped with a door access control system that is kept on at all times, and

3. The 13 doors identified above are not equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and that is connected to the resident-staff communication and response system or to an audio visual enunciator that is connected to the nurses' station nearest to the door with a manual reset switch at each door. Noted that some of the doors leading to stairways and to the outside of the home were connected to an audio visual enunciator located at the MacMillan nurses' station. The reset for this system is within the nurses' station.

4. On February 11, 2011, a resident of the Long Term Care Home was identified on a Critical Incident Report # M589-000006-11, as a missing resident for less than 3 hours. The resident was found sitting on a snow bank, one block north of the home. It was reported that the resident has a diagnosis of dementia. The resident did not have a walker when found. It was also reported that "it was cold and the sidewalks were icy".

Note: all doors leading to stairways and to the outside were not checked.

Inspector ID #: 102

Additional Required Actions:

CO # - 001 was served on the licensee on February 18, 2011.

CO # - 002, 003 and 004 will be served on the licensee. Refer to the "Order(s) of the Inspector" form.

Signature of Licensee or Representative of Licensee Signature du Titulaire du représentant désigné		Signature of Health System Accountability and Performance Division representative/Signature du (de la) représentant(e) de la Division de la responsabilisation et de la performance du système de santé.	
Title:		Date of Report: (if different from date(s) of inspection).	
Date:		February 23, 2011	



Ministry of Health and Long-Term Care
 Health System Accountability and Performance Division
 Performance Improvement and Compliance Branch

Ministère de la Santé et des Soins de longue durée
 Division de la responsabilisation et de la performance du système de santé
 Direction de l'amélioration de la performance et de la conformité

Order(s) of the Inspector (Ammended)

Pursuant to section 153 and/or section 154 of the
Long-Term Care Homes Act, 2007, S.O. 2007, c.8

	Licensee Copy/Copie du Titulaire	X Public Copy/Copie Public
Name of Inspector:	Wendy Berry	Inspector ID # 102
Log #:	O-000346	
Inspection Report #:	2011_102_9589_17Feb141557	
Type of Inspection:	Critical Incident	
Date of Inspection:	February 17, 2011	
Licensee:	The Corporation of the City of Kawartha Lakes 26 Francis Street, Lindsay, Ontario K9V 5R8 Fax # 705 324 5417	
LTC Home:	Victoria Manor Home For The Aged 220 Angeline Street South, Lindsay, Ontario K9V 4R2 Fax # 705 324 8607	
Name of Administrator:	Hildy Nickel	

To The Corporation of the City of Kawartha Lakes, you are hereby required to comply with the following orders by the dates set out below:

Order #:	002	Order Type:	Compliance Order, Section 153 (1)(a)
Pursuant to: O. Reg. 79/10, s. 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:			
1. All doors leading to stairways and the outside of the home must be, <ul style="list-style-type: none"> i. kept closed and locked 			
Order: All doors leading to stairways and to the outside of the home are to be kept closed and locked.			
Grounds: On February 17, 2011, 13 doors leading to stairways and to the outside of the home that were checked and located within the 1st floor MacMillan resident home area, the 1 st floor central core and lobby area, and the basement, were closed but not locked: <ul style="list-style-type: none"> 1. 5 doors leading to stairways were not locked and are accessible to residents of the Long Term 			



Care Home: 1st floor door, adjacent to the elevators, leading from the lobby into the stairway to the 2nd floor; the 1st floor door, located between MacMillan wing resident rooms labelled "W107" and "W108", leading from the corridor into a stairway; the 1st floor door, located between MacMillan wing resident rooms labelled "W119 and W120" leading from the corridor into a stairway; the basement door, located between rooms labelled "sprinkler room" and "supply room", leading from the corridor to a stairway; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an exterior stairway.

2. 9 doors leading to the outside of the home were not locked and are accessible to residents of the Long Term Care Home: 1st floor main entrance doors, facing towards Angeline Street, that leads from the lobby to the outside (doors are on interior and exterior motion activated sensors that open the doors); 1st floor rear entrance door, facing rear parking lot, that leads from the lobby to the outside; 1st floor door, in the vicinity of the chapel, that leads from 1st floor corridor to the outside near the generator; 1st floor door, in the vicinity of the chapel, leading from the stairway to the outside of the home by the generator; 1st floor exit door, adjacent to office "N136", leading from the corridor to the outside rear raised walkway facing the parking lot; 1st floor exit door leading from the stairway, located between resident rooms "W107" and "W108", leading to the outside ; 1st floor door leading from the stairway, between resident rooms "W119" and "W120", to the outside; basement door adjacent to room "N055 kitchen receiving room" that leads to the outside raised loading dock at the rear of the home; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an outside stairway.
3. On February 11, 2011, a female resident of the Long Term Care Home was identified on a Critical Incident Report # M589-000006-11, as a missing resident for less than 3 hours. The resident was found sitting on a snow bank, one block north of the home. It was reported that the resident has a diagnosis of dementia. The resident did not have her walker with her. It was also reported that "it was cold and the sidewalks were icy" at the time of elopement.

This order must be complied with by:	September 01, 2011/ AMMENDED DATE: December 12, 2011
---------------------------------------------	-------------------------------------------------------------

Order #:	003	Order Type:	Compliance Order, Section 153 (1)(a)
Pursuant to: O. Reg. 79/10, s. 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:			
<ol style="list-style-type: none"> 1. All doors leading to stairways and the outside of the home must be, <ol style="list-style-type: none"> ii. equipped with a door access control system that is kept on at all times 			
Order: All doors leading to stairways and the outside of the home are to be equipped with a door access control system that is kept on at all times.			



Grounds: On February 17, 2011, 13 doors leading to stairways and to the outside of the home that were checked and located within the 1st floor MacMillan resident home area, the 1st floor central core and lobby area, and the basement, were not equipped with a door access control system that is kept on at all times:

1. 5 doors leading to stairways: 1st floor door, adjacent to the elevators, leading from the lobby into the stairway to the 2nd floor; the 1st floor door, located between MacMillan wing resident rooms labelled "W107" and "W108", leading from the corridor into a stairway; the 1st floor door, located between MacMillan wing resident rooms labelled "W119 and W120" leading from the corridor into a stairway; the basement door, located between rooms labelled "sprinkler room" and "supply room", leading from the corridor to a stairway; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an exterior stairway.
2. 9 doors leading to the outside of the home: 1st floor main entrance doors, facing towards Angeline Street, that leads from the lobby to the outside (doors are on interior and exterior motion activated sensors that open the doors); 1st floor rear entrance door, facing rear parking lot, that leads from the lobby to the outside; 1st floor door, in the vicinity of the chapel, that leads from 1st floor corridor to the outside near the generator; 1st floor door, in the vicinity of the chapel, leading from the stairway to the outside of the home by the generator; 1st floor exit door, adjacent to office "N136", leading from the corridor to the outside rear raised walkway facing the parking lot; 1st floor exit door leading from the stairway, located between resident rooms "W107" and "W108", leading to the outside ; 1st floor door leading from the stairway, between resident rooms "W119" and "W120", to the outside; basement door adjacent to room "N055 kitchen receiving room" that leads to the outside raised loading dock at the rear of the home; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an outside stairway.
3. On February 11, 2011, a female resident of the Long Term Care Home was identified on a Critical Incident Report # M589-000006-11, as a missing resident for less than 3 hours. The resident was found sitting on a snow bank, one block north of the home. It was reported that the resident has a diagnosis of dementia. The resident did not have her walker with her. It was also reported that "it was cold and the sidewalks were icy" at the time of elopement.

This order must be complied with by:	September 01, 2011/ AMMENDED DATE: December 12, 2011
---------------------------------------------	-------------------------------------------------------------

Order #:	004	Order Type:	Compliance Order, Section 153 (1)(a)
-----------------	-----	--------------------	--------------------------------------

Pursuant to: O. Reg. 79/10, s. 9. Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home must be,
 - iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and
 - A. is connected to the resident-staff communication and response system, or
 - B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.



Order: All doors leading to stairways and the outside of the home are to be equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and the alarm is to be

- a. connected to the resident-staff communication and response system, or
- b. connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

Grounds: On February 17, 2011, 13 doors leading to stairways and to the outside of the home that were checked and located within the 1st floor MacMillan resident home area, the 1st floor central core and lobby area, and the basement, were not equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and that is connected to the resident-staff communication and response system or to an audio visual enunciator that is connected to the nurses' station nearest to the door with a manual reset switch at each door:

1. 5 doors leading to stairways: 1st floor door, adjacent to the elevators, leading from the lobby into the stairway to the 2nd floor; the 1st floor door, located between MacMillan wing resident rooms labelled "W107" and "W108", leading from the corridor into a stairway; the 1st floor door, located between MacMillan wing resident rooms labelled "W119 and W120" leading from the corridor into a stairway; the basement door, located between rooms labelled "sprinkler room" and "supply room", leading from the corridor to a stairway; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an exterior stairway.
2. 9 doors leading to the outside of the home: 1st floor main entrance doors, facing towards Angeline Street, that leads from the lobby to the outside (doors are on interior and exterior motion activated sensors that open the doors); 1st floor rear entrance door, facing rear parking lot, that leads from the lobby to the outside; 1st floor door, in the vicinity of the chapel, that leads from 1st floor corridor to the outside near the generator; 1st floor door, in the vicinity of the chapel, leading from the stairway to the outside of the home by the generator; 1st floor exit door, adjacent to office "N136", leading from the corridor to the outside rear raised walkway facing the parking lot; 1st floor exit door leading from the stairway, located between resident rooms "W107" and "W108", leading to the outside ; 1st floor door leading from the stairway, between resident rooms "W119" and "W120", to the outside; basement door adjacent to room "N055 kitchen receiving room" that leads to the outside raised loading dock at the rear of the home; the basement door, adjacent to door labelled "N002 Sump", leading from the corridor to an outside stairway.
3. On February 11, 2011, a female resident of the Long Term Care Home was identified on a Critical Incident Report # M589-000006-11, as a missing resident for less than 3 hours. The resident was found sitting on a snow bank, one block north of the home. It was reported that the resident has a diagnosis of dementia. The resident did not have her walker with her. It was also reported that "it was cold and the sidewalks were icy" at the time of elopement.

Noted that some of the doors were connected to an audio visual enunciator located within the MacMillan nursing station. Staff present in the nursing station did not know how to operate the system.

This order must be complied with by:

September 01, 2011 **AMMENDED DATE: December 12, 2011**



Ministry of Health and Long-Term Care
 Health System Accountability and Performance Division
 Performance Improvement and Compliance Branch

Ministère de la Santé et des Soins de longue durée
 Division de la responsabilisation et de la performance du système de santé
 Direction de l'amélioration de la performance et de la conformité

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this(these) Order(s) in accordance with section 163 of the *Long-Term Care Homes Act, 2007*.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for service for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
 c/o Appeals Clerk
 Performance Improvement and Compliance Branch
 Ministry of Health and Long-Term Care
 55 St. Clair Ave. West
 Suite 800, 8th floor
 Toronto, ON M4V 2Y2
 Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.


The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the *Long-Term Care Homes Act, 2007*. The HSARB is an independent group of members not connected with the Ministry. They are appointed by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, with 28 days of being served with the notice of the Director's decision, mail or deliver a written notice of appeal to both:

Health Services Appeal and Review Board and the
 Attention Registrar
 151 Bloor Street West
 9th Floor
 Toronto, ON
 M5S 2T5

Director
 c/o Appeals Clerk
 Performance Improvement and Compliance Branch
 55 St. Claire Avenue, West
 Suite 800, 8th Floor
 Toronto, ON M4V 2Y2

Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.

Issued on this 15th day of August, 2011.	
Signature of Inspector:	
Name of Inspector:	Wendy Berry
Service Area Office:	Ottawa



Ministry of Health and Long-Term Care
Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Ministère de la Santé et des Soins de longue durée
Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

--	--