



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

**Health System Accountability and
Performance Division
Performance Improvement and
Compliance Branch**

**Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la
performance et de la conformité**

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ième} étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Report Date(s) / Date(s) du Rapport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
Apr 8, 2014	2014_178102_0017	000582-13	Complaint

Licensee/Titulaire de permis

OMNI HEALTH CARE LIMITED PARTNERSHIP
1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9

Long-Term Care Home/Foyer de soins de longue durée

THE VILLAGE GREEN NURSING HOME
166 Pleasant Drive, P.O. Box 94, Selby, ON, K0K-2Z0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

WENDY BERRY (102)

Inspection Summary/Résumé de l'inspection



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): April 04, 2014.

It was identified during the inspection that repairs to the roof of the home are planned to occur when weather conditions permit.

During the course of the inspection, the inspector(s) spoke with the Director of Resident Care, the Maintenance person, several staff and several residents.

During the course of the inspection, the inspector(s) reviewed carpet cleaning procedures; reviewed actions taken related to roof leaks; toured resident accessible areas of the home; reviewed Resident and Family Council meeting minutes.

**The following Inspection Protocols were used during this inspection:
Accommodation Services - Housekeeping
Safe and Secure Home**

Findings of Non-Compliance were found during this inspection.



NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Legendé

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

**WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 17.
Communication and response system**



Specifically failed to comply with the following:

- s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,**
- (a) can be easily seen, accessed and used by residents, staff and visitors at all times; O. Reg. 79/10, s. 17 (1).**
 - (b) is on at all times; O. Reg. 79/10, s. 17 (1).**
 - (c) allows calls to be cancelled only at the point of activation; O. Reg. 79/10, s. 17 (1).**
 - (d) is available at each bed, toilet, bath and shower location used by residents; O. Reg. 79/10, s. 17 (1).**
 - (e) is available in every area accessible by residents; O. Reg. 79/10, s. 17 (1).**
 - (f) clearly indicates when activated where the signal is coming from; and O. Reg. 79/10, s. 17 (1).**
 - (g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).**
-

Findings/Faits saillants :

1. The resident staff communication and response system is not available in the following areas that are accessible to and used by many residents:

- large activity room
- large dining room
- small dining room.

The lack of availability of the resident staff communication and response system is a potential risk to the health, safety and well-being of residents. Visitors, staff or residents are not able to quickly and easily indicate that assistance is required in the identified locations. [s. 17. (1) (e)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 13. Every licensee of a long-term care home shall ensure that every resident bedroom occupied by more than one resident has sufficient privacy curtains to provide privacy. O. Reg. 79/10, s. 13.



Findings/Faits saillants :

1. In the majority of shared occupancy residents' bedrooms that are equipped with overhead lifts, privacy curtains are not sufficient to provide privacy when the lift is in motion. [s. 13.]

Additional Required Actions:

VPC - pursuant to the Long-Term Care Homes Act, 2007, S.O. 2007, c.8, s.152(2) the licensee is hereby requested to prepare a written plan of correction for achieving compliance by ensuring that privacy curtains in all shared occupancy bedrooms have sufficient privacy curtains to provide privacy when the overhead lifts are in use and also in shared bedrooms that are not equipped with overhead lifts, to be implemented voluntarily.

WN #3: The Licensee has failed to comply with O.Reg 79/10, s. 16. Every licensee of a long-term care home shall ensure that every window in the home that opens to the outdoors and is accessible to residents has a screen and cannot be opened more than 15 centimetres. O. Reg. 79/10, s. 16; O. Reg. 363/11, s. 3.

Findings/Faits saillants :

1. Side sliding windows in resident bedrooms did not have the openable areas restricted to 15 cm or less.

A number of windows could be opened to a width of approximately 60 cm. [s. 16.]

**WN #4: The Licensee has failed to comply with O.Reg 79/10, s. 87.
Housekeeping**



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée

Specifically failed to comply with the following:

- s. 87. (2) As part of the organized program of housekeeping under clause 15 (1) (a) of the Act, the licensee shall ensure that procedures are developed and implemented for,
- (a) cleaning of the home, including,
 - (i) resident bedrooms, including floors, carpets, furnishings, privacy curtains, contact surfaces and wall surfaces, and
 - (ii) common areas and staff areas, including floors, carpets, furnishings, contact surfaces and wall surfaces; O. Reg. 79/10, s. 87 (2).
-

Findings/Faits saillants :

1. String call bell activator cords were visibly soiled in a number of residents' washrooms.

At the conclusion of the inspection it was identified that replacement with red plastic cording would be done.

An activator cord is a contact surface that needs to be cleaned and disinfected. [s. 87. (2) (a)]

Issued on this 8th day of April, 2014

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

WENDY BERRY



Ministry of Health and
Long-Term Care

Ministère de la Santé et
des Soins de longue durée

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

Name of Inspector (ID #) /
Nom de l'inspecteur (No) : WENDY BERRY (102)

Inspection No. /
No de l'inspection : 2014_178102_0017

Log No. /
Registre no: 000582-13

Type of Inspection /
Genre
d'inspection: Complaint

Report Date(s) /
Date(s) du Rapport : Apr 8, 2014

Licensee /
Titulaire de permis : OMNI HEALTH CARE LIMITED PARTNERSHIP
1840 LANSDOWNE STREET WEST, UNIT 12,
PETERBOROUGH, ON, K9K-2M9

LTC Home /
Foyer de SLD : THE VILLAGE GREEN NURSING HOME
166 Pleasant Drive, P.O. Box 94, Selby, ON, K0K-2Z0

Name of Administrator /
Nom de l'administratrice
ou de l'administrateur : LINDA PIERCE

To OMNI HEALTH CARE LIMITED PARTNERSHIP, you are hereby required to
comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Order # /

Ordre no : 001

Order Type /

Genre d'ordre : Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,

(a) can be easily seen, accessed and used by residents, staff and visitors at all times;

(b) is on at all times;

(c) allows calls to be cancelled only at the point of activation;

(d) is available at each bed, toilet, bath and shower location used by residents;

(e) is available in every area accessible by residents;

(f) clearly indicates when activated where the signal is coming from; and

(g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Order / Ordre :

The licensee will ensure that the resident staff communication and response system is available in every area accessible by residents, including:

-the large dining room

-the small dining room

-the large activity room.

Grounds / Motifs :



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

1. The resident staff communication and response system is not available in the following areas that are accessible to and used by many residents:

- large activity room
- large dining room
- small dining room.

The lack of availability of the resident staff communication and response system is a potential risk to the health, safety and well-being of residents. Visitors, staff or residents are not able to quickly and easily indicate that assistance is required in the identified locations.

(102)

**This order must be complied with by /
Vous devez vous conformer à cet ordre d'ici le : Jul 14, 2014**



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
TORONTO, ON
M5S-2B1
Fax: 416-327-7603



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance
Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
TORONTO, ON
M5S-2B1
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au:

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11^e étage
Ontario, ON
M5S-2B1
Fax: 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision
des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la
conformité
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11e étage
Ontario, ON
M5S-2B1
Fax: 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarb.on.ca.

Issued on this 8th day of April, 2014

Signature of Inspector /

Signature de l'inspecteur :

WENDY BERRY

Name of Inspector /

Nom de l'inspecteur :

WENDY BERRY

Service Area Office /

Bureau régional de services : Ottawa Service Area Office