



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

**Long-Term Care Homes Division
Long-Term Care Inspections Branch**

**Division des foyers de soins de
longue durée
Inspection de soins de longue durée**

London Service Area Office
130 Dufferin Avenue 4th floor
LONDON ON N6A 5R2
Telephone: (519) 873-1200
Facsimile: (519) 873-1300

Bureau régional de services de
London
130 avenue Dufferin 4ème étage
LONDON ON N6A 5R2
Téléphone: (519) 873-1200
Télécopieur: (519) 873-1300

Public Copy/Copie du public

Report Date(s) / Date(s) du rapport	Inspection No / No de l'inspection	Log # / Registre no	Type of Inspection / Genre d'inspection
May 16, 2016	2016_262523_0019	008735-16	Complaint

Licensee/Titulaire de permis

Schlegel Villages Inc
325 Max Becker Drive Suite 201 KITCHENER ON N2E 4H5

Long-Term Care Home/Foyer de soins de longue durée

THE VILLAGE OF GLENDALE CROSSING
3030 Singleton Avenue LONDON ON N6L 0B6

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

ALI NASSER (523)

Inspection Summary/Résumé de l'inspection



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

The purpose of this inspection was to conduct a Complaint inspection.

This inspection was conducted on the following date(s): May 10 and 11, 2016

During the course of the inspection, the inspector(s) spoke with the Administrator, Director of Nursing, Director of Environmental Services, Director of Recreation, Kinesiologist, one Personal Support Worker and three Registered Staff members.

The inspector(s) also made observations of resident, activities and care, reviewed relevant policies and procedures, as well as clinical records and plans of care for identified resident.

**The following Inspection Protocols were used during this inspection:
Falls Prevention
Safe and Secure Home**

During the course of this inspection, Non-Compliances were issued.

2 WN(s)

0 VPC(s)

1 CO(s)

0 DR(s)

0 WAO(s)



NON-COMPLIANCE / NON - RESPECT DES EXIGENCES

Legend	Legendé
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (a requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA).	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 15. Bed rails



Specifically failed to comply with the following:

- s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,**
- (a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident; O. Reg. 79/10, s. 15 (1).**
 - (b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and O. Reg. 79/10, s. 15 (1).**
 - (c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).**

Findings/Faits saillants :

1. The licensee has failed to ensure that where bed rails are used, the resident had been assessed and his or her bed system evaluated in accordance with evidence-based practices, and if there are none, in accordance with prevailing practices to minimize risk to the resident.

A clinical record review and staff interview revealed that resident #001 had their bed surface changed on two occasions.

A clinical record review with Falls Management Program Lead #108 and Registered staff Member #107 revealed that there was no assessment completed when the surface was changed on the first occasion, to ensure the resident was safe in that bed system. On the second occasion a bed entrapment assessment was completed, but there was no documented assessment of the resident in that bed system.

In an interview with DON #101 and Administrator #100 confirmed that there was no documented assessment that was completed for the resident in the new bed system. Falls Management Program Lead staff #108 confirmed that a bed system assessment and a resident assessment in the bed system were not completed when the bed surface was changed. [s. 15. (1) (a)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".



WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 8. Policies, etc., to be followed, and records

Specifically failed to comply with the following:

s. 8. (1) Where the Act or this Regulation requires the licensee of a long-term care home to have, institute or otherwise put in place any plan, policy, protocol, procedure, strategy or system, the licensee is required to ensure that the plan, policy, protocol, procedure, strategy or system,
(a) is in compliance with and is implemented in accordance with applicable requirements under the Act; and O. Reg. 79/10, s. 8 (1).
(b) is complied with. O. Reg. 79/10, s. 8 (1).

Findings/Faits saillants :

1. The licensee failed to ensure that where the Act or this Regulation requires the licensee of a long term care home to have, institute or otherwise put in place any plan, policy, protocol, procedure, strategy or system, the licensee is required to ensure that the plan, policy, protocol, procedure, strategy or system, is complied with.

A clinical record review and staff interviews revealed that the staff did not comply with the home's policies and procedures specifically Head Injury Routine policy, Mechanical Lifts and Wound/Skin Care.

This is supporting evidence for CO #006 issued under Resident Quality Inspection #2016_262523_0016, Log # 007195-16. [s. 8. (1) (b)]



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et des
Soins de longue durée**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Rapport d'inspection sous la
Loi de 2007 sur les foyers de
soins de longue durée**

Issued on this 16th day of May, 2016

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Original report signed by the inspector.



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

**Long-Term Care Homes Division
Long-Term Care Inspections Branch**

**Division des foyers de soins de longue durée
Inspection de sions de longue durée**

Public Copy/Copie du public

Name of Inspector (ID #) /

Nom de l'inspecteur (No) : ALI NASSER (523)

Inspection No. /

No de l'inspection : 2016_262523_0019

Log No. /

Registre no: 008735-16

Type of Inspection /

Genre

Complaint

d'inspection:

Report Date(s) /

Date(s) du Rapport : May 16, 2016

Licensee /

Titulaire de permis : Schlegel Villages Inc
325 Max Becker Drive, Suite 201, KITCHENER, ON,
N2E-4H5

LTC Home /

Foyer de SLD : THE VILLAGE OF GLENDALE CROSSING
3030 Singleton Avenue, LONDON, ON, N6L-0B6

Name of Administrator /

Nom de l'administratrice

ou de l'administrateur : MICHELLE VERMEEREN

To Schlegel Villages Inc, you are hereby required to comply with the following order(s)
by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

Order # /

Ordre no : 001

Order Type /

Genre d'ordre : Compliance Orders, s. 153. (1) (a)

Pursuant to / Aux termes de :

O.Reg 79/10, s. 15. (1) Every licensee of a long-term care home shall ensure that where bed rails are used,
(a) the resident is assessed and his or her bed system is evaluated in accordance with evidence-based practices and, if there are none, in accordance with prevailing practices, to minimize risk to the resident;
(b) steps are taken to prevent resident entrapment, taking into consideration all potential zones of entrapment; and
(c) other safety issues related to the use of bed rails are addressed, including height and latch reliability. O. Reg. 79/10, s. 15 (1).

Order / Ordre :

The licensee shall ensure resident #001's bed system is assessed and the resident's safety in that bed is assessed immediately.
The licensee shall ensure residents are reassessed in their bed systems after a change in the system such as a new mattress.

Grounds / Motifs :



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

1. The licensee has failed to ensure that where bed rails are used, the resident had been assessed and his or her bed system evaluated in accordance with evidence-based practices, and if there are none, in accordance with prevailing practices to minimize risk to the resident.

A clinical record review and staff interview revealed that resident #001 had their bed surface changed on two occasions.

A clinical record review with Falls Management Program Lead #108 and Registered staff Member #107 revealed that there was no assessment completed when the surface was changed on the first occasion, to ensure the resident was safe in that bed system.

On the second occasion a bed entrapment assessment was completed, but there was no documented assessment of the resident in that bed system.

In an interview with DON #101 and Administrator #100 confirmed that there was no documented assessment that was completed for the resident in the new bed system.

Falls Management Program Lead staff #108 confirmed that a bed system assessment and a resident assessment in the bed system were not completed when the bed surface was changed. [s. 15. (1) (a)]

During this inspection this non-compliance was found to have a severity level of actual harm/risk to a resident, an isolated scope and unrelated previous non-compliance. (523)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : May 31, 2016



**Ministry of Health and
Long-Term Care**

**Ministère de la Santé et
des Soins de longue durée**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the Long-Term Care Homes Act, 2007.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
TORONTO, ON
M5S-2B1
Fax: 416-327-7603



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the Long-Term Care Homes Act, 2007. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Long-Term Care Inspections Branch
Ministry of Health and Long-Term Care
1075 Bay Street, 11th Floor
TORONTO, ON
M5S-2B1
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au:

Directeur
a/s Coordinateur des appels
Inspection de soins de longue durée
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11^e étage
Ontario, ON
M5S-2B1
Fax: 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision
des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Inspection de soins de longue durée
Ministère de la Santé et des Soins de longue durée
1075, rue Bay, 11e étage
Ontario, ON
M5S-2B1
Fax: 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarb.on.ca.

Issued on this 16th day of May, 2016

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :** Ali Nasser

**Service Area Office /
Bureau régional de services :** London Service Area Office